

## Brother MFC-L3770CDW multifunction printer LED A4 2400 x 600 DPI 24 ppm Wi-Fi

Brand : Brother Product code: MFC-L3770CDW

Product name: MFC-L3770CDW

- Single-pass duplex (2-sided) copying & scanning
- NFC "touch to connect" print & scan‡
- 30-sheet multi-purpose tray

A4, 2400 x 600 dpi, ADF, CIS, 25-400%, Fax, 48 dB(A), 3.7" LED Display, LAN 10/100BaseTX, WLAN 802.11 b/g/n, USB 2.0

Brother MFC-L3770CDW. Print technology: LED, Printing: Colour printing, Maximum resolution: 2400 x 600 DPI, Print speed (colour, normal quality, A4/US Letter): 24 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 2400 x 1200 DPI. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black, White





Printing		Paper handling	
Print technology *	LED	Custom media width	76.2 - 215.9 mm
Printing *	Colour printing	Custom media length	116 - 355.6 mm
Duplex printing *	✓	Paper tray media weight	60 - 163 g/m <sup>2</sup>
Maximum resolution *	2400 x 600 DPI	Paper tray media weight (imperial)	7.26 - 19.5 kg (16 - 43 lbs)
Print speed (black, normal quality, A4/US Letter) *	24 ppm	Multi-Purpose Tray media weight Multi-Purpose Tray media weight (imperial)  Auto Document Feeder (ADF) media  60 - 163 g/m²  7.26 - 19.5 kg (16 - 43 l	<b>5</b> .
Print speed (colour, normal quality, A4/US Letter)	24 ppm		5.
Warm-up time	24 s	weight	64 - 105 g/m <sup>2</sup>
Time to first page (black, normal)	14 s	Auto Document Feeder (ADF) media weight (imperial)	7.26 - 12.7 kg (16 - 28 lbs)
Time to first page (colour, normal) N-in-1 print function	14 s ✓	Ports & interfaces	
N-up printing Barcode printing	2, 4, 9, 16, 25 ✓	Standard interfaces	Ethernet, NFC, USB 2.0, Wireless LAN
Watermark printing	✓	Direct printing *	✓
Booklet printing function	✓	USB port	✓
Poster printing function	1	Network	
Copying			
copying		Wi-Fi *	✓
Duplex copying *	<b>✓</b>	Wi-Fi * Ethernet LAN *	<b>√</b>
•	✓ Colour copying		
Duplex copying *		Ethernet LAN *	✓
Duplex copying * Copying *	Colour copying	Ethernet LAN * Cabling technology Ethernet LAN data rates Wi-Fi standards	√ 10/100Base-T(X) 10,100 Mbit/s 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Duplex copying * Copying * Maximum copy resolution * Copy speed (black, normal quality,	Colour copying 600 x 600 DPI	Ethernet LAN * Cabling technology Ethernet LAN data rates	✓ 10/100Base-T(X) 10,100 Mbit/s 802.11b, 802.11g, Wi-Fi 4 (802.11n) ✓ 64-bit WEP, 128-bit WEP, EAP-FAST,
Duplex copying * Copying * Maximum copy resolution * Copy speed (black, normal quality, A4) Copy speed (colour, normal quality,	Colour copying 600 x 600 DPI 24 cpm	Ethernet LAN * Cabling technology Ethernet LAN data rates Wi-Fi standards Near Field Communication (NFC)	√ 10/100Base-T(X) 10,100 Mbit/s 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Duplex copying * Copying * Maximum copy resolution * Copy speed (black, normal quality, A4) Copy speed (colour, normal quality, A4)	Colour copying 600 x 600 DPI 24 cpm	Ethernet LAN * Cabling technology Ethernet LAN data rates Wi-Fi standards	10/100Base-T(X) 10,100 Mbit/s 802.11b, 802.11g, Wi-Fi 4 (802.11n)  √ 64-bit WEP, 128-bit WEP, EAP-FAST, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, IPPS, PEAP, SMTP-AUTH, SNMP, SSL/TLS, WPA-AES, WPA-PSK,
Duplex copying * Copying * Maximum copy resolution * Copy speed (black, normal quality, A4) Copy speed (colour, normal quality, A4) Time to first copy (black, normal)	Colour copying 600 x 600 DPI 24 cpm 24 cpm	Ethernet LAN * Cabling technology Ethernet LAN data rates Wi-Fi standards Near Field Communication (NFC)	10/100Base-T(X) 10,100 Mbit/s 802.11b, 802.11g, Wi-Fi 4 (802.11n)  64-bit WEP, 128-bit WEP, EAP-FAST, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, IPPS, PEAP, SMTP-AUTH, SNMP, SSL/TLS, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK,
Duplex copying * Copying * Maximum copy resolution * Copy speed (black, normal quality, A4) Copy speed (colour, normal quality, A4) Time to first copy (black, normal) Time to first copy (colour, normal)	Colour copying 600 x 600 DPI 24 cpm 24 cpm 15 s 15 s	Ethernet LAN * Cabling technology Ethernet LAN data rates Wi-Fi standards Near Field Communication (NFC)	10/100Base-T(X) 10,100 Mbit/s 802.11b, 802.11g, Wi-Fi 4 (802.11n)   64-bit WEP, 128-bit WEP, EAP-FAST, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, IPPS, PEAP, SMTP-AUTH, SNMP, SSL/TLS, WPA-AES, WPA-PSK,
Duplex copying * Copying * Maximum copy resolution * Copy speed (black, normal quality, A4) Copy speed (colour, normal quality, A4) Time to first copy (black, normal) Time to first copy (colour, normal) Copier resize	Colour copying 600 x 600 DPI 24 cpm 24 cpm 15 s 15 s 25 - 400%	Ethernet LAN * Cabling technology Ethernet LAN data rates Wi-Fi standards Near Field Communication (NFC)	10/100Base-T(X) 10,100 Mbit/s 802.11b, 802.11g, Wi-Fi 4 (802.11n)  64-bit WEP, 128-bit WEP, EAP-FAST, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, IPPS, PEAP, SMTP-AUTH, SNMP, SSL/TLS, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK,
Duplex copying * Copying * Maximum copy resolution * Copy speed (black, normal quality, A4) Copy speed (colour, normal quality, A4) Time to first copy (black, normal) Time to first copy (colour, normal) Copier resize N-in-1 copy function	Colour copying 600 x 600 DPI 24 cpm 24 cpm 15 s 15 s 25 - 400%	Ethernet LAN * Cabling technology Ethernet LAN data rates Wi-Fi standards Near Field Communication (NFC)	10/100Base-T(X) 10,100 Mbit/s 802.11b, 802.11g, Wi-Fi 4 (802.11n)  64-bit WEP, 128-bit WEP, EAP-FAST, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, IPPS, PEAP, SMTP-AUTH, SNMP, SSL/TLS, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK,
Duplex copying * Copying * Maximum copy resolution * Copy speed (black, normal quality, A4) Copy speed (colour, normal quality, A4) Time to first copy (black, normal) Time to first copy (colour, normal) Copier resize N-in-1 copy function N-in-1 copy function (N=)	Colour copying 600 x 600 DPI 24 cpm 24 cpm 15 s 15 s 25 - 400%	Ethernet LAN * Cabling technology Ethernet LAN data rates Wi-Fi standards Near Field Communication (NFC)	10/100Base-T(X) 10,100 Mbit/s 802.11b, 802.11g, Wi-Fi 4 (802.11n)  64-bit WEP, 128-bit WEP, EAP-FAST, EAP-MD5, EAP-TLS, EAP-TTLS, HTTPS, IPPS, PEAP, SMTP-AUTH, SNMP, SSL/TLS, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK,

Scanning		Network	
Optical scanning resolution * Maximum scan resolution Scanner type * Scan technology	2400 x 1200 DPI 19200 x 19200 DPI Flatbed & ADF scanner CIS	Supported network protocols (IPv4)  Supported network protocols (IPv6)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPV1/v2c/v3, HTTP/HTTPS server, TFT Client and server, ICMP, Web Services (Print/Scan), SNTP Client NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server,
Scan to Image formats supported Document formats supported Input colour depth	E-mail, FTP, File, Image, OCR, SMB, USB EXIF, JPEG, TIFF PDF 48 bit		
Output colour depth Greyscale levels Scan drivers	24 bit 256 SANE, TWAIN, WIA		
Fax			TFTP client and server, ICMPv6, SNTP Client, Web Services
Fax memory 500 pages	33.6 Kbit/s 500 pages	Mobile printing technologies	(Print/Scan) Apple AirPrint, Brother iPrint & Scan, Mopria Print Service
Fax forwarding Fax broadcasting	250 locations	Performance	
Fax coding methods	JBIG	Card reader integrated	X
Features		Internal memory *	512 MB ✓
Recommended duty cycle Maximum duty cycle *	300 - 1500 pages per month 30000 pages per month	Built-in processor  Processor frequency  Sound pressure level (printing)	800 MHz 47 dB
Digital sender	1	Design	
Printing colours * Page description languages Number of printer fonts All-In-One-multitasking	description languages BR-Script 3, PCL 6, PDF 1.7, XPS ber of printer fonts 144	Product colour * Market positioning * Built-in display * Display	Black, White Home & office ✓ LED
Input & output capacity		Display diagonal	9.4 cm (3.7")
Total input capacity * Total output capacity *	250 sheets 150 sheets	Touchscreen Control type	Touch
Multi-Purpose tray input capacity	30 sheets	Power	
Auto document feeder (ADF) Auto document feeder (ADF) input capacity  50 sheets  50 sheets	Power consumption (printing) Power consumption (ready) Power consumption (standby)	430 W 75 W 1.2 W	
Paper handling		Power consumption (sleep)	10.1 W
Maximum ISO A-series paper size *	A4	Power consumption (off)	0.04 W
Maximum print size	216 x 356 mm	System requirements	Windows 10 Windows 10
Paper tray media types *  Multi-purpose tray media types	Plain paper, Recycled paper, Thick paper, Thin paper Bond paper, Envelopes, Glossy paper, Labels, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core,
ISO A-series sizes (A0A9) *	A4, A5, A6		Windows 10 Pro, Windows 7, Windows 7 Enterprise, Windows 7
Non-ISO print media sizes  JIS B-series sizes (B0B9)  A4, A5, A6  Executive, Letter  B5	Executive, Letter	Windows operating systems supported	Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 Pro x64, Windows 8.1 Pro x64, Windows 8.1 Pro x64, Windows 8.1 Roc OS X 10.11 El Capitan, Mac OS
		Mac operating systems supported	Sierra

Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 R2 x64, Windows Server 2008 x64, Windows Server 2012, Windows Server 2012 R2, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016, Windows Server 2016 x64
Blue Angel, ENERGY STAR
410 mm 509 mm 414 mm 24.5 kg
623 mm 523 mm 568 mm 28.8 kg
√ √ √
84433100
Web Based Management, BRAdmin Professional for Windows, BRAdmin Light for Windows







4977766790338

4977766790659

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.