Canon imageFORMULA DR-G2110 Sheet-fed scanner 600 x 600 DPI A3 Black, White

Brand : Canon

Product family: imageFORMULA

Product code: 3150C003

Product name : DR-G2110

A3, CIS, 600 dpi, RGB LED, 500 sheets, RJ-45, USB 3.1

Canon imageFORMULA DR-G2110 Sheet-fed scanner 600 x 600 DPI A3 Black, White:

Fast and durable A3 production scanner

Optimised for customers who demand exceptional high-speed productivity, superior image quality and dependable feeding performance, this A3 scanner is robust, simple to use and performs quietly

Productivity
Ultra-efficient scanner delivers up to 220 images per minute

Image quality
Advanced image-processing tools deliver consistently crisp, clear, high-quality images

Reliable
Robust, durable paper feed and transport rollers – delivers up to 30,000 scans per day
Canon imageFORMULA DR-G2110. Maximum scan size: 305 x 432 mm, Optical scanning resolution: 600 x 600 DPI, ADF scan speed (b/w, A3): 120 ppm. Scanner type: Sheet-fed scanner, Product colour: Black, White. Sensor type: CIS, Daily duty cycle (max): 50000 pages, Light source: RGB LED. Standard input capacity: 500 sheets. Maximum ISO A-series paper size: A3, Auto Document Feeder (ADF) media weight: 20 - 209 g/m²

Scanning	
Maximum scan size *	305 x 432 mm
Optical scanning resolution *	600 x 600 DPI
Colour scanning	✓
Duplex scanning *	✓
ADF scan speed (b/w, A3)	120 ppm
ADF scan speed (colour, A3)	120 ppm
Duplex ADF scan speed (b/w, A4)	240 ipm
Duplex ADF scan speed (colour, A4)	240 ipm

Design	
Scanner type *	Sheet-fed scanner
Product colour *	Black, White
Built-in display *	✓

Performance	
Sensor type *	CIS
Light source	RGB LED
Daily duty cycle (max) *	50000 pages
Scanning noise level	54 dB

Input capacity	
Standard input capacity	500 sheets

Paper handling	
Long-paper mode	✓
Maximum ISO A-series paper size *	A3

Paper handling	
Auto Document Feeder (ADF) media weight	20 - 209 g/m²

Ports & interfaces	
USB port *	✓
USB version	3.2 Gen 2 (3.1 Gen 2)
Standard interfaces	RJ-45, USB 3.2 Gen 1 (3.1 Gen 1)

Power	
Power supply type *	AC
Power consumption (typical)	66.5 W
Power consumption (standby)	3.5 W
AC input frequency	50 - 60 Hz
Input voltage	220 - 240 V

Network	
Ethernet LAN	✓

Operational conditions	
Operating temperature (T-T)	10 - 35 °C
Operating relative humidity (H-H)	20 - 80%
Operating temperature (T-T)	50 - 95 °F

Weight & dimensions	
Width	480 mm
Depth	569 mm
Height	315 mm
Weight	25 kg

Technical details	
Harmonized System (HS) code	84716070

4528472108216



0013803308938

013803308938

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-JAN-2023. Prints or copies of Information are only valid on the printed Publication date