

TP-Link AC1300 Wireless Dual Band USB WiFi Adapter

Brand: TP-Link Product code: ARCHER T4U V3

Product name : AC1300 Wireless Dual Band USB WiFi

Adapter

- Ultra-fast Wi-Fi 1300Mbps wireless speeds (400Mpbs on the 2.4GHz band and 867Mbps on the 5GHz band) with support for the next generation 802.11ac Wi-Fi standard
- Dual Band Wireless 2.4GHz and 5GHz bands for flexible connectivity
- High gain antennas Improved range, signal quality and transmission performance
- MU-MIMO -Delivers highly efficient wireless connection
- Super Speed USB 3.0 Port Up to 10x faster transfer speeds than USB 2.0
- WPS Button Easy wireless security encryption at the push of the WPS button $% \left(1\right) =\left(1\right) \left(1\right) \left($

AC1300 Wireless Dual Band USB Adapter

TP-Link AC1300 Wireless Dual Band USB WiFi Adapter. Connectivity technology: Wireless, Host interface: USB, Interface: WLAN. Maximum data transfer rate: 867 Mbit/s, Top Wi-Fi standard: Wi-Fi 5 (802.11ac), Wi-Fi band: Dual-band (2.4 GHz / 5 GHz). Product colour: Black







Ports & interfaces		System requirements	
Connectivity technology * Host interface * Interface *	Wireless USB WLAN	Windows operating systems supported	Windows 10, Windows 7, Windows x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows XP
USB version	3.2 Gen 1 (3.1 Gen 1)		Mac OS X 10.10 Yosemite, Mac OS X
Network		Mac operating systems supported	10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Maximum data transfer rate *	867 Mbit/s	Linux operating systems supported	✓
Wi-Fi Wi-Fi band	Dual band (2.4 CHz / E CHz)	Operational conditions	
Frequency range Top Wi-Fi standard Wi-Fi standards	Dual-band (2.4 GHz / 5 GHz) 2.4 - 5 GHz Wi-Fi 5 (802.11ac) 802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n) 11,54,300,400,867 Mbit/s 16-QAM, 64-QAM, 256-QAM, CCK, DBPSK, DQPSK	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 40 °C -40 - 70 °C 10 - 90% 5 - 90%
WLAN data transfer rates supported		Sustainability	
Modulation		Sustainability certificates	RoHS
Security algorithms Bandwidth (first) Bandwidth (second)	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK 2.4 GHz 5 GHz	Weight & dimensions Width Depth Height	92.4 mm 30.4 mm 13.9 mm
Design			13.3 11111
Component for * Product colour Internal * Antenna Antenna design	PC/notebook Black	Packaging data Drivers included Package width Package depth Package height	✓ 207 mm 148 mm 42 mm
Antenna direction type	Omni-directional	Packaging content	
WPS push button LED indicators Certification	Power CE, FCC	Quick installation guide	1

Other features

Antennas quantity

Antennas quantity
Transmit power range
Harmonized System (HS) code 20 - 20 dBmW 85176990

2



6935364050863



0845973050863




845973050863




5054230928608



5054484540083



5052916891055



0620980990155



620980990155



8459730508638



6935364097318