


Display		Operational conditions	
Viewable size, vertical	26.8 cm	Operating temperature (T-T)	0 - 40 °C
Digital horizontal frequency	30 - 83 kHz	Storage temperature (T-T)	-20 - 60 °C
Digital vertical frequency	50 - 76 Hz	Operating relative humidity (H-H)	20 - 80%
Display diagonal (metric)	54.6 cm	Operating altitude	0 - 3658 m
DDC/CI	✓	Non-operating altitude	0 - 12192 m
Haze rate	25%	Packaging content	
Surface hardness	3H	Stand included	✓
RGB colour space	sRGB	Cables included	VGA, HDMI, Audio (3.5mm), AC
Colour gamut	72%	Manual	✓
NTSC coverage (typical)	72%	Bundled software	SmartControl
3D	✗	Weight & dimensions	
Display sRGB	✓	Width (with stand)	504 mm
Performance		Depth (with stand)	206 mm
NVIDIA G-SYNC *	✗	Height (with stand)	477 mm
AMD FreeSync *	✗	Weight (with stand)	4.45 kg
VESA Adaptive Sync support	✓	Width (without stand)	504 mm
Component video sync	Separate sync, Sync-on-green (SOG)	Depth (without stand)	47 mm
Flicker-free technology	✓	Height (without stand)	304 mm
Low Blue Light technology	✓	Weight (without stand)	2.55 kg
Multimedia		Packaging data	
Built-in speaker(s) *	✓	Package width	565 mm
Built-in camera *	✗	Package depth	184 mm
Number of speakers	2	Package height	490 mm
RMS rated power	2 W	Package weight	6.34 kg
Design		Package type	Box
Market positioning *	Home	Sustainability	
Product colour *	Black	Sustainability certificates	ENERGY STAR, TCO, RoHS, WEEE
Front bezel colour	Black	Doesn't contain	PVC/BFR, Mercury
Detachable stand	✓	European Product Registry for Energy Labelling (EPREL) code	413329
Feet colour	Black	Recycling data	
Heavy metals free	Hg (mercury)	Post-consumer recycled plastic	85%
Certification	CE Mark, FCC Class B, SEMKO, cETLus, CU-EAC, PSB, EPA, UKRAINIAN, TUV Ergo, TUV/GS, RCM, TUV/ISO9241-307, CB	Other features	
Ports & interfaces		On/off switch	✓
Built-in USB hub *	✗	TV tuner integrated	✗
VGA (D-Sub) ports quantity	1	Exterior finish type	Textured
DVI port	✗	Recommended resolution	1920 x 1080 @ 60 Hz
HDMI *	✓	Picture enhancement	SmartImage
HDMI ports quantity	1.4	Recyclable packaging material	100%
HDMI version	1.4	Regulatory Approvals	CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; PSB; EPA; UKRAINIAN; TUV Ergo; TUV/GS; RCM; TUV/ISO9241-307; CB
Audio input	✗	EasyRead mode	✓
Headphone out *	✓	LowBlue mode	✓
Headphone outputs	1	Energy efficiency class (old)	E
Headphone connectivity	3.5 mm	Mean time between failures (MTBF)	70000 h
PC Audio in	✓		



8712581750237

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-APR-2024. Prints or copies of Information are only valid on the printed Publication date