

ASUS GT-AX11000 wireless router Gigabit Ethernet Tri-band (2.4 GHz / 5 GHz / 5 GHz) 4G Black

Brand : ASUS

Product code: 90IG04H0-MU9G00

Product name : GT-AX11000

- Triple-level Game Acceleration Accelerate game traffic every step of the way - from device to game server
 - Battle-ready-hardware 1.8GHz quad-core CPU and 2.5GBase-T port for ultimate performance
 - Front-line Network Security Neutralise internet threats before they hit your network
 - Better Partner with Mesh System Compatible with ASUS AiMesh Wi-Fi system for seamless whole-home coverage
- 2.4G Hz, 5 GHz-1, 5 GHz-2, USB 3.1, 4 x RJ45, Flash 256 MB, RAM 1 GB, 1.8 GHz quad-core, External antenna x 8



WAN connection		Security	
Ethernet WAN *	✓	Access Control List (ACL)	✓
DSL WAN *	✗	URL filtering	✓
SIM card slot *	✗	System event log	✓
3G/4G USB modem compatibility *	✓	DMZ support	✓
WAN connection type	RJ-45	Protocols	
Wireless LAN features		DHCP client	✓
Wi-Fi band *	Tri-band (2.4 GHz / 5 GHz / 5 GHz)	DHCP server	✓
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Universal Plug and Play (UPnP)	✓
WLAN data transfer rate (max) *	4804 Mbit/s	Design	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Product colour	Black
WLAN data transfer rate (first band)	4804 Mbit/s	Indication light	✓
WLAN data transfer rate (second band)	1148 Mbit/s	LED indicators	LAN, Power, USB, WAN, WLAN, WPS
Network		On/off switch	✓
Ethernet LAN *	✓	Product type *	Tabletop router
Ethernet LAN interface type *	Gigabit Ethernet	Packaging content	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	AC adapter included	✓
Auto MDI/MDI-X	✓	Antenna	
Port forwarding	✓	Antenna design *	External
Dynamic DNS (DDNS)	✓	Antennas quantity	8
VPN Passthrough	✓	Features	
VPN support	IPSec Pass-Through PPTP Pass-Through L2TP Pass-Through PPTP server OpenVPN server PPTP client L2TP client OpenVPN client	Built-in processor	✓
Mobile network		Processor frequency	1.8 MHz
Mobile network generation	4G	Processor cores	4
3G	✗	Internal memory	1000 MB
4G	✗	Flash memory	256 MB
		Power	
		Power source type *	DC
		AC input voltage	110 - 240 V
		AC input frequency	50/60 Hz
		Output voltage	19 V

Ports & interfaces		Power	
Ethernet LAN (RJ-45) ports *	5	Output current	3.42 A
USB port *	✓	System requirements	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Windows operating systems supported	Windows 10, Windows 7, Windows 8
Memory card slot(s)	✗	Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion
DC-in jack	✓	Weight & dimensions	
Management features		Width	241 mm
Quality of Service (QoS) support	✓	Depth	241 mm
Reset button	✓	Height	60 mm
WPS push button	✓	Weight	1.72 kg
Security		Packaging data	
Security algorithms	64-bit WEP, 128-bit WEP, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPS	Number of products included	1 pc(s)
		Logistics data	
		Harmonized System (HS) code	85176990



4718017064774

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-JAN-2023. Prints or copies of Information are only valid on the printed Publication date