

SONY

## Sony α 6400 MILC Body 24.2 MP CMOS 6000 x 4000 pixels Black

Brand : Sony

Product family: α

Product code: ILCE6400B.CEC

Product name : 6400



CMOS, 24.2MP, 6000x4000px, 7.5" LCD, Wi-Fi, Bluetooth 4.1, 120x66.9x59.7mm, 403g, Black  
 Sony α 6400. Camera type: MILC Body, Megapixel (approx.): 24.2 MP, Sensor type: CMOS, Maximum image resolution: 6000 x 4000 pixels. ISO sensitivity (max): 102400. Fastest camera shutter speed: 1/4000 s. Wi-Fi. HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels. Display diagonal: 19.1 cm (7.5"), Touchscreen. Viewfinder type: Electronic. Weight: 403 g. Product colour: Black



<b>Picture quality</b>		<b>Display</b>	
Camera type *	MILC Body	Display *	LCD
Megapixel (approx.) *	24.2 MP	Touchscreen *	✓
Sensor type *	CMOS	Display diagonal *	19.1 cm (7.5")
Maximum image resolution *	6000 x 4000 pixels	Display resolution (numeric)	921600 pixels
Still image resolution(s) *	6000x4000, 4240x2382,	Flip-out screen	✓
	3008x2000, 6000x3376,	<b>Viewfinder</b>	
	4240x2400, 3008x1688, 4000 x	Viewfinder type	Electronic
	4000, 2832x2832, 2000 x 1000,	Magnification	1.07x
	12416x1856, 5536x2160,	Viewfinder screen size	0.39"
8192x1856, 3872x2160	Viewfinder resolution (approx.)	2359296 pixels	
Image stabilizer *	✗	<b>Ports &amp; interfaces</b>	
Supported aspect ratios	1:1, 3:2, 16:9	USB version *	2.0
Total megapixels	25 MP	USB connector	Micro-USB
Image sensor size (W x H)	23.5 x 15.6 mm	HDMI *	✓
Sensor format	Advanced Photo System type-C (APS-C)	HDMI connector type	Micro
Image formats supported *	JPEG	Microphone in	✓
<b>Focusing</b>		<b>Network</b>	
Focus adjustment *	Auto/Manual	Bluetooth *	✓
Auto focusing (AF) modes *	Continuous Auto Focus, Contrast Detection Auto Focus, Single Auto Focus, Tracking Auto Focus	Bluetooth version	4.1
Auto Focus (AF) object detection	Face	Bluetooth Low Energy (BLE)	✓
Auto Focus (AF) points	425	Wi-Fi *	✓
Smile detection	✓	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
<b>Exposure</b>		Near Field Communication (NFC) *	✓
ISO sensitivity (min) *	100	<b>Camera</b>	
ISO sensitivity (max) *	102400	White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Incandescent, Shade
ISO sensitivity	100, 6400, 32000, 102400	Scene modes *	Close-up (macro), Landscape, Night landscape, Night portrait, Portrait, Self-portrait, Sports, Sunset, Twilight
Light exposure modes *	Aperture priority AE, Auto, Manual, Shutter priority AE	Photo effects *	Black&White, Sepia
Light exposure control	Program AE	Self-timer delay *	2,5,10 s
Light exposure correction *	± 5EV (1/2EV; 1/3EV step)	Camera playback	Single image, Slide show
Light metering *	Centre-weighted, Evaluative (Multi-pattern), Highlight-weighted, Spot	Dioptre correction	✓
Auto Exposure (AE) lock	✓	Diopter adjustment (D-D)	-4 - 3
<b>Shutter</b>		Camera file system	DCF 2.0, Exif 2.31, PRINT Image Matching III
Fastest camera shutter speed *	1/4000 s	Anti-dust function	✓
Camera shutter type	Electronic		

<b>Flash</b>		<b>Camera</b>	
Flash modes *	Auto, Fill-in, Flash off, Red-eye reduction, Slow synchronization	Eye relief	2.3 cm
Flash guide number	6 m	Smartphone remote support	✓
Flash recharging time	4 s	View on smartphone	✓
Flash sync-speed	1/160 s	Sharpness levels	Normal, Vivid
Flash exposure correction	±3EV (1/2; 1/3 EV step)	<b>Design</b>	
Pre-flash	✓	Product colour *	Black
Shoe mounting point	✓	<b>Battery</b>	
<b>Video</b>		Battery life (CIPA standard)	410 shots
Video recording *	✓	<b>Operational conditions</b>	
Maximum video resolution *	3840 x 2160 pixels	Operating temperature (T-T)	0 - 40 °C
HD type *	4K Ultra HD	<b>Weight &amp; dimensions</b>	
Video resolutions	1920 x 1080, 3840 x 2160 pixels	Width	120 mm
Video recording time	125 min	Depth	66.9 mm
Analog signal format system	NTSC, PAL	Height	59.7 mm
Video formats supported	AVCHD, H.264, MPEG4, XAVC	Weight	403 g
<b>Audio</b>		<b>Packaging content</b>	
Built-in microphone *	✓	Power cord included	✓
Built-in speaker(s)	✓	AC adapter included	✓
Voice recording	✓	Cables included	USB
Audio system	Mono	Batteries included	✓
Audio formats supported	LPCM	Lens cap included	✓
<b>Memory</b>			
Compatible memory cards *	MS Micro (M2), MS Pro-HG Duo, MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC		



4548736092105

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-JUN-2023. Prints or copies of Information are only valid on the printed Publication date