

## **Epson WorkForce DS-970 Sheet-fed scanner 600 x 600 DPI A3 Black, White**

Brand: Epson Product family: WorkForce Product code: B11B251401BY

**Product name:** DS-970

- High-speed scanning: 100-page ADF and 85ppm (170ipm) scanning speed
- Low intervention: Active Separation Roller system to prevent double feeding
- Built-in protection: Ultrasonic and paper protection sensors to detect processing errors
- Optional flatbed scanner: Choose from the conversion kit, or link to DS-5500 (A4) or DS-50000 (A3)
- Optional Network Interface: Enable device sharing in a department. Create pre-defined job profiles CIS, 600x600DPI, 1.45" LCD, USB 3.0, 100-240V, 50-60Hz, 20W, 296x169x167mm, 3.6kg, White/Black Epson WorkForce DS-970. Optical scanning resolution: 600 x 600 DPI, Input colour depth: 30 bit, Output colour depth: 24 bit. Scanner type: Sheet-fed scanner, Product colour: Black, White, Display: LCD. Sensor type: CIS, Daily duty cycle (max): 9000 pages, Light source: LED. Auto document feeder (ADF) input capacity: 100 sheets. Maximum ISO A-series paper size: A3, Scanning media types supported: Business Card, Plastic Card, ISO A-series sizes (A0...A9): A4, A5, A6





Scanning		Power	
Optical scanning resolution *	600 x 600 DPI	Power supply type *	AC
Colour scanning	✓	Power consumption (typical)	20 W
Duplex scanning *	✓	Power consumption (standby)	8.5 W
Input colour depth	30 bit	Power consumption (off)	0.1 W
Output colour depth	24 bit	AC input frequency	50-60 Hz
Output monochrome depth	1 bit	Sleep mode	✓
ADF scan speed (b/w, A4)	85 ppm	Input voltage	100-240 V
ADF scan speed (colour, A4)	170 ppm	Power consumption (sleep)	1.4 W
Black/white scanning colour modes	Monochrome	Network	
Design		Supported network protocols	TCP/IP, DHCP, DNS, SNMP, SLP
Scanner type * Sheet-fed scanner  Product colour * Black, White  Display LCD  Display diagonal 3.68 cm (1.45")		System requirements	
	,	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Colour display	1	Mac operating systems supported	Mac OS X 10.6 Snow Leopard
Built-in display *	✓		Windows Server 2003, Windows
Performance		Server operating systems supported	Server 2008, Windows Server 2012 R2
Sensor type *	CIS	Operational conditions	
Light source Scan file formats Daily duty cycle (max) * Scan drivers	LED BMP, JPEG, PDF, PNG, TIFF 9000 pages SANE, TWAIN, WIA	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	5 - 35 °C 25 - 60 °C 15 - 80% 15 - 85%
Input capacity		Weight & dimensions	
Auto document feeder (ADF) input capacity	100 sheets	Width	296 mm
Paper handling		Depth	169 mm 167 mm
Scanning media types supported Maximum ISO A-series paper size *	Business Card, Plastic Card A3	Height Weight	3.6 kg

Paper handling		Packaging content	
ISO A-series sizes (A0A9)	A4, A5, A6	Manual	✓
ISO B-series sizes (B0B9)	B4, B5, B6	Warranty card	✓
Letter	✓	Cables included	AC, USB
Legal	✓	AC adapter included	✓
Auto Document Feeder (ADF) media	27 - 413 g/m²	Drivers included	✓
weight	27 113 g/	Bundled software	Document Capture Pro 2.0, Epson
Ports & interfaces		Damaieu Boremai e	Device Admin, Epson Scan 2
USB port *	✓	Technical details	
USB version	3.2 Gen 1 (3.1 Gen 1)	Data compression	IFF (JPEG(7), CCITT G4, LZW), PDF,
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)	Data Compression	JPEG
		Harmonized System (HS) code	84716070

