

Epson WorkForce DS-1630 Flatbed & ADF scanner 1200 x 1200 DPI A4 Black, White

Brand : Epson

Product family: WorkForce

Product code: B11B239401PU

Product name : DS-1630

Color, CIS, 1200dpi, 8.5x14", USB 3.0, White\Black

Epson WorkForce DS-1630. Maximum scan size: 210 x 3048 mm, Optical scanning resolution: 1200 x 1200 DPI, Input colour depth: 30 bit. Scanner type: Flatbed & ADF scanner, Product colour: Black, White. Sensor type: CIS, Daily duty cycle (max): 1500 pages, Light source: RGB LED. Maximum ISO A-series paper size: A4, Auto Document Feeder (ADF) media weight: 50 - 120 g/m². USB version: 3.2 Gen 1 (3.1 Gen 1)



Scanning		Power	
Maximum scan size *	210 x 3048 mm	Power consumption (typical)	11 W
Optical scanning resolution *	1200 x 1200 DPI	Power consumption (standby)	5.8 W
Colour scanning	✓	Power consumption (off)	0.15 W
Duplex scanning *	✓	Power consumption (PowerSave)	0.8 W
Input colour depth	30 bit	AC input frequency	50 - 60 Hz
Output colour depth	30 bit	Input voltage	100 - 120 V
Output greyscale depth	8 bit	Features	
ADF scan speed (b/w, A4)	25 ppm	Country of origin	Indonesia
Duplex ADF scan speed (b/w, A4)	10 ipm	Packaging data	
Design		Quantity per pack	1 pc(s)
Scanner type *	Flatbed & ADF scanner	Package width	405 mm
Product colour *	Black, White	Package depth	520 mm
Built-in display *	✗	Package height	195 mm
Performance		Package weight	4.829 g
Sensor type *	CIS	System requirements	
Light source	RGB LED	Windows operating systems supported	✓
Scan file formats	PDF	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Daily duty cycle (max) *	1500 pages	Weight & dimensions	
Scan to	File, PC	Width	317.5 mm
Paper handling		Depth	297.2 mm
Maximum ISO A-series paper size *	A4	Height	121.9 mm
Auto Document Feeder (ADF) media weight	50 - 120 g/m ²	Weight	4.08 kg
Ports & interfaces		Packaging content	
USB port *	✓	Cables included	AC, USB
USB version	3.2 Gen 1 (3.1 Gen 1)	Technical details	
Power		Sustainability certificates	RoHS
Power supply type *	AC		

Logistics data

Harmonized System (HS) code 84716070



8715946672120

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAR-2023. Prints or copies of Information are only valid on the printed Publication date