

## Philips V Line Full HD LCD monitor 273V7QDAB/00

**Brand :** Philips

**Product family:** V Line

**Product code:** 273V7QDAB/00

**Product name :** Full HD LCD monitor 273V7QDAB/00

V Line 27" (68.6 cm) Full HD LCD monitor

Philips V Line Full HD LCD monitor 273V7QDAB/00:

A perfect all-round display with stunning images that stretch from edge to edge, made easy on the eyes, in a compact, slim design.

Philips V Line Full HD LCD monitor 273V7QDAB/00. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDCP	✓
Display resolution *	1920 x 1080 pixels	<b>Ergonomics</b>	
HD type *	Full HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	100 x 100 mm
Display technology *	LED	Cable lock slot *	✓
Panel type *	IPS	Cable lock slot type	Kensington
Backlight type	W-LED	Height adjustment *	✗
Touchscreen *	✗	Tilt angle range	-5 - 20°
Display brightness (typical)	250 cd/m²	On Screen Display (OSD)	✓
Response time	4 ms	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display surface	Matt	Plug and Play	✓
Anti-glare screen	✓	LED indicators	Operation, Stand-by
Screen shape *	Flat	Tilt adjustment	✓
Supported graphics resolutions	1920 x 1080 (HD 1080)	<b>Power</b>	
Supported video modes	1080p	Energy efficiency class (SDR) *	E
Aspect ratio	16:9	Energy consumption (SDR) per 1000 hours *	21 kWh
Contrast ratio (typical) *	1000:1	Power consumption (typical) *	15.4 W
Contrast ratio (dynamic)	10000000:1	Power consumption (standby) *	0.5 W
Dynamic contrast ratio marketing name	SmartContrast	Power consumption (off)	0.3 W
Maximum refresh rate *	75 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Power supply type	Internal
Display number of colours *	16.7 million colours	Energy efficiency scale	A to G
Pixel pitch	0.311 x 0.311 mm		
Pixel density	82 ppi		
Horizontal scan range	30 - 83 kHz		
Vertical scan range	56 - 76 Hz		
Viewable size, horizontal	59.8 cm		

Display		Operational conditions	
Viewable size, vertical	33.6 cm	Operating temperature (T-T)	0 - 40 °C
Digital horizontal frequency	30 - 83 kHz	Storage temperature (T-T)	-20 - 60 °C
Digital vertical frequency	56 - 76 Hz	Operating relative humidity (H-H)	20 - 80%
Display diagonal (metric)	68.6 cm	Operating altitude	0 - 3658 m
DDC/CI	✓	Non-operating altitude	0 - 12192 m
Haze rate	25%	Packaging content	
Surface hardness	3H	Stand included	✓
RGB colour space	sRGB	Cables included	HDMI, AC
3D	✗	Manual	✓
Display sRGB	✓	Weight & dimensions	
Performance		Width (with stand)	613 mm
Component video sync	Separate sync, Sync-on-green (SOG)	Depth (with stand)	227 mm
Flicker-free technology	✓	Height (with stand)	454 mm
Low Blue Light technology	✓	Weight (with stand)	4.23 kg
Multimedia		Width (without stand)	613 mm
Built-in speaker(s) *	✓	Depth (without stand)	45 mm
Built-in camera *	✗	Height (without stand)	368 mm
Number of speakers	2	Weight (without stand)	3.74 kg
RMS rated power	4 W	Packaging data	
Design		Package width	664 mm
Market positioning *	Home	Package depth	134 mm
Product colour *	Black	Package height	452 mm
Heavy metals free	Hg (mercury)	Package weight	6.2 kg
Certification	CU, SEMKO, cETLus, TUV/ISO9241-307, CE Mark, FCC Class B, ICES-003, RCM, UKRAINIAN, KCC, BSMI, TUV Cert. — blue light cut-off	Package type	Box
		Sustainability	
Ports & interfaces		Sustainability certificates	RoHS, WEEE
Built-in USB hub *	✗	Logistics data	
VGA (D-Sub) ports quantity	1	Harmonized System (HS) code	85285210
DVI port	✓	Other features	
DVI-D ports quantity	1	On/off switch	✓
HDMI *	✓	TV tuner integrated	✗
HDMI ports quantity	1	Exterior finish type	Textured
Audio input	✗	Recommended resolution	1920 x 1080 @ 60 Hz
Headphone out *	✓	Picture enhancement	SmartImage
Headphone outputs	1	Recyclable packaging material	100%
PC Audio in	✓	Regulatory Approvals	CU; SEMKO; cETLus; TUV/ISO9241-307; CE Mark; FCC Class B; ICES-003; RCM; UKRAINIAN; KCC; BSMI; TUV Cert. — blue light cut-off
		LowBlue mode	✓
		Mean time between failures (MTBF)	50000 h



8712581742980



4058154223031

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-MAR-2024. Prints or copies of Information are only valid on the printed Publication date