Renewd iPhone XR Yellow 64GB

Brand: Renewd Product code: RND-P11364

Product name: iPhone XR Yellow 64GB

- Affordable and Green
- The strictest control on the market
- Fully in line with the manufacturer
- Free Pick-Up & Return Servicee and Green

iPhone XR Yellow 64GB

Renewd iPhone XR Yellow 64GB. Display diagonal: 15.5 cm (6.1"), Display resolution: 1792 x 828 pixels. Processor family: Apple, Processor model: A12. Internal storage capacity: 64 GB. Rear camera resolution (numeric): 12 MP, Rear camera type: Single camera. SIM card capability: Dual SIM. Operating system installed: iOS 12. Product colour: Yellow. Weight: 194 g







Display		Performance	
Display diagonal *	15.5 cm (6.1")	Speakerphone	1
Screen shape	Flat	Flight mode	✓
Panel type	LCD	Voice dialling	✓
Display resolution *	1792 x 828 pixels	Voice commands	✓
Contrast ratio (typical)	1400:1	Personalization	Ringtones, Wallpaper, Widgets
Touch technology	Multi-touch	Microphone mute	✓
Display brightness	625 cd/m ²	Vibrating alert	✓
Pixel density	326 ppi	Refurbished	1
Processor		Navigation	
Processor family *	Apple	Assisted GPS (A-GPS)	✓
Processor model *	A12	GLONASS	✓
Processor cores	6	Galileo	✓
64-bit computing	✓	Quasi-Zenith Satellite System (QZSS)	✓
Storage		Electronic compass	✓
Internal storage capacity *	64 GB	Position location *	✓
Compatible memory cards *	Not supported	Wi-Fi positioning	✓
Camera			
Cumera		Multimedia	
Rear camera resolution (numeric) *	12 MP	Multimedia FM radio	×
	12 MP 1.8	FM radio	X AAX, AAX+, AC3, EAC3, FLAC, HE-
Rear camera resolution (numeric) *			
Rear camera resolution (numeric) * Rear camera aperture number	1.8 Single camera	FM radio	AAX, AAX+, AC3, EAC3, FLAC, HE- AAC, LC-AAC, LPCM, MP3
Rear camera resolution (numeric) * Rear camera aperture number Front camera type *	1.8 Single camera 7 MP 2.2	FM radio Audio formats supported	AAX, AAX+, AC3, EAC3, FLAC, HE- AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF
Rear camera resolution (numeric) * Rear camera aperture number Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash *	1.8 Single camera 7 MP 2.2 ✓	FM radio Audio formats supported Video formats supported	AAX, AAX+, AC3, EAC3, FLAC, HE-AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF ICS, PDF, PPT, PPTX, RTF, TXT, VCF,
Rear camera resolution (numeric) * Rear camera aperture number Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Flash type	1.8 Single camera 7 MP 2.2 ✓ LED	FM radio Audio formats supported Video formats supported Image formats supported Document formats supported	AAX, AAX+, AC3, EAC3, FLAC, HE-AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF ICS, PDF, PPT, PPTX, RTF, TXT, VCF, XLS, XLSX
Rear camera resolution (numeric) * Rear camera aperture number Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash *	1.8 Single camera 7 MP 2.2 ✓ LED 124 fps	FM radio Audio formats supported Video formats supported Image formats supported Document formats supported Archive formats supported	AAX, AAX+, AC3, EAC3, FLAC, HE-AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF ICS, PDF, PPT, PPTX, RTF, TXT, VCF,
Rear camera resolution (numeric) * Rear camera aperture number Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Flash type	1.8 Single camera 7 MP 2.2 ✓ LED	FM radio Audio formats supported Video formats supported Image formats supported Document formats supported Archive formats supported Call management	AAX, AAX+, AC3, EAC3, FLAC, HE-AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF ICS, PDF, PPT, PPTX, RTF, TXT, VCF, XLS, XLSX Zip
Rear camera resolution (numeric) * Rear camera aperture number Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Flash type Maximum frame rate	1.8 Single camera 7 MP 2.2 ✓ LED 124 fps 1920x1080@120fps, 1920x1080@240fps, 1920x1080@30fps,	FM radio Audio formats supported Video formats supported Image formats supported Document formats supported Archive formats supported Call management Call waiting	AAX, AAX+, AC3, EAC3, FLAC, HE-AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF ICS, PDF, PPT, PPTX, RTF, TXT, VCF, XLS, XLSX Zip
Rear camera resolution (numeric) * Rear camera aperture number Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Flash type	1.8 Single camera 7 MP 2.2 ✓ LED 124 fps 1920×1080@120fps, 1920×1080@240fps, 1920×1080@30fps, 1920×1080@60fps,	FM radio Audio formats supported Video formats supported Image formats supported Document formats supported Archive formats supported Call management Call waiting Call hold	AAX, AAX+, AC3, EAC3, FLAC, HE-AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF ICS, PDF, PPT, PPTX, RTF, TXT, VCF, XLS, XLSX Zip
Rear camera resolution (numeric) * Rear camera aperture number Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Flash type Maximum frame rate	1.8 Single camera 7 MP 2.2 ✓ LED 124 fps 1920x1080@120fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@24fps, 3840x2160@30fps,	FM radio Audio formats supported Video formats supported Image formats supported Document formats supported Archive formats supported Call management Call waiting Call hold Call blocking	AAX, AAX+, AC3, EAC3, FLAC, HE-AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF ICS, PDF, PPT, PPTX, RTF, TXT, VCF, XLS, XLSX Zip
Rear camera resolution (numeric) * Rear camera aperture number Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Flash type Maximum frame rate Resolution at capture speed	1.8 Single camera 7 MP 2.2 ✓ LED 124 fps 1920×1080@120fps, 1920×1080@240fps, 1920×1080@30fps, 1920×1080@60fps, 3840×2160@24fps, 3840×2160@30fps, 3840×2160@30fps, 3840×2160@30fps,	FM radio Audio formats supported Video formats supported Image formats supported Document formats supported Archive formats supported Call management Call waiting Call hold Call blocking Caller ID	AAX, AAX+, AC3, EAC3, FLAC, HE-AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF ICS, PDF, PPT, PPTX, RTF, TXT, VCF, XLS, XLSX Zip
Rear camera resolution (numeric) * Rear camera aperture number Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Flash type Maximum frame rate Resolution at capture speed Video recording modes	1.8 Single camera 7 MP 2.2 ✓ LED 124 fps 1920×1080@120fps, 1920×1080@240fps, 1920×1080@30fps, 1920×1080@60fps, 3840×2160@24fps, 3840×2160@30fps, 3840×2160@60fps 720p, 1080p, 2160p	FM radio Audio formats supported Video formats supported Image formats supported Document formats supported Archive formats supported Call management Call waiting Call hold Call blocking Caller ID Conference call	AAX, AAX+, AC3, EAC3, FLAC, HE-AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF ICS, PDF, PPT, PPTX, RTF, TXT, VCF, XLS, XLSX Zip
Rear camera resolution (numeric) * Rear camera aperture number Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Flash type Maximum frame rate Resolution at capture speed Video recording modes Rear camera type *	1.8 Single camera 7 MP 2.2 ✓ LED 124 fps 1920×1080@120fps, 1920×1080@240fps, 1920×1080@30fps, 1920×1080@60fps, 3840×2160@24fps, 3840×2160@30fps, 3840×2160@30fps, 3840×2160@30fps,	FM radio Audio formats supported Video formats supported Image formats supported Document formats supported Archive formats supported Call management Call waiting Call hold Call blocking Caller ID Conference call Call timer	AAX, AAX+, AC3, EAC3, FLAC, HE-AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF ICS, PDF, PPT, PPTX, RTF, TXT, VCF, XLS, XLSX Zip
Rear camera resolution (numeric) * Rear camera aperture number Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Flash type Maximum frame rate Resolution at capture speed Video recording modes Rear camera type * Auto focus	1.8 Single camera 7 MP 2.2 ✓ LED 124 fps 1920×1080@120fps, 1920×1080@240fps, 1920×1080@30fps, 1920×1080@60fps, 3840×2160@24fps, 3840×2160@30fps, 3840×2160@60fps 720p, 1080p, 2160p	FM radio Audio formats supported Video formats supported Image formats supported Document formats supported Archive formats supported Call management Call waiting Call hold Call blocking Caller ID Conference call	AAX, AAX+, AC3, EAC3, FLAC, HE-AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF ICS, PDF, PPT, PPTX, RTF, TXT, VCF, XLS, XLSX Zip
Rear camera resolution (numeric) * Rear camera aperture number Front camera type * Front camera resolution (numeric) * Front camera aperture number Rear camera flash * Flash type Maximum frame rate Resolution at capture speed Video recording modes Rear camera type *	1.8 Single camera 7 MP 2.2 ✓ LED 124 fps 1920×1080@120fps, 1920×1080@240fps, 1920×1080@30fps, 1920×1080@60fps, 3840×2160@24fps, 3840×2160@30fps, 3840×2160@60fps 720p, 1080p, 2160p	FM radio Audio formats supported Video formats supported Image formats supported Document formats supported Archive formats supported Call management Call waiting Call hold Call blocking Caller ID Conference call Call timer	AAX, AAX+, AC3, EAC3, FLAC, HE-AAC, LC-AAC, LPCM, MP3 H.264, HEVC, M-JPEG, MPEG-4 Part 2 GIF, HEIF, JPEG, JPG, TIFF ICS, PDF, PPT, PPTX, RTF, TXT, VCF, XLS, XLSX Zip

Camera		Software	
Video recording	✓	Operating system installed *	iOS 12
Time lapse mode	✓	App distribution platform	Apple App Store
Video stabilizer	✓	Virtual assistant	Apple Siri
Image stabilizer	✓	Mac operating systems supported	✓
Geotagging	✓	Battery	
Multi-shot	✓	Battery technology	Lithium-lon (Li-lon)
Self-timer	✓	Talk time (4G)	25 h
Network		Browsing time (Wi-Fi)	15 h
SIM card capability *	Dual SIM	Wireless audio playback time	65 h
Mobile network generation *	4G	Wireless video playback time	16 h
SIM card type *	NanoSIM + eSIM	Sensors	
2G standards	Edge, GSM	Proximity sensor	√
3G standards *	DC-HSDPA, HSPA+, UMTS	Accelerometer	,
4G standard *	LTE-A	Ambient light sensor	,
Voice over LTE (VoLTE) supported	✓	Gyroscope	,
Wi-Fi *	✓	Orientation sensor	,
Wi-Fi standards	Wi-Fi 5 (802.11ac)	Barometer	·
Bluetooth *	√		•
Bluetooth version	5.0	Weight & dimensions	75.7
2G bands (primary SIM)	850,900,1800,1900 MHz	Width	75.7 mm
3G bands supported	800,850,900,1700,1900,2100 MHz	Depth	8.3 mm
AirPlay	V	Height Weight *	150.9 mm 194 g
iBeacon Near Field Communication (NFC)	1		194 g
	*	Certificates	
Subscription		Head SAR (EU)	0.99 W/kg
Subscription type *	No subscription	Body SAR (EU)	0.99 W/kg
Ports & interfaces		Head SAR (USA)	1.13 W/kg
USB port *	×	Body SAR (USA)	1.16 W/kg
Lightning connector	✓	Head SAR (Canada)	1.13 W/kg
Messaging		Body SAR (Canada)	1.16 W/kg
Short Message Service (SMS)	1	Operational conditions	
Multimedia Messaging Service	•	Operating temperature (T-T)	0 - 35 °C
(MMS)	✓	Storage temperature (T-T)	-20 - 45 °C
Instant messaging (IM)	✓	Operating relative humidity (H-H)	5 - 95%
Chat	✓	Operating altitude	0 - 3000 m
E-mail	✓	Packaging content	
Design		AC adapter included	✓
Form factor *	Bar	Quick start guide	✓
Product colour *	Yellow	Screen protector	×
International Protection (IP) code	IP67	Warranty card	✓
Housing material	Glass, Stainless steel	Cables included	Lightning
Performance		Memory card included	×
Video call	√	Headset included Stylus included	√
Fast charging	✓	•	×
Wireless charging	✓	SIM card ejector pin	*
Face recognition	✓	Logistics data	
	Alarm clock, Calculator, Calendar, Countdown timer, Detailed contact information, Events reminder, File manager, Games, Notes, Stopwatch	Harmonized System (HS) code	85171300
Personal info management (PIM)		Other features	
		Touchscreen	✓
		Technical details	
			6.3
		Repairability index	6.3



8720039735941

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.