

Epson LabelWorks LW-1000P (Continental & UK type AC adapter)

Brand : Epson

Product family: LabelWorks

Product code: C51CD06200

Product name : LabelWorks
LW-1000P (Continental & UK
type AC adapter)

- User flexibility: A wide range of connectivity options
- Productive: Fast print speeds of up to 35mm/sec
- Choice of label widths: Prints label widths of up to 36mm-wide
- Versatile: Comes with the Epson iLabel app
- Value-for-money: Long tapes up to 9m, small left/right label margins

LabelWorks LW-1000P (Continental

Epson LabelWorks LW-1000P (Continental & UK type AC adapter). Print technology: Thermal transfer, Maximum resolution: 360 x 360 DPI, Print speed: 35 mm/sec. Connectivity technology: Wired & Wireless.

Product colour: Green, Grey



Printing		Weight & dimensions	
Print technology *	Thermal transfer	Width	123 mm
Maximum resolution *	360 x 360 DPI	Depth	153 mm
Printable dot numbers	384 dot	Height	139 mm
Print speed *	35 mm/sec	Weight	1.05 kg
Maximum printing width *	3.6 cm	Packaging data	
Maximum print height	2.7 cm	Quantity per pack	1 pc(s)
Margin depth settings	1mm, Auto, Fixed, Manual	Package width	160 mm
Vertical printing	✓	Package depth	246 mm
Mirror printing	✓	Package height	210 mm
Flag style printing	✓	Package weight	2.17 kg
Wire wrap printing	✓	Packaging content	
Text alignment	Center, Justify, Left, Manual, Right	Cables included	AC
Text style	Bold, Italic, Shadow, Normal, Invert, Outline, Strikethrough, Underline	Bundled software	Epson Label Editor
Paper handling		Drivers included	✓
Autocutter	✓	Warranty card	✓
Half-cutter	✓	Manual	✓
Edge trimmer	✓	Logistics data	
Ports & interfaces		Products per pallet layer	15 pc(s)
Connectivity technology *	Wired & Wireless	Products per pallet layer (UK)	20 pc(s)
Ethernet LAN *	✓	Products per pallet (UK)	160 pc(s)
Wi-Fi *	✓	Pallet length (UK)	120 cm
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Pallet width (UK)	100 cm
Performance		Pallet height (UK)	4.33 m
Built-in barcodes	Code 128 (A/B/C), Code 39, Data Matrix, EAN128, EAN13, EAN8, GS1-128, GS1 DataBar, ITF, MaxiCode, PDF417, QR Code, UPC-A, UPC-E	Harmonized System (HS) code	84433210
Number of symbols	466	Pallet gross width	80 cm
Fixed length	✓	Pallet gross length	120 cm
Tape width	3.6 cm	Pallet gross height	4.33 m
Reset types	Software reset	Products per pallet	120 pc(s)
Units supported	mm, inch	Master (outer) case width	270 mm
Number of printing lines (max)	Variable	Master (outer) case length	820 mm
		Master (outer) case height	240 mm
		Master (outer) case gross weight	11.9 kg
		Products per master (outer) case	5 pc(s)

Performance		Technical details	
Alphanumeric memory	Depends on the user's PC	Autoincrement	0-9, a-z, A-Z, Alphabetic, Numerical, Date, Time
Tape size detection	✓	Battery level indicator	✓
Tape end detection	✓	Feed button	1
Open cover detection	✓	Font size	Selectable
Design		Handle(s)	✗
Product colour *	Green, Grey	Multi-block	Wählbar
Power		Master (outer) case GTIN (EAN/UPC)	8715946666938
Power consumption (printing)	29 W	Other features	
Power consumption (off)	0.23 W	Printing history	✓
Auto power off	✓	Printing history features	Browsing
System requirements		Lanyard hole	✓
Compatible operating systems	Android 2.3+, Mac OS 10.6+, Windows 7, Windows 7, 64-Bit-Version, Windows 8, Windows 8 (32/64 Bit), Windows Vista, Windows Vista, 64-Bit-Version, Windows XP, Windows XP, 64-Bit-Version, iOS 5.0+, iOS 6.0+	LED indicators	Power
Minimum storage drive space	100 MB	Country of origin	Philippines
Windows operating systems supported	✓	Number of frames	86
Mac operating systems supported	✓	Number of tables	8
Mobile operating systems supported	Android 2.3, iOS 5.0, iOS 6.0	Clock function	✓
Minimum display resolution requirement	1024 x 768 pixels		



8715946663906

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-FEB-2024. Prints or copies of Information are only valid on the printed Publication date