




# LG 55VL5F Digital signage display 139.7 cm (55") LED 500 cd/m<sup>2</sup> Full HD Black



**Brand :** LG

**Product code:** 55VL5F

**Product name :** 55VL5F Digital signage display 139.7 cm (55") LED 500 cd/m<sup>2</sup> Full HD Black

- Brightness(Typ.) : 500 cd/m<sup>2</sup>
  - Bezel : 2.25 mm (T/L), 1.25 mm (B/R)
  - Depth : 93.1 mm
  - Interface : HDMI (2)/DP/DVI-D/USB/RS232C/RJ45/Audio/IR
- 55", 1920 x 1080, Full HD, IPS, 2xHDMI, DVI-D, USB



LG 55VL5F Digital signage display 139.7 cm (55") LED 500 cd/m<sup>2</sup> Full HD Black:

## Incredible Immersion with Ultra-Narrow Bezel

The VL5F series provides all-encompassing screen immersion thanks to its ultra-narrow 3.5 mm bezel-to-bezel, while its outstanding IPS panel delivers a clear image from any angle. With its extremely attractive and highly functional design, it can be used to deliver advertising and information in a variety of business environments.

LG 55VL5F Digital signage display 139.7 cm (55") LED 500 cd/m<sup>2</sup> Full HD Black. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: LED, Display resolution: 1920 x 1080 pixels, Display brightness: 500 cd/m<sup>2</sup>, HD type: Full HD. Product colour: Black



Display		Design	
Display diagonal *	139.7 cm (55")	Bezel width (bottom)	1.25 mm
Display technology *	LED	Bezel width (top)	2.25 mm
Display resolution *	1920 x 1080 pixels	<b>Performance</b>	
Display brightness *	500 cd/m <sup>2</sup>	Purpose *	Commercial
HD type *	Full HD	<b>Power</b>	
Touchscreen *	✗	Power consumption (typical) *	130 W
Native aspect ratio	16:9	Energy efficiency class (SDR)	G
Response time	8 ms	Energy consumption (SDR) per 1000 hours	135 kWh
Contrast ratio (typical)	1200:1	AC input voltage	100 - 240 V
Contrast ratio (dynamic)	500000:1	AC input frequency	50 - 60 Hz
Viewing angle, horizontal	178°	Energy efficiency scale	A to G
Viewing angle, vertical	178°	<b>Computer system</b>	
Panel life	50000 h	Computer system *	✗
<b>Ports &amp; interfaces</b>		<b>Weight &amp; dimensions</b>	
HDMI ports quantity *	2	Width	1213.4 mm
DVI port *	✓	Depth	93.1 mm
DVI-D ports quantity	1	Height	684.2 mm
DisplayPorts quantity *	2	Weight	23.2 kg
DisplayPorts in	1	<b>Packaging data</b>	
DisplayPorts out	1	Package width	1337 mm
USB port *	✓	Package depth	828 mm
USB ports quantity	1	Package height	239 mm
Ethernet LAN *	✓	Package weight	30.5 kg
Ethernet LAN (RJ-45) ports	1	<b>Packaging content</b>	
Wi-Fi *	✗	Remote control included	✓
Audio (L/R) in	1	<b>Operational conditions</b>	
Audio (L/R) out	1	Operating temperature (T-T)	0 - 40 °C
RS-232C	✓	Operating relative humidity (H-H)	10 - 80%
<b>Design</b>		<b>Features</b>	
Product design *	Digital signage flat panel	Harmonized System (HS) code	85285210
Placement supported *	Indoor/outdoor		
Orientation	Horizontal/Vertical		
Product colour *	Black		
VESA mounting *	✓		

**Design**

Panel mounting interface

600 x 400 mm

**Technical details**

Sustainability certificates

ENERGY STAR



8806098600267

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-JAN-2023. Prints or copies of Information are only valid on the printed Publication date