ASUS

ASUS RT-AC58U V2 wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Black

Brand : ASUS

Product code: 90IG0540-BU2430

Product name : RT-AC58U V2

- Concurrent AC1300 for faster WiFi speeds
- 4 Gigabit LAN ports provide extensive connectivity and 1 USB 2.0 port allows you to connect USB disk for quick file sharing
- ASUSWRT dashboard for easy router setup and management
- Intuitive ASUS Router App lets you control your network anywhere at your fingertips
- 802.11 AC Beamforming and four high-performance antennas optimize your Wi-Fi coverage
802.11a/b/g/n/ac, 2.4/5GHz, 400+867Mbps, 4x 2dBi, 16MB eMMC, 128MB RAM, USB, 4x LAN, WPS
ASUS RT-AC58U V2. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN data transfer rate (max): 867 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, Cabling technology: 10/100/1000Base-T(X). Security algorithms: 64-bit WEP, 128-bit WEP, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPS. Management protocols: IGMP v1/v2/v3, NTP Client

dlna CERTIFIED

WAN connection

Ethernet WAN *	✓
DSL WAN *	✗
SIM card slot *	✗
3G/4G USB modem compatibility *	✓
WAN connection type	RJ-45

Wireless LAN features

Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)
WLAN data transfer rate (max) *	867 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)

Network

Ethernet LAN *	✓
Ethernet LAN interface type *	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Cabling technology	10/100/1000Base-T(X)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Port forwarding	✓
Dynamic DNS (DDNS)	✓
VPN support	IPSec Pass-Through PPTP Pass-Through L2TP Pass-Through

Mobile network

3G	✗
4G	✗

Ports & interfaces

Ethernet LAN (RJ-45) ports *	5

Protocols

DHCP server	✓
Universal Plug and Play (UPnP)	✓
Management protocols	IGMP v1/v2/v3, NTP Client

Design

Product colour	Black
LED indicators	LAN, USB, WAN, WLAN
On/off switch	✓
Product type *	Tabletop router

Certificates

Digital Living Network Alliance (DLNA) certified	✓

Packaging content

Cables included	LAN (RJ-45)
AC adapter included	✓
Warranty card	✓
Manual	✓
Quick start guide	✓

Antenna

Antenna design *	External
Antenna gain level (max)	2 dBi
Antennas quantity	4

Features

Internal memory	128 MB
Flash memory	16 MB

Power

Power source type *	AC

Ports & interfaces			Power	
USB port *	✔		AC input voltage	110 - 240 V
USB 2.0 ports quantity	1		AC input frequency	50 - 60 Hz
Memory card slot(s)	✘		Output voltage	12 V
DC-in jack	✔		Output current	1.5 A
Management features			**System requirements**	
Web-based management	✔		Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Quality of Service (QoS) support	✔		Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.9 Mavericks
Reset button	✔			
WPS push button	✔			
Security				
Security algorithms	64-bit WEP, 128-bit WEP, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPS		Mac compatibility	✔
			Weight & dimensions	
Guest access	✔		Width	192 mm
DMZ support	✔		Depth	125 mm
Protocols			Height	30 mm
DHCP client	✔		Weight	348 g
			Packaging data	
			Package type	Box

4718017422901