



DELL UltraSharp U4919DW 124.5 cm (49") 5120 x 1440 pixels UltraWide Dual Quad HD LCD Black, Silver

Brand : DELL

Product family: UltraSharp

Product code: DELL-U4919DW

Product name : U4919DW

- 124.5cm (49") UltraWide Dual Quad HD 5120 x 1440 W-LED IPS

- 8ms, 32:9, 350cd/m², 1000:1

- USB, HDMI, DisplayPort

124.5cm (49") UltraWide Dual Quad HD 5120 x 1440 W-LED IPS, 32:9, 350cd/m², 1.073B, 8ms, 178°/178°, 1000:1

DELL UltraSharp U4919DW 124.5 cm (49") 5120 x 1440 pixels UltraWide Dual Quad HD LCD Black, Silver:

A revolutionary 49-inch dual QHD curved monitor with ultra wide views, multitasking features and seamless connectivity for an immersive work experience.

DELL UltraSharp U4919DW. Display diagonal: 124.5 cm (49"), Display resolution: 5120 x 1440 pixels, HD type: UltraWide Dual Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 32:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black, Silver



Display		Ergonomics	
Display diagonal *	124.5 cm (49")	Height adjustment *	✓
Display resolution *	5120 x 1440 pixels	Height adjustment	9 cm
HD type *	UltraWide Dual Quad HD	Swivelling	✓
Native aspect ratio *	32:9	Swivel angle range	-170 - 170°
Display technology *	LCD	Tilt angle range	-5 - 21°
Panel type *	IPS	On Screen Display (OSD)	✓
Backlight type	W-LED	Plug and Play	✓
Touchscreen *	✗	Tilt adjustment	✓
Display brightness (typical)	350 cd/m ²	Power	
Response time	8 ms	Energy efficiency class (SDR) *	G
Screen shape *	Curved	Energy consumption (SDR) per 1000 hours *	47 kWh
Screen curvature rating	3800R	Power consumption (typical) *	47 W
Supported graphics resolutions	5120 x 1440	Power consumption (standby) *	0.4 W
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Power consumption (max)	230 W
Aspect ratio	32:9	Power consumption (off)	0.2 W
Contrast ratio (typical) *	1000:1	Power consumption (PowerSave)	35.25 W
Maximum refresh rate *	60 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Input current	3 A
Display number of colours *	1.073 billion colours	Energy efficiency scale	A to G
Response time (fast)	5 ms	Operational conditions	
Pixel pitch	0.234 x 0.234 mm	Operating temperature (T-T)	0 - 40 °C
Pixel density	109 ppi	Storage temperature (T-T)	-20 - 60 °C
Vertical scan range	24 - 86 Hz	Operating relative humidity (H-H)	20 - 80%
Viewable size, horizontal	119.8 cm	Storage relative humidity (H-H)	10 - 90%
Viewable size, vertical	33.7 cm	Operating altitude	0 - 3048 m
Viewable size diagonal	124.5 cm	Non-operating altitude	3048 - 12192 m
DDC/CI	✓	Packaging content	
RGB colour space	sRGB	Stand included	✓
sRGB coverage (typical)	99%	Cables included	AC, DisplayPort, HDMI, USB, USB Type-C
Screen curvature	3.8 m		
Multimedia			
Built-in speaker(s) *	✗		

Multimedia		Packaging content	
Built-in camera *	✗	Quick start guide	✓
Design		Manual	✓
Market positioning *	Business	Weight & dimensions	
Product colour *	Black, Silver	Width (with stand)	1215.1 mm
Colour name	Silver	Depth (with stand)	252.6 mm
Feet colour	Black/Silver	Height (with stand)	458.6 mm
Certification	TCO	Weight (with stand)	17.2 kg
Ports & interfaces		Width (without stand)	121.5 cm
Built-in USB hub *	✓	Depth (without stand)	10.9 cm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Height (without stand)	37.1 cm
USB upstream port type	USB Type-B	Weight (without stand)	11.4 kg
Number of upstream ports	2	Bezel width (side)	1.1 cm
USB Type-A downstream ports quantity	5	Bezel width (top)	1.22 cm
USB Type-C downstream ports quantity	1	Bezel width (bottom)	1.74 cm
USB Type-C DisplayPort Alternate Mode	✓	Packaging data	
USB Power Delivery	✓	Package width	325.1 mm
DVI port	✗	Package depth	1404.9 mm
HDMI *	✓	Package height	532.9 mm
HDMI ports quantity	2	Package weight	26.4 kg
HDMI version	2.0	Package type	Box
DisplayPorts quantity	1	Sustainability	
DisplayPort version	1.4	Sustainability certificates	RoHS, EPEAT Gold, ENERGY STAR
Audio input	✗	Doesn't contain	PVC
Headphone out *	✗	Logistics data	
HDCP	✓	Harmonized System (HS) code	85285210
AC (power) in	✓	Brand-specific features	
Ergonomics		Dell Display Manager (DDM) compatibility	✓
VESA mounting *	✓	Other features	
Panel mounting interface	100 x 100 mm	On/off switch	✓
Cable lock slot *	✓	TV tuner integrated	✗
Cable lock slot type	Kensington	Picture-by-Picture (PbP)	✓
		Dell E-Value Code	u4919dw



5397184092484



0884116306344



884116306344

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-JAN-2023. Prints or copies of Information are only valid on the printed Publication date