


Benq LU930 data projector Standard throw projector 5000 ANSI lumens DLP WUXGA (1920x1200) White

Brand : Benq **Product code:** 9H.JM277.15E

Product name: LU930







Projector		Ports & interfaces	
Supported aspect ratios	16:10	AC (power) in	✓
Screen size compatibility *	762 - 7620 mm (30 - 300")	Network	
Contrast ratio (typical) * 3000000:1 Native aspect ratio * 16:10 Number of colours 1.073 billion colou Horizontal scan range 15 - 102 kHz Vertical scan range 23 - 120 Hz	DLP WUXGA (1920x1200) 3000000:1	Smart TV * Ethernet LAN * Ethernet LAN (RJ-45) ports Wi-Fi *	× ✓ 1 ×
	1.073 billion colours	Storage	
	15 - 102 kHz	Card reader integrated *	x
		Features	
Keystone correction, horizontal Keystone correction, vertical Matrix size Matrix type		Noise level (economic mode) On Screen Display (OSD)	30 dB ✓ Arabic, Bulgarian, Simplified Chinese, Traditional Chinese,
Light source			Croatian, Czech, Danish, German,
Light source type * Service life of light source *	Laser 20000 h	On Screen Display (OSD) languages	Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish,
Lens system			Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Vietnamese
Focus * Zoom capability Zoom ratio	Manual ✓ 1.6:1	Number of OSD languages Noise level *	30 37 dB
Throw ratio	1.36 ~ 2.18	Multimedia	
Horizontal lens shift range Vertical lens shift range	-23 - 23% -60 - 60%	Built-in speaker(s) * RMS rated power	√ 20 W
Video		Number of built-in speakers	2
Analog signal format system * Full HD * 3D *	NTSC, PAL, SECAM ✓ ×	Design Market positioning * Product type *	Business Standard throw projector
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)	Product colour * Placement	White Desktop, Ceiling
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Cable lock slot	✓

Ports & interfaces		Design	
HDMI connector type HDMI version USB 2.0 ports quantity * Audio (L/R) in * Serial interface type * PC Audio in PC Audio out PC in (D-Sub) VGA (D-Sub) ports quantity * HDMI ports quantity * Composite video in * Component video (YPbPr/YCbCr) in * DVI port *	Full-size 1.4a 1 1 RS-232	Cable lock slot type	Kensington
		Display	
		Built-in display *	×
		Power	
		Power source *	AC
		Power source * Power consumption (typical) *	415 W
	1	Power consumption (standby) *	0.5 W
	1	Power consumption (max)	475 W
	2 1 * 1 * * * * * * * * * * * * * * * *	AC input voltage	100 - 240 V
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		, , , , ,	
		Weight & dimensions	
		Width	416 mm
		Depth	351 mm
		Height	166 mm
		Weight *	6.3 kg
		Packaging content	
		Remote control included *	✓
		Batteries included	✓
		Cables included	AC, HDMI
		Logistics data	
		Quantity per pack	1 pc(s)
		Harmonized System (HS) code	85286200



4718755080647

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.