/ISUS

ASUS ZenWiFi AC (CT8) wireless router Gigabit Ethernet Tri-band (2.4 GHz / 5 GHz / 5 GHz) Black

Brand : ASUS

Product code: 90IG04T0-MO3R10

Product name : ZenWiFi AC (CT8)

ZenWiFi AX (CT8), 802.11a/b/g/n/ac, 2.4 + 5 GHz, 256 MB RAM, RJ-45, USB 3.1, MU-MIMO, 160x75x161.5 mm, black

ASUS ZenWiFi AC (CT8). WAN connection type: RJ-45. Wi-Fi band: Tri-band (2.4 GHz / 5 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN data transfer rate (max): 3000 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 1000 Mbit/s, Networking standards: IEEE 802.11a, IEEE 8



WAN connection		Security	
Ethernet WAN *	v	Network address translation (NAT)	
DSL WAN * SIM card slot *	x	NAT functionality	PPTP, L2TP, IPSec, RTSP, H.323, SIP, PPPoE
WAN connection type	RJ-45	Protocols	
Wireless LAN features		Universal Plug and Play (UPnP)	1
Wi-Fi band *	Tri-band (2.4 GHz / 5 GHz / 5 GHz)	Management protocols	IGMP v1/v2/v3
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	Supported network protocols	IPv4, IPv6
WLAN data transfer rate (max) *	3000 Mbit/s	Design	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Product colour	Black
Modulation	(802.111), WHITS (802.114C) 1024-QAM	LED indicators	Power
Network		Product type *	Tabletop router
		Antenna	
Ethernet LAN * Ethernet LAN interface type *	✓ Gigabit Ethernet 1000 Mbit/s	Antenna design *	Internal
Ethernet LAN data rates		Antennas quantity	6
	IEEE 802.11a, IEEE 802.11ac, IEEE	Features	
Networking standards	802.11b, IEEE 802.11g, IEEE	Internal memory	256 MB
Port forwarding	802.11n	Flash memory	128 MB
Dynamic DNS (DDNS)	4	Power	
VPN Passthrough	4	Power source type *	AC
VPN support	IPSec, PPTP, L2TP, PPTP, OpenVPN	AC input voltage	110 - 240 V
Mobile network		AC input frequency	50 - 60 Hz
3G	×	Output voltage	19 V
4G	×	Output current	1.75 A
Ports & interfaces		Operational conditions	
Ethernet LAN (RJ-45) ports *	3	Operating temperature (T-T)	0 - 40 °C
USB port *	✓	Storage temperature (T-T)	0 - 70 °C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1	Operating relative humidity (H-H) Storage relative humidity (H-H)	50 - 90% 20 - 90%
ports quantity	-		20 - 30 %
Memory card slot(s) DC-in jack	×	System requirements	
Management features	•	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
-	,	Linux operating systems supported	1
Web-based management Quality of Service (QoS) support		.	Mac OS X 10.6 Snow Leopard, Mac
Reset button		Mac operating systems supported	OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion
WPS push button	1	Weight & dimensions	· ·
Security		Width	160 mm
-			
Security algorithms	WPA-Enterprise, WPA-PSK, WPA2-	Depth	75 mm

curity		Weight & dimensions	
irewall	1	Weight	730 g
lest access	4	Packaging data	
cateful Packet Inspection (SPI) oS attack prevention		Number of products inclu	uded 1 pc(s)
ering	1	Logistics data	
filtering	1	Harmonized System (HS)) code 85176990
em event log	1		
z support	√		



4718017545105

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.