



BenQ LU951 data projector Standard throw projector 5200 ANSI lumens DLP WUXGA (1920x1200) Black

Brand : BenQ

Product code: 9H.JJ677.14E

Product name : LU951

BenQ LU951. Projector brightness: 5200 ANSI lumens, Projection technology: DLP, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Lamps quantity: 1 lamp(s). Focus: Manual, Focal length range: 14.3 - 22.9 mm, Aperture range (F-F): 1.81 - 2.1. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size



Projector		Network	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Smart TV *	✗
Projection distance (wide)	1.75 - 5.83 m	Ethernet LAN *	✓
Projection distance (tele)	2.8 - 9.32 m	Ethernet LAN (RJ-45) ports	1
Projector brightness *	5200 ANSI lumens	Wi-Fi *	✗
Projection technology *	DLP	Storage	
Projector native resolution *	WUXGA (1920x1200)	Card reader integrated *	✗
Contrast ratio (typical) *	3000000:1	Features	
Native aspect ratio *	16:10	Noise level (economic mode)	35 dB
Number of colours	1.073 billion colours	On Screen Display (OSD)	✓
Horizontal scan range	15 - 102 kHz	Number of OSD languages	30
Vertical scan range	24 - 120 Hz	Noise level *	37 dB
Keystone correction, horizontal	-30 - 30°	Air filter	✓
Keystone correction, vertical	-30 - 30°	Multimedia	
Light source		Built-in speaker(s) *	✓
Light source type *	Laser	RMS rated power	10 W
Service life of light source *	20000 h	Number of built-in speakers	1
Lamps quantity	1 lamp(s)	Design	
Lens system		Market positioning *	Presentation
Focus *	Manual	Product type *	Standard throw projector
Focal length range	14.3 - 22.9 mm	Product colour *	Black
Aperture range (F-F)	1.81 - 2.1	Placement	Ceiling, Floor
Zoom capability	✓	Cable lock slot	✓
Zoom type	Manual	Cable lock slot type	Kensington
Zoom ratio	1.6:1	Display	
Throw ratio	1.36 - 2.18	Built-in display *	✗
Horizontal lens shift range	-23 - 23%	Power	
Vertical lens shift range	-60 - 60%	Power source *	AC
Video		Power consumption (typical) *	475 W
Analog signal format system *	NTSC, PAL, SECAM	Power consumption (standby) *	2 W
Full HD *	✓	Power consumption (max)	530 W
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)		

Video		Power	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power consumption (economy mode)	365 W
Ports & interfaces		AC input voltage	100 - 240 V
HDMI connector type	Full-size	AC input frequency	50 - 60 Hz
S-Video inputs quantity	1	Operational conditions	
HDBaseT port	✓	Operating temperature (T-T)	0 - 40 °C
USB 2.0 ports quantity *	1	Storage temperature (T-T)	-20 - 60 °C
USB 2.0 Type-B ports quantity	1	Operating relative humidity (H-H)	10 - 90%
Audio (L/R) in *	1	Storage relative humidity (H-H)	10 - 90%
Headphone outputs	1	Operating altitude	0 - 3000 m
Microphone in	✓	Weight & dimensions	
Serial interface type *	RS-232	Width	490 mm
PC in (D-Sub)	✓	Depth	380 mm
VGA (D-Sub) ports quantity *	1	Height	156 mm
HDMI ports quantity *	4	Weight *	9.4 kg
Composite video in *	1	Packaging content	
DVI port *	✗	Remote control included *	✓
AC (power) in	✓	Remote control type	IR
		Batteries included	✓
		Cables included	AC
		Manual	✓



4718755076961

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-APR-2023. Prints or copies of Information are only valid on the printed Publication date