



Acer Value X118HP projector (DLP 3D, SVGA, 4000 lm)

Brand : Acer

Product family: Value

Product code: MR.JR711.00Y

Product name : Acer X118HP projector (DLP 3D, SVGA, 4000 lm)



Acer X118HP projector (DLP 3D, SVGA, 4000 lm)

[Acer Value X118HP projector \(DLP 3D, SVGA, 4000 lm\):](#)

Acer X118/ X118H/ X118AH projector are best value projectors ideal for everyday use, at work or home. It features 3600 lumens high brightness, 20,000:1 contrast ratio and Acer LumiSense content-aware process for showcasing vividly detailed text and images. X118 series is also equipped with BlueLightShield that mitigates the negative effects of blue light exposure.

Acer Value X118HP projector (DLP 3D, SVGA, 4000 lm). Projector brightness: 4000 ANSI lumens, Projection technology: DLP, Projector native resolution: SVGA (800x600). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 10000 h. Focal length range: 21.85 - 24.01 mm, Aperture range (F-F): 2.41 - 2.53, Zoom type: Auto. Country of origin: China. RMS rated power: 3 W


FULL HD
Resolution



Projector		Ports & interfaces	
Supported aspect ratios	16:9	HDMI ports quantity *	1
Projection distance	1 - 10 m	Composite video in *	1
Projector brightness *	4000 ANSI lumens	Features	
Projection technology *	DLP	Country of origin	China
Projector native resolution *	SVGA (800x600)	Multimedia	
Contrast ratio (typical) *	20000:1	Built-in speaker(s) *	✓
Native aspect ratio *	4:3	RMS rated power	3 W
Number of colours	1.073 billion colours	Number of built-in speakers	1
Horizontal scan range	15 - 100 kHz	Design	
Vertical scan range	24 - 120 Hz	Market positioning *	Home cinema
Keystone correction, horizontal	-40°	Product type *	Standard throw projector
Keystone correction, vertical	40°	Product colour *	Black
Light source		Placement	Ceiling, Floor
Light source type *	Lamp	Display	
Service life of light source *	6000 h	Built-in display *	✗
Service life of light source (economic mode)	10000 h	Power	
Lamp power	220 W	Power source *	AC
Lamps quantity	1 lamp(s)	Power consumption (typical) *	275 W
Lens system		AC input voltage	100 - 240 V
Focal length range	21.85 - 24.01 mm	Operational conditions	
Aperture range (F-F)	2.41 - 2.53	Operating temperature (T-T)	0 - 40 °C
Zoom capability	✓	Weight & dimensions	
Zoom type	Auto	Width	313 mm
Zoom ratio	1.1:1	Depth	240 mm
Throw ratio	1.94 x 2.16	Height	113.7 mm
Video		Weight *	2.8 kg
3D *	✓	Package width	400 mm
Ports & interfaces		Package depth	340 mm
USB 2.0 ports quantity *	1	Package height	168 mm
PC Audio in	✓	Package weight	3.9 kg
PC Audio out	✓	Packaging content	
VGA (D-Sub) ports quantity *	1	Remote control included *	✓
		Batteries included	✓
		Cables included	AC, VGA

Logistics data

Harmonized System (HS) code 85286200



4710180702217

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-SEP-2023. Prints or copies of Information are only valid on the printed Publication date