Acer Essential X128HP data projector Ceiling-mounted projector 4000 ANSI lumens DLP XGA (1024x768) Black

Brand : Acer Product family: Essential Product code: MR.JR811.00Z

Product name: X128HP

23 - 300", 4000 lm, DLP, 220 W, 1024 x 768, 2x VGA, HDMI, 2.8 kg

Acer Essential X128HP data projector Ceiling-mounted projector 4000 ANSI lumens DLP XGA (1024x768) Black:

Acer Essential series projectors are best value projectors ideal for everyday use, at work or home. Make your presentations more compelling and entertainment more exciting with high brightness, high contrast and DLP® 3D Ready, while adhering to your bottom line.

Acer Essential X128HP. Projector brightness: 4000 ANSI lumens, Projection technology: DLP, Projector native resolution: XGA (1024x768). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 10000 h. Focal length range: 21.85 - 24.01 mm, Aperture range (F-F): 2.41 - 2.53, Digital zoom: 2x. Analog signal format system: NTSC, PAL, SECAM. HDMI connector type: Full-size



Projector		Ports & interfaces	
Supported aspect ratios Screen size compatibility * 58 Projection distance 1 Projector brightness * 46 Projection technology * D Projector native resolution * X6 Contrast ratio (typical) * 26 Native aspect ratio * 45 Number of colours 1 Horizontal scan range 15	16:9 584.2 - 7620 mm (23 - 300") 1 - 11.8 m 4000 ANSI lumens DLP XGA (1024x768) 20000:1 4:3 1.073 billion colours 15 - 100 kHz 24 - 120 Hz	HDMI ports quantity * Composite video in * DVI port * Mobile High-Definition Link (MHL) AC (power) in	1 1 X X
		Network	
		Smart TV * Ethernet LAN * Wi-Fi *	x x
		Storage	
Keystone correction, vertical	-40 - 40°	Card reader integrated *	×
Light source		Features	
Light source type * Service life of light source *	Lamp	Compatible operating systems	Mac, Windows
	6000 h	Multimedia	
Service life of light source (economic mode) Lamp power Lamps quantity	10000 h 220 W 1 lamp(s)	Built-in speaker(s) * RMS rated power Number of built-in speakers	√ 3 W 1
Lens system	• • •	Design	
Focal length range Aperture range (F-F) Zoom capability Digital zoom	21.85 - 24.01 mm 2.41 - 2.53 ✓ 2x	Market positioning * Product type * Product colour * Placement	Presentation Ceiling-mounted projector Black Ceiling
Optical zoom	1.1x	Display	
Throw ratio	1.94 - 2.16	Built-in display *	×
Video		Power	
Analog signal format system * Full HD *	NTSC, PAL, SECAM X	Power source * Power consumption (typical) *	AC 275 W
Ports & interfaces		AC input voltage	120 - 230 V
HDMI connector type USB 2.0 ports quantity *	Full-size 1	Weight & dimensions	
Audio (L/R) in *	1	Weight *	2.8 kg
Audio (L/R) out	1	Packaging content	
VGA (D-Sub) ports quantity *	2	Remote control included * Batteries included Cables included	✓ ✓ AC

	::	4-4-
LOG	istics	aata

Harmonized System (HS) code

85286200



4710180702286

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.