Viewsonic TD2430 computer monitor 59.9 cm (23.6") 1920 x 1080 pixels Full HD LCD Touchscreen Multi-user Black

Brand : Viewsonic

Product name : TD2430

Product code: TD2430

MVA, 16.7M, 3000:1, 1920 x 1080, 23.6"
Viewsonic TD2430. Display diagonal: 59.9 cm (23.6"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black

Display

Display diagonal *	59.9 cm (23.6")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	VA
Touchscreen *	✔
Touchscreen type	Multi-user
Touchscreen technology	Projected capacitive system
Touch technology	Multi-touch
Number of simultaneous touchpoints	10
Screen shape *	Flat
Contrast ratio (typical) *	3000:1
Contrast ratio (dynamic)	50000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2715 x 0.2715 mm
Horizontal scan range	24 - 82 kHz
Vertical scan range	50 - 75 Hz
Display diagonal (metric)	60 cm
Display brightness	200 cd/m²

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Windows operating systems supported	Windows 10, Windows 7, Windows 8
Mac operating systems supported	✔
Linux operating systems supported	✔

Ports & interfaces

USB Type-A downstream ports quantity	2
VGA (D-Sub) ports quantity	1
HDMI *	✔
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone out *	✔
Headphone outputs	1

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Wall mountable	✔
Tilt angle range	20 - 53°
Tilt adjustment	✔

Power

Energy efficiency class (SDR) *	E
Energy consumption (SDR) per 1000 hours *	15 kWh
Power consumption (typical) *	25 W
AC input voltage	100-240 V
AC input frequency	50/60 Hz
Power supply type	AC

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 90%

Performance

Other operating systems supported	Android

Multimedia

Built-in speaker(s) *	✔
Built-in camera *	✘
Number of speakers	2
RMS rated power	5 W
Built-in microphone	✘

Design

Product colour *	Black
Certification	cTUVus, FCC-B, ICES003, Energy Star 8.0, CEC, MX-CoC, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, RCM, GEMS, CCC, China RoHS, China Energy Label, CECP

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B
Number of upstream ports	1
Number of USB Type-B upstream ports quantity	1

Operational conditions

Storage relative humidity (H-H)	5 - 90%

Packaging content

Cables included	AC, Audio (3.5mm), HDMI, USB

Weight & dimensions

Width (with stand)	573 mm
Depth (with stand)	47 mm
Height (with stand)	353 mm
Weight (with stand)	5.51 kg

Packaging data

Package width	643 mm
Package depth	140 mm
Package height	435 mm
Package weight	7.08 kg

Sustainability

Sustainability certificates	CE, ENERGY STAR, ErP, REACH, RoHS

Logistics data

Harmonized System (HS) code	85285210

Other features

Display viewable area (HxV)	521.28 x 293.22 mm
Mobile operating systems supported	Android

0766907846911

766907846911