## Philips B Line 272B1G/00 LED display 68.6 cm (27") 1920 x 1080 pixels Full HD Black

Brand : Philips

Product family: B Line

Product code: 272B1G/00

Product name : 272B1G/00

B Line LCD monitor with super energy efficiency

Philips B Line 272B1G/00 LED display 68.6 cm (27") 1920 x 1080 pixels Full HD Black:

The eco-friendly Philips 27" monitor is designed for sustainable productivity. Super-energy-efficient design delivers a new level of power savings. PowerSensor and LightSensor further reduce energy use while delivering crisp visuals.

Philips B Line 272B1G/00. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black







Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDCP	1
Display resolution *	1920 x 1080 pixels	HDCP version	1.4
HD type *	Full HD	DC-in jack	1
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LED	VESA mounting *	1
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Backlight type	W-LED	Cable lock slot *	
Touchscreen *	×	Cable lock slot type	Kensington
Display brightness (typical)	250 cd/m <sup>2</sup>	Height adjustment *	
Response time	4 ms	Height adjustment	15 cm
Display surface	Matt	Pivot	✓ ·
Anti-glare screen	1	Pivot angle	-90 - 90°
Screen shape *	Flat	Swivelling	-90 - 90 V
Supported graphics resolutions	1280 x 720 (HD 720), 1360 x 768 (WXGA), 1920 x 1080 (HD 1080)	Swivel angle range	-180 - 180°
Supported video modes	720p, 768p, 1080p	Tilt angle range	-5 - 35°
Aspect ratio	16:9	On Screen Display (OSD)	1
Contrast ratio (typical) *	1000:1	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian
Contrast ratio (dynamic)	5000000:1		
Dynamic contrast ratio marketing name	SmartContrast		
Maximum refresh rate *	75 Hz		Swedish, Turkish, Ukrainian
Viewing angle, horizontal	178°	Number of OSD languages	21
Viewing angle, vertical	178°	Plug and Play	4
Display number of colours *	16.7 million colours	LED indicators	Operation, Stand-by
Pixel pitch	0.3114 x 0.3114 mm	Tilt adjustment	4
Pixel density	82 ppi	Power	
Horizontal scan range	30 - 85 kHz	Energy efficiency class (SDR) *	С
Vertical scan range	48 - 75 Hz	Energy consumption (SDR) per 1000 hours *	
Viewable size, horizontal	59.8 cm		14 kWh

Display		Power	
Viewable size, vertical	33.6 cm	Power consumption (typical) *	13.1 W
Digital horizontal frequency	30 - 85 kHz	Power consumption (standby) *	0.35 W
Digital vertical frequency	48 - 75 Hz	Power consumption (PowerSave)	9.2 W
Sync-on-green (SOG)	1	AC input voltage	100 - 240 V
Display diagonal (metric)	68.6 cm	AC input frequency	50 - 60 Hz
DDC/CI		Power supply type	Internal
	25%		
Haze rate		Energy efficiency scale	A to G
Surface hardness	ЗН	Operational conditions	
RGB colour space	sRGB	Operating temperature (T-T)	0 - 40 °C
Colour gamut	76%	Storage temperature (T-T)	-20 - 60 °C
sRGB coverage (typical)	102%	Operating relative humidity (H-H)	20 - 80%
NTSC coverage (typical)	88%	Storage relative humidity (H-H)	20 - 80%
Adobe RGB coverage	83%	Operating altitude	0 - 3658 m
Display sRGB	✓	Non-operating altitude	0 - 12192 m
Performance			0 - 12192 111
NVIDIA G-SYNC *	×	Packaging content	
AMD FreeSync *	x	Stand included	4
VESA Adaptive Sync support	2	Cables included	VGA, HDMI, DisplayPort, Audio
VESA Adaptive Sync Support			(3.5mm), AC
Component video sync	Separate sync, Sync-on-green (SOG)	Manual	4
Flicker-free technology		Bundled software	SmartControl
Low Blue Light technology	· ·	Weight & dimensions	
	•	Width (with stand)	613 mm
Multimedia		Depth (with stand)	205 mm
Built-in speaker(s) *	✓	Height (with stand)	537 mm
Built-in camera *	×	Weight (with stand)	6 kg
Number of speakers	2	Width (without stand)	613 mm
RMS rated power	2 W	Depth (without stand)	51 mm
Design		• •	
	Rusiness	Height (without stand)	366 mm
Market positioning * Product colour *	Business	Weight (without stand)	4.4 kg
	Black	Packaging data	
Frameless design		Package width	700 mm
Front bezel colour	Black	Package depth	215 mm
Detachable stand		Package height	456 mm
Feet colour	Black	Package weight	9.63 kg
	CB, FCC Class B, ICES-003, CE Mark, TUV Ergo, TUV/GS, SEMKO, CU-EAC,	Package type	Box
Certification	EAEU RoHS, UKRAINIAN, TUV Eye		
	Comfort certified	Sustainability	
Ports & interfaces		Sustainability certificates	ENERGY STAR, RoHS, TCO
	,	Doesn't contain	Mercury, PVC/BFR
Built-in USB hub *	✓ 2.0./2.2.Com 1.(2.1.Com 1)	European Product Registry for	388610
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Energy Labelling (EPREL) code	
USB upstream port type	USB Type-B	Recycling data	
Number of upstream ports	1	Post-consumer recycled plastic	85%
USB Type-A downstream ports quantity	4	Logistics data	
VGA (D-Sub) ports quantity	1	-	95395310
DVI port	4	Harmonized System (HS) code	85285210
DVI-D ports quantity	1	Other features	
HDMI *	1	DCI-P3 coverage	80%
HDMI ports quantity	1	Exterior finish type	Textured
HDMI ports quality	1.4	Picture enhancement	SmartImage
		Recyclable packaging material	100%
DisplayPorts quantity	1.2		CB; FCC Class B; ICES-003; CE Mark;
DisplayPort version	1.2	Dogulatory Approvala	TUV Ergo; TUV/GS; SEMKO; CU-EAC;
Audio input	4	Regulatory Approvals	EAEU RoHS; UKRAINIAN; TUV Eye
Headphone out *	4		Comfort certified
Headphone outputs	1	Light sensor	1
Headphone connectivity	3.5 mm	EasyRead mode	4
PC Audio in	<	LowBlue mode	1
		Mean time between failures (MTBF)	70000 h



8712581764319

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.