



MSI MPG GUNGNIR 110R Mid Tower Gaming Computer Case Black, USB 3.2 Gen2 Type C, 4x 120mm ARGB Fan, Mystic Light Sync, 1 to 6 ARGB Control board, 2x Tempered Glass Panels, ATX, mATX, mini-ITX

Brand : MSI

Product code: MPG GUNGNIR 110R

Product name : MPG GUNGNIR 110R Mid Tower Gaming Computer Case Black, USB 3.2 Gen2 Type C, 4x 120mm ARGB Fan, Mystic Light Sync, 1 to 6 ARGB Control board, 2x Tempered Glass Panels, ATX, mATX, mini-ITX

- Can install up to 6x system fans, providing ventilation and stable performance to the whole system
 - Built-in ARGB fans with striking lighting and vivid lighting effects
 - Bundle with 1 to 6 ARGB LED control board that can allow you to have more attractive ways to decorate your gaming rig by the LED strips
 - Premium-grade 4mm thick tempered glass that guarantees window durability and viewing capability
 - The magnetic filter on top is designed to give users an easy un-installing and cleaning experience
- ATX/mATX/Mini-ITX, Tempered Glass, 1 USB 3.1 Type-C, 2 USB 3.1 Gen 1, 7900g, 215 x 430 x 450mm



Design		Cooling	
Material	Metal, Plastic, SPCC, Tempered glass	Front fans installed	3x 120 mm
Form factor *	Midi Tower	Number of front fans supported (max)	3
Type *	PC	Front fans diameters supported	120,140 mm
Product colour *	Black	Rear fans installed	1x 120 mm
Supported motherboard form factors *	ATX, micro ATX, Mini-ITX	Number of rear fans supported (max)	1
Number of 3.5" bays *	2	Rear fans diameters supported	120 mm
Number of internal 3.5" bays	2	Number of top fans supported (max)	2
Number of expansion slots	7	Top fans diameters supported	120,140 mm
Rack mounting	✗	Liquid cooling capability	✓
Side window	✓	Front radiator fan sizes supported	120,140,240,280,360 mm
Suitable for	Gaming	Rear radiator fan sizes supported	120 mm
Illumination	✓	Top radiator fan sizes supported	120,240 mm
Illumination colour	Multi	Storage	
Illumination location	Case fans	Supported HDD sizes *	2.5,3.5"
Tempered glass panel(s)	✓	Card reader integrated	✗
Built-in speaker(s)	✗	Hot-swap	✗
Anti-dust filter	✓	Weight & dimensions	
Cable management	✓	Width	215 mm
Transport wheels	✗	Depth	430 mm
Reset button	✓	Height	450 mm
On/off button	✓	Weight	7.9 kg
LED indicators	HDD	Packaging data	
Maximum PSU length	25 cm	Package width	287 mm
Power supply		Package depth	503 mm
Power supply included *	✗		
Power supply location	Bottom		

Ports & interfaces			Packaging data	
Audio input	✓		Package height	526 mm
Audio output	✓		Package weight	9.25 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2		Logistics data	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1		Harmonized System (HS) code	84733080



4719072715601

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-APR-2023. Prints or copies of Information are only valid on the printed Publication date