



ASUS ProArt PA278QV computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black

Brand : ASUS

Product family: ProArt

Product code: 90LM05L1-B01370

Product name : PA278QV

- 27-inch WQHD (2560x 1440) IPS monitor with frameless design
 - International color standard 100% sRGB and 100% Rec. 709 wide color gamut
 - Calman Verified with factory calibrated for excellent Delta E < 2 color accuracy
 - ASUS-exclusive ProArt Preset and ProArt Palette provide numerous adjustable color parameters
 - Extensive connectivity for maximum flexibility, including Mini DisplayPort, DisplayPort, HDMI, dual-link DVI-D, audio in and earphone jack, plus four USB 3.0 ports
 - Ergonomic stand with tilt, swivel, pivot and height adjustments for a comfortable viewing experience, plus VESA wall-mountable
- 27", 16:9, 2560x1440, IPS, RMS 2x 2W, HDMI, DL DVI-D, DP, 3.5mm, 4x USB 3.0, 615x382-532x226 mm, black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	DisplayPorts quantity	1
Display resolution *	2560 x 1440 pixels	DisplayPort version	1.2
HD type *	Quad HD	Mini DisplayPorts quantity	1
Native aspect ratio *	16:9	Audio input	✓
Display technology *	LED	Headphone out *	✓
Panel type *	IPS	Headphone outputs	1
Touchscreen *	✗	Headphone connectivity	3.5 mm
Display brightness (typical)	350 cd/m ²	HDCP	✓
Response time	5 ms	Ergonomics	
Display surface	Matt	VESA mounting *	✓
Screen shape *	Flat	Panel mounting interface	100 x 100 mm
	640 x 480 (VGA), 720 x 400, 720 x 480, 720 x 576, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1280 x 960, 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)	Cable lock slot *	✓
Supported graphics resolutions		Cable lock slot type	Kensington
		Height adjustment *	✓
Supported video modes	480p, 576p, 720p, 1080p	Height adjustment	15 cm
Contrast ratio (typical) *	1000:1	Pivot	✓
Contrast ratio (dynamic)	100000000:1	Pivot angle	-90 - 90°
Dynamic contrast ratio marketing name	SmartContrast	Swivelling	✓
Maximum refresh rate *	75 Hz	Swivel angle range	-90 - 90°
Viewing angle, horizontal	178°	Tilt angle range	-5 - 35°
Viewing angle, vertical	178°	On Screen Display (OSD)	✓
Display number of colours *	16.78 million colours	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, French, Hungarian, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian, Thai, Turkish
Pixel pitch	0.2331 x 0.2331 mm	Number of OSD languages	21
Viewable size, horizontal	59.7 cm	LED indicators	✓
Viewable size, vertical	33.6 cm	Tilt adjustment	✓
Viewable size diagonal	68.5 cm	Power	
Digital horizontal frequency	30 - 112 kHz	Energy efficiency class (SDR) *	G
Digital vertical frequency	46 - 75 Hz		
RGB colour space	sRGB		

Display		Power	
sRGB coverage (typical)	100%	Energy consumption (SDR) per 1000 hours *	32 kWh
Performance		Power consumption (typical) *	32.1 W
NVIDIA G-SYNC *	✗	Power consumption (standby) *	0.5 W
AMD FreeSync *	✗	Power consumption (off)	0.3 W
VESA Adaptive Sync support	✓	AC input voltage	100 - 240 V
Flicker-free technology	✓	AC input frequency	50 - 60 Hz
Low Blue Light technology	✓	Energy efficiency scale	A to G
Multimedia		Operational conditions	
Built-in speaker(s) *	✓	Operating temperature (T-T)	0 - 40 °C
Built-in camera *	✗	Storage temperature (T-T)	-20 - 60 °C
Number of speakers	2	Packaging content	
RMS rated power	4 W	Stand included	✓
Design		Cables included	AC
Market positioning *	Graphics design	Weight & dimensions	
Product colour *	Black	Width (with stand)	615 mm
Frameless design	✓	Depth (with stand)	226 mm
Feet colour	Black	Height (with stand)	532 mm
Certification	Energy Star, BSMI, CB, CCC, CE, CEL level, CU, ErP, FCC, ISO-9241-307, J-MOSS, KCC, PSE, RoHS, TUV-Ergo, TUV-GS, UkrSEPRO, UL/cUL, VCCI, WEEE, WHQL (Windows 10, Windows 7), RCM, TUV Flicker-free, KC, eStandby, TUV Low Blue Light, TCO, ICES-3, PC recycle	Weight (with stand)	7.72 kg
		Width (without stand)	615 mm
Ports & interfaces		Depth (without stand)	51 mm
Built-in USB hub *	✓	Height (without stand)	372 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Weight (without stand)	4.96 kg
Number of upstream ports	1	Packaging data	
USB Type-A downstream ports quantity	4	Package width	735 mm
DVI port	✓	Package depth	216 mm
DVI-D ports quantity	1	Package height	464 mm
HDMI *	✓	Package weight	10.8 kg
HDMI ports quantity	1	Sustainability	
HDMI version	1.4	Sustainability certificates	RoHS, ENERGY STAR
		European Product Registry for Energy Labelling (EPREL) code	384209
		Logistics data	
		Harmonized System (HS) code	85285210



4718017603614



0192876603611




192876603611



0192876575260



192876575260



4718017603591



4718017575263

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.