tp-link

TP-Link TD-W8961N wireless router Fast Ethernet Single-band (2.4 GHz) 4G Grey, White

Brand : TP-Link

Product name : TD-W8961N

Product code: TD-W8961N

- All-in-One Device: ADSL2+ Modem, NAT Router, 4-Port Switch and Wireless N Access Point
- Wireless N speed up to 300Mbps makes it ideal for heavy bandwidth consuming or interruption sensitive applications like online gaming, Internet calls and even the HD video streaming
- Easy Setup Assistant with multi-language support provides quick & hassle-free installation
- Easy one-touch wireless security encryption with the 'WPS' button and easy Wi-Fi On/Off button
4x 10/100 Mbps RJ-45, RJ11, 802.11b/g/n, 2.400 - 2.4835 GHz, 195 x 130 x 35 mm, White

WAN connection	
Ethernet WAN *	✓
SIM card slot *	✗
3G/4G USB modem compatibility *	✗

Wireless LAN features	
Wi-Fi band *	Single-band (2.4 GHz)
Top Wi-Fi standard *	Wi-Fi 4 (802.11n)
WLAN data transfer rate (max) *	100 Mbit/s

Network	
Ethernet LAN *	✓
Ethernet LAN interface type *	Fast Ethernet
Ethernet LAN data rates	10,100 Mbit/s
Cabling technology	10/100Base-T(X)
Networking standards	IEEE 802.3, IEEE 802.3u

Mobile network	
Mobile network generation	4G
3G	✗
4G	✗

DSL features	
ADSL	✓
ADSL2	✓
ADSL2+	✓

Ports & interfaces	
Ethernet LAN (RJ-45) ports *	4
USB port *	✗
RJ-11 ports quantity	1
Memory card slot(s)	✗

Management features	
Quality of Service (QoS) support	✓

Design	
Product type *	Tabletop router

Packaging content	
Cables included	LAN (RJ-45), Phone (RJ-11)
AC adapter included	✓
Quick installation guide	✓

Antenna	
Antenna design *	External
Antenna gain level (max)	5 dBi
Transmit power	20 dBmW

Features	
Certification	CE, FCC, RoHS

Power	
Power source type *	DC
Output voltage	9 V
Output current	0.6 A

Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Security	
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK

Protocols	
DHCP client	✔
Supported network protocols	ATM Forum UNI3.1/4.0, PPP over ATM (RFC 2364), PPP over Ethernet (RFC2516), IPoA (RFC1577/2225), PVC - Up to 8 PVCs

Design	
Product colour	Grey, White

System requirements	
Windows operating systems supported	Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98SE, Windows NT, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Linux operating systems supported	✔
Mac operating systems supported	✔
Mac compatibility	✔

Weight & dimensions	
Width	195 mm
Depth	130 mm
Height	35 mm

Packaging data	
Package type	Box
Number of products included	1 pc(s)

Logistics data	
Harmonized System (HS) code	85176990

6935364061166