



# HP E-Series E14 G4 35.6 cm (14") 1920 x 1080 pixels Full HD LED White

Brand : HP

Product family: E-Series

Product code: 1B065AA

Product name : E14 G4



- Get a clear view—inside or out—with an ultra-bright, anti-glare, 400-nit screen that delivers equally sharp, visuals in dark rooms or direct sunlight.
- Expand your laptop's visual workspace and boost your productivity with a slim, lightweight Full HD monitor that weighs just 620 g and is less than 4.75 mm thick.
- Work without interruption with a monitor that has a 65W power pass-through so you can power your monitor from your laptop's USB-C™ and charge it from its power brick at the same time.

E14 G4 Portable Monitor

HP E-Series E14 G4 35.6 cm (14") 1920 x 1080 pixels Full HD LED White:

The on-the-go monitor that's ready to work in any light  
Double down on your productivity with the HP E14 G4 Portable Monitor. Remove from the soft sleeve, stand up on the kickstand, and connect with the simplicity of just one USB-C™ cable.<sup>[1]</sup> Enjoy a great view indoors or outdoors from an extra-bright screen.



| Display                        |  | Ports & interfaces                |   |       |
|--------------------------------|--|-----------------------------------|---|-------|
| Display diagonal *             | 35.6 cm (14")  | DVI port                          | ✗   |       |
| Display resolution *           | 1920 x 1080 pixels   | HDMI *                            | ✗   |       |
| HD type *                      | Full HD  | Audio input                       | ✗   |       |
| Native aspect ratio *          | 16:9   | Headphone out *                   | ✗   |       |
| Display technology *           | LED  | Ergonomics                        |   |       |
| Panel type *                   | IPS  | VESA mounting *                   | ✗   |       |
| Touchscreen *                  | ✗  | Height adjustment *               | ✗   |       |
| Display brightness (typical)   | 400 cd/m <sup>2</sup>  | Pivot                             | ✗   |       |
| Response time                  | 5 ms   | Swivelling                        | ✗   |       |
| Screen shape *                 | Flat   | Tilt angle range                  | 0 - 78°                                   |       |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080) | Tilt adjustment                   | ✓   |       |
|                                | Contrast ratio (typical) *   | 800:1                             | Power                                     |       |
|                                | Maximum refresh rate *   | 60 Hz                             | Energy efficiency class (SDR) *           | B     |
|                                | Viewing angle, horizontal  | 178°                              | Energy consumption (SDR) per 1000 hours * | 5 kWh |
|                                | Viewing angle, vertical  | 178°                              | Power consumption (typical) *             | 6 W   |
| Pixel pitch                    | 0.161 x 0.161 mm   | Power consumption (standby) *     | 0.3 W                                     |       |
| Pixel density                  | 157 ppi  | Operational conditions            |   |       |
| Horizontal scan range          | 30 - 80 kHz  | Operating temperature (T-T)       | 5 - 35 °C                                 |       |
| Vertical scan range            | 59 - 60 Hz   | Operating relative humidity (H-H) | 20 - 80%                                  |       |
| RGB colour space               | NTSC   | Storage relative humidity (H-H)   | 5 - 95%                                   |       |
| Colour gamut                   | 72%  | Packaging content                 |   |       |
| Performance                    |  | Cables included                   | USB Type-C                                |       |
| Flicker-free technology        | ✓  | Weight & dimensions               |   |       |
| HP segment                     | Business   | Width (without stand)             | 32.1 cm                                   |       |
| Multimedia                     |  | Depth (without stand)             | 1.52 cm                                   |       |
| Built-in speaker(s) *          | ✗  | Height (without stand)            | 21 cm                                     |       |
| Built-in camera *              | ✗  | Weight (without stand)            | 640 g                                     |       |
| Design                         |  | Packaging data                    |   |       |
| Market positioning *           | Business   | Package width                     | 405 mm                                    |       |
|                                |  | Package depth                     | 61 mm                                     |       |
|                                |  | Package height                    | 284 mm                                    |       |


| Design                 |  | Packaging data                         |  |
|------------------------|--|--|--|
| Product colour *       | White  | Package weight                         | 1.54 kg  |
| Certification          | BIS; BSMI; CB; CCC; CE; cTUVus; EAC; ENERGY STAR®; FCC; ICES; ISE for Cambodia; ISO 9241-307; KC/KCC; NOM; SEPA; Taiwan Green Mark; TUV/GS; VCCI; Vietnam MEPS; WEEE; ISC; WW application; UAE | <b>Sustainability</b>                  |  |
|                        |  | Sustainable technologies and materials | Arsenic-free display glass; Low halogen; Mercury-free display backlights |
| Ports & interfaces     |  |  |  |
| Built-in USB hub *     | ✓  |  |  |
| USB upstream port type | USB Type-C   |  |  |



0195122771492



195122771492



0195122417208



195122417208




0194850710292



194850710292



0195122540678



195122540678



0194850687792



194850687792



0195122417192



195122417192



0194850333804




194850333804



0194850687785



194850687785




0195122417215



195122417215



0194850687808



194850687808



5704174817253



4580511767969

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.