



BenQ SL5502K Digital signage flat panel 139.7 cm (55") LED 500 cd/m² 4K Ultra HD Black Android 24/7

Brand : BenQ

Product code: 9H.F67PK.NA6

Product name : SL5502K



55" Smart Signage Series, E-LED, 3840 x 2160, 500cd/m², 24 / 7, Landscape / Portrait
BenQ SL5502K. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: LED, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD. Operating hours (hours/days): 24/7. Operating system installed: Android. Product colour: Black



Display		Design	
LED backlighting type	Edge-LED	Bezel width (bottom)	1.18 cm
Display diagonal *	139.7 cm (55")	Bezel width (side)	1.18 cm
Display technology *	LED	Bezel width (top)	1.18 cm
Display resolution *	3840 x 2160 pixels	Performance	
Display brightness *	500 cd/m ²	Purpose *	Universal
HD type *	4K Ultra HD	Multi-display supported	✓
Touchscreen *	✗	On Screen Display (OSD)	✓
Native aspect ratio	16:9	Number of OSD languages	26
Contrast ratio (typical)	1200:1	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Hungarian, Italian, Japanese, Korean, Norwegian, Persian, Polish, Portuguese, Romanian, Russian, Swedish, Turkish, Vietnamese
Viewing angle, horizontal	178°	Operating hours (hours/days)	24/7
Viewing angle, vertical	178°	Power	
Active display area (W x H)	1209.6 x 680.4 mm	Power consumption (typical) *	85.6 W
Panel life	50000 h	Power consumption (standby) *	0.5 W
Ports & interfaces		AC input voltage	100 - 240 V
HDMI ports quantity *	2	AC input frequency	50 - 60 Hz
HDMI input ports quantity	2	Computer system	
DVI port *	✗	Internal memory	4 GB
VGA (D-Sub) input ports	1	Internal storage capacity	32 GB
DisplayPorts quantity *	1	Operating system installed	Android
USB port *	✓	Weight & dimensions	
USB ports quantity	4	Width	1236.4 mm
Ethernet LAN *	✓	Depth	63.1 mm
Ethernet LAN (RJ-45) ports	1	Height	707.2 mm
RS-232 interface	✓	Weight	26.4 kg
Audio			
Built-in speaker(s) *	✓		
Number of built-in speakers	2		
RMS rated power	20 W		
Design			
Product design *	Digital signage flat panel		
Placement supported *	Indoor		

Design		Packaging data	
Orientation	Horizontal/Vertical	Package weight	31.4 kg
Product colour *	Black	Packaging content	
VESA mounting *	✓	Remote control included	✓
Panel mounting interface	400 x 400 mm	Remote control type	IR
		Cables included	HDMI, VGA
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-10 - 60 °C
		Logistics data	
		Harmonized System (HS) code	85285210

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-JUN-2023. Prints or copies of Information are only valid on the printed Publication date