

## Lexmark C3426dw Colour 2400 x 600 DPI A4 Wi-Fi

**Brand :** Lexmark

**Product code:** 40N9413

**Product name :** C3426dw

- Color Laser Printer
- Duplex (2-sided) Printing: Automatic 2-sided printing
- Print Speed: Up to 26 ppm
- Recommended Monthly Page Volume: 600 - 2500 pages†

Lexmark Color Printer 4-series (C3426dw)

Lexmark C3426dw. Print technology: Laser, Colour. Number of print cartridges: 2, Maximum duty cycle: 50000 pages per month. Maximum resolution: 2400 x 600 DPI. Maximum ISO A-series paper size: A4.

Print speed (black, normal quality, A4/US Letter): 26 ppm, Duplex printing. Display: LCD. Network ready, Wi-Fi. Product colour: Black, White



Printing		Network	
Print resolution colour	2400 x 600 DPI	Supported network protocols (IPv6)	TCP/IP, IPSEC
Print resolution black	2400 x 600 DPI		DHCP, APIPA (AutoIP), BOOTP, RARP, mDNS, IGMP, WINS, DDNS, SNMPv3, SNMPv1, SNMPv2c, NTP, ICMP, HTTP, DNS, ARP, HTTPs (SSL/TLS), Finger
Print speed (colour, normal quality, A4/US Letter)	26 ppm	Management protocols	
Colour *	✓	Mobile printing technologies	Apple AirPrint
Print technology *	Laser		
Duplex printing *	✓		
Maximum resolution *	2400 x 600 DPI		
Print speed (black, normal quality, A4/US Letter) *	26 ppm		
Duplex print speed (black, normal quality, A4/US Letter)	13 ppm		
Duplex print speed (colour, normal quality, A4/US Letter)	13 ppm		
Time to first page (black, normal)	10.9 s		
Time to first page (colour, normal)	11 s		
Features		Performance	
Maximum duty cycle *	50000 pages per month	Internal memory *	512 MB
Recommended duty cycle	600 - 2500 pages per month	Maximum internal memory	512 MB
Printing colours *	Black, Cyan, Magenta, Yellow	Built-in processor	✓
Number of print cartridges *	2	Sound pressure level (printing)	53 dB
Page description languages *	PCL 5, PCL 6, PCLm, PostScript 3	Sound pressure level (duplex printing)	53 dB
Printer fonts	Bitmap, PCL, PostScript, Scalable		
Bitmap fonts	OCR-A, OCR-B		
Country of origin	China		
Input & output capacity		Design	
Total number of input trays *	2	Market positioning *	Home & office
Total input capacity *	250 sheets	Product colour *	Black, White
Total output capacity *	100 sheets	Built-in display *	✓
Manual feeder	✓	Display	LCD
Maximum number of input trays	2	Colour display	✓
Maximum input capacity	250 sheets	Display diagonal	7.11 cm (2.8")
Maximum output capacity	100 sheets	Control type	Touch
Paper handling		Certification	ENERGY STAR, DE-UZ 205, ICES-003 Class B, US FDA/CDRH, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62311, EN 55022(Class B), EN 55024, EN 61000, EN 61000, UL), EFTA (CE), KCC, CCC, CECP, CEL, RCM DoC, UL-AR, KC mark, UL GS mark, UCRF, Wi-Fi CERTIFIED, China Green Product (CGP)
Maximum ISO A-series paper size *	A4		
Paper tray media types *	Card stock, Envelopes, Glossy paper, Labels		
ISO A-series sizes (A0...A9) *	A4, A5, A6		
		Power	
		Power consumption (printing) *	400 W
		Energy Star Typical Electricity Consumption (TEC)	0.36 kWh/week
		System requirements	
		Windows operating systems supported	Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64

Paper handling		System requirements	
Non-ISO print media sizes	Executive, Hagaki card, Legal, Letter, Oficio, Statement, Universal	Linux operating systems supported	Fedora 27, RedHat EL Linux 7.5, RedHat EL Linux 7.6, Ubuntu 16.04, Ubuntu 18.04 LTS, openSUSE 42.3
JIS B-series sizes (B0...B9)	B5	Server operating systems supported	Windows Server 2016
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL	Other operating systems supported	Novell Open Enterprise Server 11, Novell Open Enterprise Server 2
Paper tray media weight	60 - 176 g/m <sup>2</sup>		
Ports & interfaces		Operational conditions	
Direct printing *	✗	Operating temperature (T-T)	10 - 32 °C
USB port *	✓	Operating relative humidity (H-H)	8 - 80%
USB 2.0 ports quantity	1	Operating altitude	0 - 3048 m
USB connector	USB Type-B		
Network		Weight & dimensions	
Network ready	✓	Width	411.2 mm
Wi-Fi *	✓	Depth	394.1 mm
Ethernet LAN *	✓	Height	243.7 mm
Cabling technology	10/100/1000Base-T(X)	Weight	16.1 kg
Ethernet LAN data rates	10,100,1000 Mbit/s		
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Packaging data	
Security algorithms	IPSec, SNMPv3	Package width	332 mm
Supported network protocols (IPv4)	TCP/IP, IPSEC	Package depth	556 mm
		Package height	519 mm
		Package weight	19.1 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	1500 pages
		Included cartridge capacity (CMY)	1500 pages
		Power cord included	✓



0734646714075



734646714075

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-MAR-2023. Prints or copies of Information are only valid on the printed Publication date