## /ISUS

## ASUS MB14AC 35.6 cm (14") 1920 x 1080 pixels Full HD Grey

Brand : ASUS

Product name : MB14AC

- Features a hybrid-signal solution that supports power and video transmission, and enables

compatibility with any laptop with a USB Type-C or Type A port

- Can automatically sense its orientation and switch the monitor between landscape and portrait modes - 14-inch Full HD portable anti-glare IPS display with an ultra-slim design helps you get things done more

Product code: 90LM0631-B01170

efficiently when you're on the go

- Foldable smart case can be turned into a stand to prop the monitor up in either portrait or landscape mode

- ASUS Eye Care monitors feature TÜV Rheinland-certified Flicker-free and Low Blue Light technologies to ensure a comfortable viewing experience

14", 1920x1080, 60Hz, IPS, 5ms, Flicker-free, HDCP 1.4, USB C, 324.94x208.03x11.2mm

ASUS MB14AC. Display diagonal: 35.6 cm (14"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. Product colour: Grey








| Display   |  | Ports & interfaces  |                          |
|---|--|---|--------------------------|
| Display diagonal *<br>Display resolution *<br>HD type *<br>Native aspect ratio *<br>Panel type *<br>Touchscreen *<br>Display brightness (typical) | 1920 x 1080 pixels<br>Full HD<br>16:9<br>IPS<br>X  | USB Type-A downstream ports<br>quantity<br>DVI port<br>HDMI *<br>Audio input<br>Headphone out *<br>HDCP | 1<br>×<br>×<br>×<br>×    |
| Response time   | 5 ms   | Ergonomics  |                          |
| Screen shape * Supported graphics resolutions   | Flat<br>640 x 480 (VGA), 800 x 600 (SVGA),<br>1024 x 768 (XGA), 1280 x 1024<br>(SXGA), 1280 x 960, 1440 x 900<br>(WXGA+), 1680 x 1050 (WSXGA+),<br>1020 x 1020 (WD 1020) | VESA mounting *<br>Cable lock slot *<br>Height adjustment *<br>LED indicators                           | ×<br>×<br>×              |
| Aspect ratio  | 1920 x 1080 (HD 1080)<br>16:9  | Power   |                          |
| Contrast ratio (typical) *  | 700:1  | Energy efficiency class (SDR) *   | В                        |
| Maximum refresh rate *  | 60 Hz  | Energy consumption (SDR) per 1000   | 5 kWh                    |
| Viewing angle, horizontal<br>Viewing angle, vertical<br>Display number of colours *   | g angle, vertical 178°   | hours *<br>Power consumption (typical) *<br>Energy efficiency scale                                     | 7 W<br>A to G            |
| Pixel pitch   | 0.16 x 0.16 mm   | Operational conditions  |                          |
| Viewable size, horizontal   | 30.9 cm  | Operating temperature (T-T)   | 0 - 40 °C                |
| Viewable size, vertical   | 17.4 cm  | Packaging content   |                          |
| Viewable size diagonal  | 35.6 cm  | Cables included   | USB Type-C to USB Type-C |
| Performance   |  | Weight & dimensions   |                          |
| Flicker-free technology<br>Low Blue Light technology  | 4  | Width (with stand)<br>Depth (with stand)  | 324.9 mm<br>11.2 mm      |
| Multimedia  |  | Height (with stand)   | 208 mm                   |
| Built-in speaker(s) *   | ×  | Weight (with stand)   | 590 g                    |
| Built-in camera *   | ×  | Packaging data  |                          |
| Design  |  | Package width   | 392 mm                   |
| Market positioning *  | Business   | Package depth   | 77 mm                    |
| Product colour *  | Grey   | Package height  | 257 mm                   |

| Design             |   | Packaging data              |                   |
|--------------------|---|-----------------------------|-------------------|
| Certification      | BSMI, CB, CCC, CE, CU, FCC, J-                                    | Package weight              | 1.3 kg            |
|                    | MOSS, KCC, UkrSEPRO, UL/cUL,<br>VCCI, WEEE, WHQL (Windows 10,     | Sustainability              |                   |
|                    | Windows 8.1, Windows 7), TUV<br>Flicker-free, TUV Low Blue Light, | Sustainability certificates | RoHS, ENERGY STAR |
|                    | RCM   | Logistics data              |                   |
| Ports & interfaces |   | Harmonized System (HS) code | 85285210          |
| Built-in USB hub * | <   |                             |                   |



4718017690607

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.