Viewsonic M2 data projector Short throw projector 1200 ANSI lumens LED 1080p (1920x1080) 3D Black, Gold

Brand : Viewsonic

Product name : M2

Product code: M2

1920 x 1080, HD, 1200 LED, DLP LED, 2 x USB 3.0 Type A, 1 x USB 3.1 Type C, micro USB, HDMI, 74W, 261 x 166 x 271 mm, 1300 g

Viewsonic M2. Projector brightness: 1200 ANSI lumens, Projection technology: LED, Projector native resolution: 1080p (1920x1080). Light source type: LED, Service life of light source: 30000 h. Fixed focal length: 9.251 mm, Aperture range (F-F): 1.7 - 1.7, Zoom type: Fixed. Supported graphics resolutions: 640 x 480 (VGA), 3840 x 2160, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p. HDMI connector type: Full-size

Projector

Screen size compatibility *	609.6 - 2540 mm (24 - 100")
Projection distance	0.65 - 2.72 m
Projector brightness *	1200 ANSI lumens
Projection technology *	LED
Projector native resolution *	1080p (1920x1080)
Contrast ratio (typical) *	3000000:1
Number of colours	1.07 billion colours
Horizontal scan range	30 - 97 kHz
Vertical scan range	24 - 120 Hz
Keystone correction, horizontal	-30 - 30°
Keystone correction, vertical	-40 - 40°
Matrix size	8.38 mm (0.33")

Light source

Light source type *	LED
Service life of light source *	30000 h

Lens system

Fixed focal length	9.251 mm
Aperture range (F-F)	1.7 - 1.7
Zoom type	Fixed
Throw ratio	1.23
Offset	100%

Video

Full HD *	✔
3D *	✔
Supported graphics resolutions	640 x 480 (VGA), 3840 x 2160
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p

Ports & interfaces

HDMI connector type	Full-size
HDMI version	2.0
USB 2.0 ports quantity *	1

Storage

Compatible memory cards	MicroSD (TransFlash), MicroSDXC
Maximum memory card size	64 GB
Internal storage capacity	16 GB

Features

Interactive *	✘
Noise level (economic mode)	24 dB
HDCP	✔
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Number of OSD languages	23
Noise level *	26 dB

Multimedia

Built-in speaker(s) *	✔
RMS rated power	6 W
Number of built-in speakers	2

Design

Market positioning *	Portable
Product type *	Short throw projector
Product colour *	Black, Gold
Placement	Desktop, Ceiling

Display

Built-in display *	✘

Power

Power source *	AC
Power consumption (typical) *	74 W
Power consumption (standby) *	0.5 W

Ports & interfaces

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
PC Audio out	✔
HDMI ports quantity *	1
DVI port *	✘
DC-in jack	✔

Network

Smart TV *	✘
Ethernet LAN *	✘
Wi-Fi *	✔
Bluetooth	✔
Bluetooth version	4.0

Storage

Card reader integrated *	✔

Power

AC input voltage	100-240 V
AC input frequency	50/60 Hz

Supplier features

Harmonized System (HS) code	85286200

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	0 - 90%

Weight & dimensions

Width	224 mm
Depth	224 mm
Height	51 mm
Weight *	1.32 kg
Package width	286 mm
Package depth	151 mm
Package height	284 mm
Package weight	3.15 kg

Packaging content

Remote control included *	✔
Cables included	AC, USB Type-C
Manual	✔

0766907003086

766907003086