



## BenQ BL2480 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

**Brand :** Benq

**Product code:** 9H.LH1LA.CPE

**Product name :** BL2480

- Stunning Full HD Display
  - Wide Viewing Angle IPS Panel
  - Edge to Edge Slim Bezel Design
- 23.8", 1920x1080, IPS, LED Backlight, 250cmd, 1000:1, 178/178, 5ms, 16:9, 16.7mln, 72% gamut, 8bits, 1Wx2 Speakers, Headphone Jack, HDCP, VESA 100x100, D-sub, HDMI, DisplayPort, 90-264V, 27W BenQ BL2480. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black



Display		Design	
Display diagonal *	60.5 cm (23.8")	Product colour *	Black
Display resolution *	1920 x 1080 pixels	Front bezel colour	Black
HD type *	Full HD	Feet colour	Black
Native aspect ratio *	16:9	<b>Ports &amp; interfaces</b>	
Display technology *	LED	Built-in USB hub *	✗
Panel type *	IPS	VGA (D-Sub) ports quantity	1
Touchscreen *	✗	DVI port	✗
Display brightness (typical)	250 cd/m <sup>2</sup>	HDMI *	✓
Response time	5 ms	HDMI ports quantity	1
Screen shape *	Flat	DisplayPorts quantity	1
Supported graphics resolutions	1920 x 1080 (HD 1080)	Audio input	✗
Aspect ratio	16:9	Headphone out *	✓
Contrast ratio (typical) *	1000:1	HDCP	✓
Viewing angle, horizontal	178°	<b>Ergonomics</b>	
Viewing angle, vertical	178°	VESA mounting *	✓
Display number of colours *	16.78 million colours	Panel mounting interface	100 x 100 mm
Pixel pitch	0.274 x 0.274 mm	On Screen Display (OSD)	✓
Viewable size, horizontal	52.7 cm	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, French, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian, Swedish
Viewable size, vertical	29.6 cm	Number of OSD languages	18
NTSC coverage (typical)	72%	<b>Power</b>	
<b>Performance</b>		Power consumption (typical) *	27 W
Low Blue Light technology	✓	AC input voltage	90 - 264 V
<b>Multimedia</b>		<b>Weight &amp; dimensions</b>	
Built-in speaker(s) *	✓	Width (with stand)	540 mm
Built-in camera *	✗	Depth (with stand)	175 mm
Number of speakers	2	Height (with stand)	420 mm
RMS rated power	1 W	Weight (with stand)	3.84 kg

**Logistics data**

Harmonized System (HS) code 85285210

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-FEB-2023. Prints or copies of Information are only valid on the printed Publication date