



DELL UltraSharp U2421E 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Silver

Brand : DELL

Product family: UltraSharp

Product code: DELL-U2421E

Product name : U2421E

- 61.2cm (24.1") WUXGA 1920 x 1200 LED IPS
- 8ms, 16:10, 350cd/m², 1000:1
- USB, HDMI, DisplayPort, RJ-45
- 61.2cm (24.1") WUXGA 1920 x 1200 LED IPS, 16:10, 350cd/m², 16.78M, 8ms, 178°/178°, 1000:1



DELL UltraSharp U2421E 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Silver:

Experience vibrant color and reduced harmful blue light emissions with ComfortView Plus. Featuring an RJ45 port for Ethernet connectivity.
DELL UltraSharp U2421E. Display diagonal: 61.2 cm (24.1"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Silver



Display		Ports & interfaces	
Display diagonal *	61.2 cm (24.1")	Headphone connectivity	3.5 mm
Display resolution *	1920 x 1200 pixels	Network	
HD type *	WUXGA	Wi-Fi	✗
Native aspect ratio *	16:10	Ergonomics	
Display technology *	LCD	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Backlight type	LED	Cable lock slot *	✓
Touchscreen *	✗	Height adjustment *	✓
Display brightness (typical)	350 cd/m ²	Height adjustment	15 cm
Response time	8 ms	Pivot	✓
Screen shape *	Flat	Pivot angle	-90 - 90°
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)	Swivelling	✓
		Swivel angle range	-45 - 45°
		Tilt angle range	-5 - 21°
		Tilt adjustment	✓
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power	
Contrast ratio (typical) *	1000:1	Energy efficiency class (SDR) *	E
Maximum refresh rate *	60 Hz	Energy consumption (SDR) per 1000 hours *	17 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	17.2 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.2 W
Display number of colours *	16.78 million colours	Power consumption (max)	186 W
Response time (fast)	5 ms	Power consumption (off)	0.2 W
Pixel pitch	0.27 x 0.27 mm	Power consumption (PowerSave)	16.1 W
Pixel density	93.95 ppi	AC input voltage	100 - 240 V
Horizontal scan range	30 - 83 kHz	AC input frequency	50/60 Hz
Vertical scan range	49 - 76 Hz	Power supply type	Internal
Viewable size, horizontal	51.8 cm	Energy efficiency scale	A to G
Viewable size, vertical	32.4 cm		

Display		Operational conditions	
Viewable size diagonal	61.1 cm	Operating temperature (T-T)	0 - 40 °C
High Dynamic Range (HDR) supported	✘	Storage temperature (T-T)	-20 - 60 °C
Colour gamut	99%	Operating relative humidity (H-H)	10 - 80%
		Storage relative humidity (H-H)	5 - 90%
Performance		Weight & dimensions	
NVIDIA G-SYNC *	✘	Width (with stand)	530.8 mm
AMD FreeSync *	✘	Depth (with stand)	173 mm
Multimedia		Height (with stand)	510.7 mm
Built-in speaker(s) *	✘	Weight (with stand)	5.7 kg
Built-in camera *	✘	Width (without stand)	53.1 cm
Design		Depth (without stand)	5 cm
Market positioning *	Business	Height (without stand)	33.9 cm
Product colour *	Silver	Weight (without stand)	4 kg
Front bezel colour	Black	Bezel width (side)	6.2 mm
Detachable stand	✓	Bezel width (top)	6.2 mm
Feet colour	Silver	Bezel width (bottom)	9.1 mm
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package width	723.1 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package depth	139.9 mm
USB upstream port type	USB Type-C	Package height	427 mm
Number of upstream ports	1	Package weight	8.6 kg
USB Type-A downstream ports quantity	3	Sustainability	
USB Type-C downstream ports quantity	1	Sustainability certificates	ENERGY STAR
DVI port	✘	Logistics data	
HDMI *	✓	Harmonized System (HS) code	85285210
HDMI ports quantity	1	Other features	
HDMI version	1.4	Ethernet LAN data rates	10,100,1000 Mbit/s
DisplayPorts quantity	2	Ethernet LAN (RJ-45) ports	1
DisplayPort version	1.4		
Audio input	✘		
Audio output	✓		
Headphone out *	✓		
Headphone outputs	1		



5397184409503



0884116381112



884116381112



5704174325475

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.