## ASUS PRIME B450M-A II AMD B450 Socket AM4 micro ATX

Brand : ASUS Product code: 90MB15Z0-M0EAY0

Product name: PRIME B450M-A II

- Comprehensive cooling: VRM heatsink, PCH heatsink, and Fan Xpert 2+
- Ultrafast connectivity: M.2 support, 1 Gb Ethernet, and USB 3.2 Gen 2 Type-A
- 5X Protection III: Multiple hardware safeguards for all-around system protection
- Aura Sync RGB Lighting: Onboard connector for RGB LED strips, easily synced with an ever-growing portfolio of Aura Sync-capable hardware

AMD B450, AM4, 4x DDR4, VGA, DVI-D, HDMI, SATA III, M.2, USB 3.2, 1G LAN, PS/2, mATX, 244x240 mm ASUS PRIME B450M-A II. Processor manufacturer: AMD, Processor socket: Socket AM4, Compatible processor series: AMD Ryzen™ 3, AMD Ryzen™ 5, AMD Ryzen™ 7, 3rd Generation AMD Ryzen™ 9. Supported memory types: DDR4-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: SATA III, Supported storage drive types: HDD & SSD. HDMI version: 2.0b. Ethernet interface type: Gigabit Ethernet, LAN controller: Realtek RTL8111H





Processor			Rear panel I/O ports	
Processor manufacturer * Processor socket *		AMD Socket AM4 AMD Ryzen™ 3, AMD Ryzen™ 5,	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A	2
Compatible processor series *		AMD Ryzen™ 7, 3rd Generation AMD Ryzen™ 9	ports quantity * Ethernet LAN (RJ-45) ports *	1
Maximum number of SMP processors		1	PS/2 ports quantity VGA (D-Sub) ports quantity *	1 1
Memory			HDMI ports quantity *	1
	DDR4-SDRAM 4 DIMM Dual-channel		HDMI version	2.0b
Memory slots type D			DVI-D ports quantity *	1
ECC ✓		100,3000,3200,3300,3400,3466,3600,3733,3866,4000,4400	Network	
Supported memory clock speeds	ИHz	, , , , , , , , , , , , , , , , , , ,	Ethernet LAN	<b>√</b>
	128 GB ✓		Ethernet interface type	Gigabit Ethernet
Storage controllers			LAN controller	Realtek RTL8111H
Supported storage drive types		HDD & SSD	Wake-on-LAN ready	✓
Supported storage drive interfaces *			Wi-Fi *	X
Graphics			Features	
Parallel processing technology support *		Not supported	Motherboard chipset * Audio output channels *	AMD B450 7.1+2 channels
Internal I/O			Component for *	PC
USB 2.0 connectors *		2	Motherboard form factor *	micro ATX
USB 3.2 Gen 1 (3.1 Gen 1)			Motherboard chipset family *	AMD
connectors *	,	1	Windows operating systems supported	Windows 10 x64, Windows 7 x64
Number of SATA III connectors *		6		
S/PDIF out connector		✓	Expansion slots	
Audio connector		✓	PCI Express x1 (Gen 2.x) slots	2
Front panel audio connector		✓	PCI Express x16 (Gen 3.x) slots	1
Front panel connector		✓	Number of M.2 (M) slots	1
ATX Power connector (24-pin)		<b>4</b>	BIOS	
CPU fan connector			BIOS type *	UEFI AMI
Number of chassis fan connectors		2	BIOS memory size	256 Mbit
Number of COM connect	ors	rs 1	Clear CMOS jumper	✓

Internal I/O			Logistics data	
TPM connector	✓	<b>√</b> <b>√</b>	Harmonized System (HS) code	84733020
12V power connector RGB LED pin header	<b>V</b>		Weight & dimensions	
	✓		Width	244 mm
			Depth	240 mm
			Height	259 mm
			Packaging content	
			Cables included	SATA
			Drivers included	✓
			Other features	
			Weight	849 g







0192876924990



192876924990



4718017924993

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.