

Epson EB-FH06 data projector Standard throw projector 3500 ANSI lumens 3LCD 1080p (1920x1080) White

Brand : Epson

Product code: V11H974040

Product name : EB-FH06



LCD: 3 x 0.61" P-Si TFT, 1080p (1920x1080), 3500 ANSI, 16000:1, 2 W, 2.7 kg.

Epson EB-FH06. Projector brightness: 3500 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 12000 h. Focus: Manual, Focal length range: 16.9 - 20.28 mm, Aperture range (F-F): 1.49 - 1.72. Analog signal format system: NTSC, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM, Video processing: 10 bit, Video colour modes: Blackboard, Cinema, Dynamic, Presentation, sRGB. Noise level: 37 dB, Noise level (economic mode): 28 dB, Country of origin: Philippines

Projector		Features	
Projection distance	1.62 - 1.95 m	Noise level *	37 dB
Projector brightness *	3500 ANSI lumens	Country of origin	Philippines
Projection technology *	3LCD	Password protection	✓
Projector native resolution *	1080p (1920x1080)	Multimedia	
Contrast ratio (typical) *	16000:1	Built-in speaker(s) *	✓
Native aspect ratio *	16:9	RMS rated power	2 W
Number of colours	1.07 billion colours	Number of built-in speakers	1
Projector brightness (economic mode)	2300 ANSI lumens	Design	
Vertical scan range	192 - 240 Hz	Market positioning *	Home cinema
Keystone correction, horizontal	-30 - 30°	Product type *	Standard throw projector
Keystone correction, vertical	-30 - 30°	Product colour *	White
Matrix size	1.55 cm (0.61")	Placement	Ceiling, Desktop
Matrix type	3-panel (p-Si TFT active)	Cable lock slot	✓
Light source		Cable lock slot type	Kensington
Light source type *	Lamp	Power	
Service life of light source *	6000 h	Power source *	AC
Service life of light source (economic mode)	12000 h	Power consumption (typical) *	327 W
Lamp type	UHE	Power consumption (standby) *	0.3 W
Lamp power	210 W	Power consumption (economy mode)	225 W
Lens system		AC input voltage	100-240 V
Focus *	Manual	AC input frequency	50/60 Hz
Focal length range	16.9 - 20.28 mm	Supplier features	
Aperture range (F-F)	1.49 - 1.72	Harmonized System (HS) code	85286200
Zoom capability	✓	Operational conditions	
Zoom type	Manual	Operating temperature (T-T)	5 - 35 °C
Zoom ratio	1.2:1	Operating relative humidity (H-H)	20 - 80%
Throw ratio	1.22 - 1.47:1	Storage relative humidity (H-H)	10 - 90%
Video		Weight & dimensions	
Analog signal format system *	NTSC, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM	Width	302 mm
Full HD *	✓	Depth	252 mm
3D *	✗	Height	92 mm
Video processing	10 bit	Weight *	2.7 kg
Video colour modes	Blackboard, Cinema, Dynamic, Presentation, sRGB	Package width	355 mm
Ports & interfaces		Package depth	380 mm
USB 2.0 ports quantity *	1	Package height	160 mm
USB 2.0 Type-B ports quantity	1	Package weight	4.13 kg
Audio (L/R) in *	1	Packaging content	
		Remote control included *	✓

Ports & interfaces		Packaging content	
VGA (D-Sub) ports quantity *	1	Cables included	AC, VGA
HDMI ports quantity *	2	Quick start guide	✓
DVI port *	✗	Manual	✓
Network		WLAN adapter included	✓
Smart TV *	✗	Bundled software	Inhalt DIY-App, EasyMP Multi PC Projection, Epson Projektor Management, Epson Projektor Professional Tool
Ethernet LAN *	✗		
Wi-Fi *	✗		
Storage		Technical details	
Card reader integrated *	✗	USB display function	2 in 1: Image / Mouse
Features		Logistics data	
Noise level (economic mode)	28 dB	Quantity per pack	1 pc(s)
		Products per pallet	78 pc(s)
		Products per pallet (UK)	117 pc(s)



8715946680576

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-JAN-2023. Prints or copies of Information are only valid on the printed Publication date