

## Epson EB-W06 data projector Standard throw projector 3700 ANSI lumens 3LCD WXGA (1280x800) White

Product code: V11H973040

**Product name:** EB-W06

**Brand**: Epson

- Create the big screen experience: From box sets to business presentations, capture everyone's attention  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($
- Bright even with ambient light: Equally high White and Colour Light Output of 3,700 lumens
- Affordable, high-tech equipment: Enjoy this WXGA projector
- Long-lasting solution: 18 years' worth of entertainment<sup>2</sup>
- Portable and quick to set up: Easy to position with keystone slider

3LCD, 0.59", WXGA, 1280 x 800, 16:10, 16000 : 1, UHE, 210 W, 327 W, 2.5 kg


Epson EB-W06. Projector brightness: 3700 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WXGA (1280x800). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 12000 h. Focus: Manual, Focal length range: 16.9 - 20.28 mm, Aperture range (F-F): 1.49 - 1.72. Video colour modes: Blackboard, Cinema, Dynamic, Presentation, sRGB. Noise level: 37 dB, Noise level (economic mode): 28 dB, Country of origin: Philippines





Projector		Features	
Screen size compatibility *	838.2 - 8128 mm (33 - 320") 1.68 - 2.02 m 3700 ANSI lumens 3LCD WXGA (1280x800) 16000:1 16:10 1.07 billion colours 2400 ANSI lumens 100 - 120 Hz -30 - 30°	Password protection	✓
Projection distance		Multimedia	
Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Projector brightness (economic mode) Vertical scan range Keystone correction, horizontal		Built-in speaker(s) * RMS rated power	<b>√</b> 2 W
		Design	
		Market positioning * Product type * Product colour * Placement Cable lock slot Cable lock slot type	Home cinema Standard throw projector White Ceiling, Desktop  Kensington
Keystone correction, vertical	-30 - 30°	Display	
Matrix size Matrix type	1.5 cm (0.59") 3-panel (p-Si TFT active)	Built-in display *	×
Light source		Power	
Light source type * Service life of light source * Service life of light source (economic mode) Lamp type Lamp power	Lamp 6000 h 12000 h UHE 210 W	Power source * Power consumption (typical) * Power consumption (standby) * Power consumption (economy mode) AC input voltage AC input frequency	AC 327 W 0.3 W 225 W 100-240 V 50/60 Hz
Lens system	Marcal	Supplier features	
Focus * Focal length range	Manual 16.9 - 20.28 mm	Harmonized System (HS) code	85286200
Aperture range (F-F)	1.49 - 1.72	Operational conditions	
Zoom capability Zoom type Zoom ratio Throw ratio	Manual 1.2:1 1.30 - 1.56:1	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	5 - 35 °C -10 - 60 °C 20 - 80% 10 - 90%
Video		Weight & dimensions	
Full HD * 3D * Video colour modes	X X Blackboard, Cinema, Dynamic, Presentation, sRGB	Width Depth Height Weight *	302 mm 237 mm 82 mm 2.5 kg
Ports & interfaces		Package width	335 mm
USB 2.0 ports quantity *	1	Package depth	370 mm

Ports & interfaces		Weight & dimensions	
USB 2.0 Type-B ports quantity VGA (D-Sub) ports quantity *	GA (D-Sub) ports quantity * 1  DMI ports quantity * 1  pmposite video in * 1	Package height Package weight	150 mm 3.88 kg
HDMI ports quantity * Composite video in * DVI port *		Packaging content  Remote control included *   Cablea included 4	•
Network		Cables included  Quick start guide	AC, VGA ✓
Smart TV * Ethernet LAN * Wi-Fi * Storage	× ×	Manual WLAN adapter included Bundled software	✓ ✓ Inhalt DIY-App, EasyMP Multi PC Projection, Epson Projektor Management, Epson Projektor Professional Tool
Card reader integrated *  Features	×	Technical details	
Noise level (economic mode)  Noise level *  Country of origin  28 dB  37 dB  Philippines	USB display function  Logistics data	2 in 1: Image / Mouse	
	Philippines	Quantity per pack Products per pallet Products per pallet (UK)	1 pc(s) 84 pc(s) 84 pc(s)



8715946680569

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.