

Epson EB-800F data projector Ultra short throw projector 5000 ANSI lumens 3LCD 1080p (1920x1080) White



Brand : Epson

Product code: V11H923540

Product name : EB-800F

Epson EB-800F. Projector brightness: 5000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 1080p (1920x1080). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Fixed focal length: 3.9 mm, Zoom type: Auto. Video processing: 10 bit, Video colour modes: Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode, Multi-projection. Serial interface type: RS-232C

Projector		Features	
Screen size compatibility *	1651 - 3302 mm (65 - 130")	Noise level *	36 dB
Projection distance (wide)	0 - 0.4 m	Country of origin	China
Projection distance (tele)	0 - 0.8 m	Password protection	✓
Projector brightness *	5000 ANSI lumens	Multimedia	
Projection technology *	3LCD	Built-in speaker(s) *	✓
Projector native resolution *	1080p (1920x1080)	RMS rated power	8 W
Contrast ratio (typical) *	2500000:1	Number of built-in speakers	2
Native aspect ratio *	16:9	Design	
Number of colours	1.07 billion colours	Market positioning *	Business
Projector brightness (economic mode)	3500 ANSI lumens	Product type *	Ultra short throw projector
Vertical scan range	192 - 240 Hz	Product colour *	White
Keystone correction, horizontal	-3 - 3°	Placement	Ceiling, Desktop, Wall
Keystone correction, vertical	-3 - 3°	Cable lock slot	✓
Matrix size	1.57 cm (0.62")	Cable lock slot type	Kensington
Heat dissipation	1244 BTU/h	Power	
Light source		Power source *	AC
Light source type *	Laser	Power consumption (typical) *	366 W
Service life of light source *	20000 h	Power consumption (standby) *	0.5 W
Service life of light source (economic mode)	30000 h	Power consumption (economy mode)	262 W
Lens system		AC input voltage	220-240 V
Focus *	Manual	AC input frequency	50/60 Hz
Fixed focal length	3.9 mm	Software	
Zoom capability	✓	Software support	via: Crestron Integrated Partner, Crestron RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol
Zoom type	Auto	Operational conditions	
Zoom ratio	1.35:1	Storage temperature (T-T)	-10 - 60 °C
Throw ratio	0.27 - 0.37:1	Operating relative humidity (H-H)	20 - 80%
Video		Storage relative humidity (H-H)	10 - 90%
Full HD *	✓	Weight & dimensions	
3D *	✗	Width	458 mm
Video processing	10 bit	Depth	375 mm
Video colour modes	Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode, Multi-projection	Height	210 mm
Ports & interfaces			
HDBaseT port	✓		

Ports & interfaces		Weight & dimensions	
USB 2.0 ports quantity *	2	Weight *	9.4 kg
USB 2.0 Type-B ports quantity	1	Package width	530 mm
Audio (L/R) in *	3	Package depth	595 mm
Audio (L/R) out	1	Package height	345 mm
Serial interface type *	RS-232C	Package weight	13.2 kg
VGA (D-Sub) ports quantity *	3	Packaging content	
HDMI ports quantity *	4	Remote control included *	✓
Composite video in *	1	Batteries included	✓
DVI port *	✗	Cables included	AC
Network		Warranty card	✓
Smart TV *	✗	WLAN adapter included	✓
Ethernet LAN *	✓	Packaging content	CD manual, cable cover, lens cap, warranty document
Ethernet LAN (RJ-45) ports	1	Bundled software	Inhalt DIY-App, EasyMP Multi PC Projection, Epson Projektor Content Manager, Epson Projektor Management
Ethernet LAN data rates	10,100 Mbit/s	Technical details	
Wi-Fi *	✗	Sustainability certificates	TCO
Web browser	✓	Logistics data	
Storage		Quantity per pack	1 pc(s)
Card reader integrated *	✗	Products per pallet	12 pc(s)
Features		Products per pallet (UK)	12 pc(s)
Noise level (economic mode)	27 dB	Harmonized System (HS) code	85286200
		Other features	
		Supported network protocols	HTTPS, IPv6, SNMP, ESC/VP.net, PJLink



8715946688992

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-FEB-2023. Prints or copies of Information are only valid on the printed Publication date