Philips P Line 329P1H/00 LED display 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD Black

Brand : Philips

Product family: P Line

Product code: 329P1H/00

Product name : 329P1H/00

P Line LCD monitor with USB-C docking

Philips P Line 329P1H/00 LED display 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD Black:

The Philips USB-C docking display for a comprehensive solution. View UltraClear 4K UHD and re-charge a laptop up to 90 W, all at the same time with a single USB-C cable. Pop-up webcam with Windows Hello delivers performance and convenience.

Philips P Line 329P1H/00. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black







ΤΟ

Display		Network	
Display diagonal *	80 cm (31.5")	Ethernet LAN	1
Display resolution *	3840 x 2160 pixels	Ergonomics	
HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time Anti-glare screen Screen shape * Aspect ratio Contrast ratio (typical) * Contrast ratio (typical) * Contrast ratio (dynamic) Dynamic contrast ratio marketing name Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density	4K Ultra HD 16:9 LED IPS W-LED X 350 cd/m ² 4 ms ✓ Flat 16:9 1000:1 50000000:1 SmartContrast 60 Hz 178° 178° 1.07 billion colours 0.18159 x 0.18159 mm 140 ppi	VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment * Height adjustment Pivot Pivot angle Swivel angle range Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD) On Screen Display (OSD) languages Plug and Play LED indicators	 100 x 100 mm Kensington Kensington 18 cm -90 - 90° -180 - 180° -180 - 180° -5 - 25° Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian Operation, Stand-by
•	30 - 140 kHz	Power	
Horizontal scan range			2
Vertical scan range Viewable size, horizontal	23 - 75 Hz 69.7 cm	Energy efficiency class (SDR) *	G
Viewable size, norizontal Viewable size, vertical	69.7 cm 39.2 cm	Energy consumption (SDR) per 1000 hours *	40 kWh
Digital horizontal frequency	30 - 140 kHz	Power consumption (typical) *	31.8 W
Digital vertical frequency	23 - 75 Hz	Power consumption (standby) *	0.3 W
Display diagonal (metric)	80 cm	Power consumption (PowerSave)	26.8 W

Publication date: 26-APR-2024. Prints or copies of Information are only valid on the printed Publication date

		_	
Display		Power	
DDC/CI	✓	AC input voltage	100 - 240 V
Haze rate	25%	AC input frequency	50 - 60 Hz
Surface hardness	3H	Power supply type	Internal
RGB colour space	sRGB	Energy efficiency scale	A to G
Colour gamut	117%	Operational conditions	
sRGB coverage (typical)	128%	Operating temperature (T-T)	0 - 40 °C
NTSC coverage (typical)	117%	Storage temperature (T-T)	-20 - 60 °C
Adobe RGB coverage	89%	Operating relative humidity (H-H)	20 - 80%
Display sRGB	✓	Operating altitude	0 - 3658 m
Performance		Non-operating altitude	0 - 12192 m
NVIDIA G-SYNC *	×		
AMD FreeSync *	×	Packaging content	
VESA Adaptive Sync support	1	Stand included	4
Component video sync	Separate sync	Cables included	HDMI, DisplayPort, USB Type-C, AC
Flicker-free technology	✓	Manual	4
Low Blue Light technology	1	Bundled software	SmartControl
HBR3 support	1	Weight & dimensions	
Multimedia		Width (with stand)	714 mm
		Depth (with stand)	280 mm
Built-in speaker(s) *		Height (with stand)	649 mm
Built-in camera *	v	Weight (with stand)	12.2 kg
Number of speakers	2	Width (without stand)	714 mm
RMS rated power	10 W	Depth (without stand)	62 mm
Megapixel (approx.)	2 MP	Height (without stand)	422 mm
Built-in microphone	✓	Weight (without stand)	8.19 kg
Design		Packaging data	
Market positioning *	Home		930 mm
Product colour *	Black	Package width	186 mm
Front bezel colour	Black	Package depth	563 mm
Feet colour	Black	Package height	
Heavy metals free	Hg (mercury)	Package weight	15.5 kg Box
	UKRAINIAN, EPA, cETLus, CB,	Package type	Bux
Certification	TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, CE Mark, FCC Class B,	Sustainability	
	ICES-003, TUV Eye Comfort certified	Sustainability certificates	ENERGY STAR, TCO, RoHS
Ports & interfaces		Doesn't contain	PVC/BFR, Mercury
		European Product Registry for	399162
Built-in USB hub *		Energy Labelling (EPREL) code	
USB hub version USB upstream port type	3.2 Gen 2 (3.1 Gen 2) USB Type-C	Recycling data	
Number of upstream ports	1	Post-consumer recycled plastic	85%
USB Type-A downstream ports		Logistics data	
quantity	4	Harmonized System (HS) code	85285210
USB Type-C DisplayPort Alternate	1	, ,	05205210
Mode	•	Other features	
USB Power Delivery	4	USB Power Delivery revision	3.0
USB Power Delivery up to	90 W	Exterior finish type	Textured
DVI port	×	Picture enhancement	SmartImage
HDMI *	4	Recyclable packaging material	100%
HDMI ports quantity	2		UKRAINIAN; CETLus; CB; TUV/GS;
HDMI version	2.0	Regulatory Approvals	TUV Ergo; CU-EAC; EAEU RoHS; CE Mark; FCC Class B; ICES-003; TUV
DisplayPorts quantity	1		Eye Comfort certified
DisplayPort version	1.4	Delta E	2
Audio output	✓	Light sensor	1
HDCP	✓	EasyRead mode	1
HDCP version	2.2	LowBlue mode	1
		Philips SmartUniformity	93 - 105%
		Mean time between failures (MTBF)	70000 h
		Ethernet LAN data rates	10,100,1000 Mbit/s
		Wake-on-LAN	1





8712581768058

0609585253902



609585253902

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.