

HP ENVY HP 6022e All-in-One Printer, Color, Printer for Home and home office, Print, copy, scan, Wireless; HP+; HP Instant Ink eligible; Print from phone or tablet

Brand : HP Product family: ENVY Product code: 223N5B

Product name: HP ENVY 6022e All-in-One Printer, Color, Printer for Home and home office, Print, copy, scan, Wireless; HP+; HP Instant Ink eligible; Print from phone or











- Print, copy, scan
- Print speed up to 10 ppm (black) and 7 ppm (colour)
- Up to 1200X 1200 rendered dpi (when Printing from a computer)

ENVY 6022e All-in-One Printer

HP ENVY 6022e All-in-One Printer, Color, Printer for Home and home office, Print, copy, scan, Wireless; +; Instant Ink eligible; Print from phone or tablet. Print technology: Thermal inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 7 ppm. Copying: Colour copying, Maximum copy resolution: 300 x 300 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: White

Printing		Network	
Duplex printing mode	Auto	Wi-Fi *	✓
Print resolution colour	4800 x 1200 DPI	Ethernet LAN *	×
Print resolution black	1200 x 1200 DPI	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Print technology *	Thermal inkjet	Bluetooth	✓
Printing *	Colour printing	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Duplex printing *	1	Performance	
Maximum resolution *	4800 x 1200 DPI	Maximum internal memory	256 MB
Print speed (black, normal quality, A4/US Letter) *	10 ppm	Card reader integrated	×
Print speed (colour, normal quality, A4/US Letter)	7 ppm	Internal memory * Built-in processor	256 MB ✓
Print speed (black, draft quality, A4/US Letter)	20 ppm	Processor frequency Sound pressure level (printing)	800 MHz 56 dB
Print speed (colour, draft quality, A4/US Letter)	17 ppm	Sound power level (printing)	6.5 dB
Print speed (ISO/IEC 24734) black	10 ppm	Design	
Print speed (ISO/IEC 24734) colour	7 ppm	Product colour *	White
Time to first page (black, normal)	18 s	Colour name	White
Time to first page (colour, normal)	21 s	Market positioning *	Home & office
Print margin bottom (min)	3 mm	Built-in display *	×
Borderless printing	✓	Power	
Copying		Power consumption (PowerSave)	0.15 W
Duplex copying *	✓	Power consumption (ready)	4 W
Copying *	Colour copying	Power consumption (sleep)	1.7 W
Maximum copy resolution *	300 x 300 DPI	Power consumption (off)	0.15 W
Copy speed (black, normal quality, A4)	8 cpm	Energy Star Typical Electricity Consumption (TEC)	0.31 kWh/week
Copy speed (colour, normal quality, A4)	4 cpm	AC input voltage AC input frequency	220 - 240 V 50/60 Hz
Maximum number of copies	9 copies		30/00 112
Auto fit function	✓	Brand-specific features	
Copier settings	Color, mono	HP Instant Ink	✓
Scanning		HP dynamic security	✓
-	U Company	HP GTIN (EAN/UPC)	195161624971
Duplex scanning *	×	HP Instant Ink duration	3 month(s)

Scanning		System requirements	
Scanning *	Colour scanning	Windows operating systems	Windows 7, Windows 10, Windows
Optical scanning resolution *	1200 x 1200 DPI	supported	11
Maximum scan resolution	1200 x 1200 DPI	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 11.0 Big Sur, Mac OS X 10.15
Maximum scan area	216 x 297 mm		Catalina, Mac OS X 10.12 Sierra
Scanner type *	Flatbed scanner	Other operating systems supported	ChromeOS
Scan technology Scan to	CIS Software	Operational conditions	
Image formats supported	BMP, JPEG, PNG, TIFF	Operating relative humidity (H-H)	20 - 80%
Document formats supported	PDF	Storage temperature (T-T)	-40 - 60 °C
Input colour depth	24 bit	Operating temperature (T-T)	5 - 40 °C
Greyscale levels	256	Non-operating relative humidity	20 - 80%
Scan drivers	TWAIN	(non-condensing)	
Fax		Operating altitude (imperial)	3000 m
	14.4 Kbit/s	Operating altitude	0 - 3000 m
Modem speed Auto-redialing	14.4 KDIŲS X	Certificates	
Fax forwarding	7		CISPR 32:2012/EN 55032:2012
Fax delayed sending	×		Class B CISPR 32:2015/EN 55032:2015 Class B CISPR 24:2010/
Auto reduction	×	Certification	EN 55024:2010 CISPR 35:2016/EN
Features		Certification	55035:2017 CFR 47 Part 15 Class B ICES-003, Issue 6 VCCI-CISPR
Recommended duty cycle	100 - 400 pages per month		32:2016 EN 301 489-1 V2.1.1:2017
Maximum duty cycle *	1000 - 400 pages per month		EN 301 489-17 V3.1.1:2017
Duplex functions *	Print	Sustainability	
Number of print cartridges *	2		The HP Envy 6000 All-in-One series
Printing colours *	Black, Cyan, Magenta, Yellow		is made from recycled printers and
Page description languages	PCL 3 GUI		other electronics—more than 20% by weight of plastic. Save paper by
All-In-One-multitasking	√ The land	Sustainable technologies and	up to 50% using automatic two-
Country of origin	Thailand HP 305 Black Original Ink Cartridge (~120	materials	sided printing. Original HP cartridges have been engineered to
	pages yield) 3YM61AE; HP 305XL Black		use recycled plastic and help meet
	High-Yield Original Ink Cartridge (~240 pages yield) 3YM62AE; HP 305 Tri-Color		HP's demanding standards for
	Original Ink Cartridge (~100 pages yield)		quality and reliability.
Replacement cartridges	BYM60AE; HP 305XL Tri-Color High-Yield Original Ink Cartridge (~200 pages yield)	Weight & dimensions	
	3YM63AE. Actual yield varies considerably	Width	432.5 mm
	based on content of printed pages and other factors. For details see	Depth	361.1 mm
	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies	Depth Height	361.1 mm 132.1 mm
HP segment	based on content of printed pages and other factors. For details see	Depth	361.1 mm
HP segment Input & output capacity	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies	Depth Height	361.1 mm 132.1 mm
	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies	Depth Height Weight	361.1 mm 132.1 mm
Input & output capacity	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home	Depth Height Weight Packaging data	361.1 mm 132.1 mm 5.22 kg
Input & output capacity Total number of input trays *	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home	Depth Height Weight Packaging data Package width	361.1 mm 132.1 mm 5.22 kg
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1 100 sheets 25 sheets 1	Depth Height Weight Packaging data Package width Package depth	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1 100 sheets 25 sheets 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling Maximum ISO A-series paper size	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black)	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY)	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg ✓ 120 pages 75 pages
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling Maximum ISO A-series paper size Paper tray media types *	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg ✓ 120 pages 75 pages AC
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling Maximum ISO A-series paper size Paper tray media types * ISO A-series sizes (A0A9) *	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included Bundled software Logistics data	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg ✓ 120 pages 75 pages AC HP Printer Software, available online
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling Maximum ISO A-series paper size Paper tray media types *	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included Bundled software Logistics data Pallet gross weight	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg ✓ 120 pages 75 pages AC
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling Maximum ISO A-series paper size Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9)	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included Bundled software Logistics data	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg ✓ 120 pages 75 pages AC HP Printer Software, available online
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling Maximum ISO A-series paper size Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) ISO C-series sizes (C0C9)	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included Bundled software Logistics data Pallet gross weight Layers per pallet	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg 120 pages 75 pages AC HP Printer Software, available online
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling Maximum ISO A-series paper size Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) ISO C-series sizes (C0C9) Envelopes sizes	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included Bundled software Logistics data Pallet gross weight Layers per pallet Products per pallet Products per pallet	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg ✓ 120 pages 75 pages AC HP Printer Software, available online 554 g 6 pc(s) 14 pc(s)
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling Maximum ISO A-series paper size Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) ISO C-series sizes (C0C9) Envelopes sizes Borderless printing media sizes	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included Bundled software Logistics data Pallet gross weight Layers per pallet Products per pallet layer Products per pallet Technical details	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg ✓ 120 pages 75 pages AC HP Printer Software, available online 554 g 6 pc(s) 14 pc(s) 84 pc(s)
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling Maximum ISO A-series paper size Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) ISO C-series sizes (C0C9) Envelopes sizes Borderless printing media sizes Custom media width	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included Bundled software Logistics data Pallet gross weight Layers per pallet Products per pallet layer Products per pallet Technical details Master (outer) cases per pallet layer	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg ✓ 120 pages 75 pages AC HP Printer Software, available online 554 g 6 pc(s) 14 pc(s) 84 pc(s)
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling Maximum ISO A-series paper size Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) ISO C-series sizes (C0C9) Envelopes sizes Borderless printing media sizes Custom media width Custom media length	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included Bundled software Logistics data Pallet gross weight Layers per pallet Products per pallet layer Products per pallet Technical details	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg ✓ 120 pages 75 pages AC HP Printer Software, available online 554 g 6 pc(s) 14 pc(s) 84 pc(s)
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling Maximum ISO A-series paper size Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) ISO C-series sizes (C0C9) Envelopes sizes Borderless printing media sizes Custom media width Custom media length Paper tray media weight Ports & interfaces	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included Bundled software Logistics data Pallet gross weight Layers per pallet Products per pallet layer Products per pallet Technical details Master (outer) cases per pallet layer Other features Number of users	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg / 120 pages 75 pages AC HP Printer Software, available online 554 g 6 pc(s) 14 pc(s) 84 pc(s) 14 pc(s)
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Maximum number of input trays Maximum input capacity Maximum output capacity Paper handling Maximum ISO A-series paper size Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) ISO C-series sizes (C0C9) Envelopes sizes Borderless printing media sizes Custom media width Custom media length Paper tray media weight	based on content of printed pages and other factors. For details see https://www.hp.com/go/learnaboutsupplies Home 1	Depth Height Weight Packaging data Package width Package depth Package height Package weight Packaging content Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included Bundled software Logistics data Pallet gross weight Layers per pallet Products per pallet layer Products per pallet Technical details Master (outer) cases per pallet layer Other features	361.1 mm 132.1 mm 5.22 kg 474 mm 172 mm 408 mm 6.35 kg ✓ 120 pages 75 pages AC HP Printer Software, available online 554 g 6 pc(s) 14 pc(s) 84 pc(s)

Other features

Recommended system requirements

Windows 10, 7: 32/64-bit, 2 GB available hard disk space; Internet connection; Internet Explorer.

PictBridge

Automatic paper sensor

Pallet weight (imperial) 553.8 kg (1221 lbs)

Yes

6.7 dB

Acoustic power emissions (active,


print, copy or scan)


Media weight

Pallet weight (EU)

554 kg

Number of print heads 2











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.