HP E-Series E27 G4 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black

Brand : HP   **Product family:** E-Series   **Product code:** 9VG71AT

Product name : E27 G4

- Keep your eyes comfortable through the work day with HP Eye Ease, our first built-in, always-on blue light filter that has zero impact on your color accuracy and works without an OSD.
- Never lose a moment of productivity with 4-way monitor adjustability, a 3-sided micro-edge, flicker-free 27" (68.58 cm) diagonal screen, and Full HD resolution.
- Energy efficiency is built into every ENERGY STAR® certified, EPEAT® 2020 registered[3], and low halogen[4] display. We go one step further with 100% recyclable packaging.
E27 G4 FHD Monitor

HP E-Series E27 G4 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black:

Enhance your entire viewing experience
Work comfortably and stay focused with the optimized ergonomics and Full HD resolution of the HP E27 G4 FHD Monitor with HP Eye Ease that is designed around you. Make life easy for IT with remote manageability.

Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✘
Display brightness (typical)	250 cd/m²
Response time	5 ms
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+)
Aspect ratio	16:9
Contrast ratio (typical) *	1000:1
Contrast ratio (dynamic)	5000000:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.311 x 0.311 mm
Horizontal scan range	30 - 80 kHz
Vertical scan range	50 - 60 Hz
RGB colour space	NTSC
Colour gamut	72%

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
HP segment	Business

Multimedia

Built-in speaker(s) *	✘

Ports & interfaces

HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Audio input	✘
Headphone out *	✘

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Height adjustment *	✔
Height adjustment	15 cm
Pivot	✔
Pivot angle	-90 - 90°
Swivelling	✔
Swivel angle range	-30 - 30°
Tilt angle range	-5 - 20°
On Screen Display (OSD)	✔
Number of OSD languages	10
Plug and Play	✔
Tilt adjustment	✔

Power

Energy efficiency class (SDR) *	D
Energy consumption (SDR) per 1000 hours *	17 kWh
Power consumption (typical) *	22 W
Power consumption (standby) *	0.5 W
Power consumption (max)	53 W
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	5 - 35 °C

Weight & dimensions

Width (with stand)	611.7 mm

Multimedia

Built-in camera *	✖
Built-in microphone	✔

Design

Market positioning *	Business
Product colour *	Black
Country of origin	China

Ports & interfaces

Built-in USB hub *	✔
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	4
VGA (D-Sub) ports quantity	1
DVI port	✖
HDMI *	✔

Weight & dimensions

Depth (with stand)	216 mm
Height (with stand)	535.2 mm
Weight (with stand)	6.9 kg
Width (without stand)	61.2 cm
Depth (without stand)	4.7 cm
Height (without stand)	36.4 cm

Packaging data

Package width	695 mm
Package depth	444 mm
Package height	225 mm
Package weight	10.4 kg

Logistics data

Harmonized System (HS) code	85285210

0194850083136

194850083136

Publication date: 07-FEB-2023. Prints or copies of Information are only valid on the printed Publication date