



WiZ Spot 50 W PAR16 GU10

Brand : WiZ

Product code: 8718699786250

Product name : Spot 50 W PAR16 GU10

- Instant set-up
 - Light automation with SpaceSense
 - Energy monitoring
 - Light automation schedule
 - Customise light scenes
 - Soft, warm white light
 - Smart dimming
 - Multiple light control options
 - Fits in standard fixtures
 - Control from anywhere
- 4.9 W, 2700 K, 550 cd, 345 lumen, A+

WiZ Spot 50 W PAR16 GU10:

Enjoy more convenience in everyday life with this smart WiZ LED GU10 bulb. Ideal for accent, display and task lighting. This bulb gives soft white light that dims to your desired brightness level via app or voice. You can set schedule to turn lights on and off according to your daily or weekly routines, and have remote access to your lights even when you're away. WiZ lights connect to your existing Wi-Fi, no additional hardware is needed.



Features		Features	
Type *	Smart bulb	Instant full light	✓
Interface *	Wi-Fi	Product title	Wi-Fi BLE 50W GU10 927 DIM 1PF/6
Product colour *	White	Rated peak intensity	550 cd
Fitting/cap type	GU10	Power	
Light colour	Soft white	Energy efficiency class	F
Colour temperature (min)	2700 K	AC input voltage	220-240 V
Colour temperature (max)	2700 K	AC input frequency	50 - 60 Hz
Luminous flux	345 lm	Rated power	4.7 W
Beam angle (max)	36°	Weight & dimensions	
Bulb power	4.7 W	Width	50 mm
Equivalent bulb power	50 W	Depth	58 mm
Bulb lifetime	15000 h	Height	58 mm
Rated lifetime	15000 h	Length	58 mm
Dimmable	✓	Weight	50 g
Replacement bulb power (max)	4.9 W	Packaging data	
Bulb size	PAR16	Package type	Box
Color Rendering Index (CRI)	90	Package width	70 mm
Warm-up time to 60% light	tänds direkt	Package depth	7 mm
Number of switch cycles	50000	Package height	160 mm
Start-up time	0.5 s	Package weight	90 g
Glass type	Matt	Package net weight	50 g
Lumen maintenance factor	70%	Package gross weight	90 g
Placement supported	Indoor	Packaging content	
Bulb lifetime (@ 2.7 hrs/day)	15 year(s)	Quantity per pack *	1 pc(s)
Colour consistency (SDCM)	6	Technical details	
Eye comfort	✗	EAN/UPC/GTIN (packaging)	8718699786250
Power factor	0.51	EOC code	871869978625001
Rated luminous flux	345 lm		
Bulb current	40 mA		

Features		Technical details	
Luminous efficacy	73 lm/W	Input voltage	220-240 V
		Logistics data	
		Country of origin	China
		12NC Logistic code(s)	929002448122



8718699786250

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-MAR-2024. Prints or copies of Information are only valid on the printed Publication date