



## WIZ Bulb 8W (Eq.60W) A60 E27

**Brand :** WIZ

**Product code:** 8718699787059

**Product name :** Bulb 8W (Eq.60W) A60 E27

- Instant set-up
- Light automation with SpaceSense
- Energy monitoring
- Dynamic light modes with millions of colours
- Warm to cool white light and preset modes
- Multiple light control options

8 W, 2200-6500 K, 806 lm, F, A60, E27, 65 g

WIZ Bulb 8W (Eq.60W) A60 E27. Type: Smart bulb, Interface: Wi-Fi/Bluetooth, Product colour: White. Energy efficiency class: F, Energy consumption per 1000 hours: 8 kWh, Energy efficiency scale: A to G. Width: 60 mm, Depth: 60 mm, Height: 122 mm. Package type: Box, Package width: 70 mm, Package depth: 70 mm. Quantity per pack: 1 pc(s)



Features		Power	
Type *	Smart bulb	Energy efficiency class	F
Interface *	Wi-Fi/Bluetooth	Energy consumption per 1000 hours	8 kWh
Product colour *	White	Energy efficiency scale	A to G
Fitting/cap type	E27	AC input voltage	220-240 V
Light colour	Multi	AC input frequency	50 - 60 Hz
Colour temperature (min)	2200 K	Rated power	8 W
Colour temperature (max)	6500 K	<b>Performance</b>	
Luminous flux	806 lm	Voice control	✓
Bulb power	8 W	<b>Weight &amp; dimensions</b>	
Equivalent bulb power	60 W	Width	60 mm
Bulb lifetime	25000 h	Depth	60 mm
Rated lifetime	25000 h	Height	122 mm
Housing material	Plastic	Length	122 mm
Dimmable	✓	Weight	65 g
Replacement bulb power (max)	8 W	<b>Packaging data</b>	
Bulb size	A60	Package type	Box
Color Rendering Index (CRI)	90	Package width	70 mm
Warm-up time to 60% light	Instant achievement of maximum brightness	Package depth	70 mm
Number of switch cycles	50000	Package height	160 mm
Start-up time	0.5 s	Package weight	120 g
Glass type	Matt	Package net weight	63 g
Lumen maintenance factor	70%	Package gross weight	120 g
Placement supported	Indoor	<b>Packaging content</b>	
Bulb lifetime (@ 2.7 hrs/day)	25 year(s)	Quantity per pack *	1 pc(s)
Colour consistency (SDCM)	6	<b>Technical details</b>	
Eye comfort	✗	Average life (2.7h/day)	25 year(s)
Power factor	0.51	EAN/UPC/GTIN (packaging)	8718699787059
Rated luminous flux	806 lm		

Features		Technical details	
Bulb current	70 mA	EOC code	871869978705900
Luminous efficacy	100 lm/W	Input voltage	220-240 V
Instant full light	✓	Commodity Classification	
Product title	Wi-Fi BLE 60W A60 E27 922-65 RGB 1PF/6	Automated Tracking System (CCATS)	8539500000
		Logistics data	
		Country of origin	China
		12NC Logistic code(s)	929002383602



8718699787059

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-MAR-2024. Prints or copies of Information are only valid on the printed Publication date