



## WiZ Filament Bulb amber 6.7W (Eq.50W) ST64 E27

Brand : WiZ

Product code: 8718699787233

Product name : Filament Bulb amber 6.7W (Eq.50W)  
ST64 E27

- Smart dimming
- Easy plug and play
- Tunable warm to cool white and preset modes
- Control from anywhere
- Automate your light with schedules
- Energy monitoring
- Customised Scenes
- Voice control

6.7 W, E27, 640 lumen, 2000-5000 K, A+

WiZ Filament Bulb amber 6.7W (Eq.50W) ST64 E27:

Bring human-centric lighting into your life with this smart WiZ LED ST64 vintage bulb. Amber coated classic look – perfect for decorative fixtures. Choose from different shades of warm to cool white to set the best ambience. You can set schedule to turn lights on and off according to your daily or weekly routines, control with your smartphone or your voice and have remote access to your lights even when you're away. WiZ lights connect to your existing Wi-Fi, no additional hardware is needed.



Features		Features	
Type *	Smart bulb	Product title	Wi-Fi BLE 50W ST64 E27 920-50 Amb 1PF/6
Interface *	Wi-Fi		
Product colour *	Gold	<b>Power</b>	
Fitting/cap type	E27	Energy efficiency class	F
Light colour	Multi	AC input voltage	220-240 V
Colour temperature (min)	2000 K	AC input frequency	50 - 60 Hz
Colour temperature (max)	5000 K	Rated power	7 W
Luminous flux	640 lm	<b>Weight &amp; dimensions</b>	
Bulb power	7 W	Width	64 mm
Equivalent bulb power	50 W	Depth	64 mm
Bulb lifetime	15000 h	Height	141 mm
Rated lifetime	15000 h	Length	143 mm
Dimmable	✓	Weight	55 g
Replacement bulb power (max)	6.7 W	<b>Packaging data</b>	
Bulb size	ST64	Package type	Box
Color Rendering Index (CRI)	90	Package width	8.5 mm
Warm-up time to 60% light	tānds direkt	Package depth	8.5 mm
Number of switch cycles	20000	Package height	18.5 mm
Start-up time	0.5 s	Package net weight	60 g
Lumen maintenance factor	70%	Package gross weight	90 g
Placement supported	Indoor	<b>Packaging content</b>	
Bulb lifetime (@ 2.7 hrs/day)	15 year(s)	Quantity per pack *	1 pc(s)
Colour consistency (SDCM)	6	<b>Technical details</b>	
Eye comfort	✗	EAN/UPC/GTIN (packaging)	8718699787233
Power factor	0.5		
Rated luminous flux	640 lm		
Bulb current	43 mA		

Features		Technical details	
Luminous efficacy	91 lm/W	EOC code	871869978723302
Instant full light	✓	SAP width per piece	8.500 cm
		SAP length per piece	8.500 cm
		SAP height per piece	18.500 cm
		Input voltage	220-240 V
Logistics data			
		12NC Logistic code(s)	929003018722



8718699787233

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-MAR-2024. Prints or copies of Information are only valid on the printed Publication date