

## Viewsonic EP5542T Signage Display Totem design 139.7 cm (55") LED 450 cd/m<sup>2</sup> 4K Ultra HD Black Touchscreen Android 8.0

**Brand :** Viewsonic

**Product code:** EP5542T

**Product name :** EP5542T


55", TFT LCD, 2160 x 3840, 9:16, 1.07B, HDMI 2.0

Viewsonic EP5542T. Product design: Totem design. Display diagonal: 139.7 cm (55"), Display technology: LED, Display resolution: 2160 x 3840 pixels, Display brightness: 450 cd/m<sup>2</sup>, HD type: 4K Ultra HD, Touchscreen. Operating system installed: Android 8.0. Product colour: Black



Display		Performance	
LED backlighting type	Direct-LED	Purpose *	Universal
Display diagonal *	139.7 cm (55")	<b>Power</b>	
Display technology *	LED	Power consumption (typical) *	126 W
Display resolution *	2160 x 3840 pixels	Power consumption (off)	0.5 W
Display brightness *	450 cd/m <sup>2</sup>	AC input voltage	100-240 V
HD type *	4K Ultra HD	AC input frequency	50/60 Hz
Touchscreen *	✓	<b>Computer system</b>	
Touchscreen technology	Infrared	Computer system *	✓
Number of simultaneous touchpoints	10	Internal storage capacity	16 GB
Multi-touch	✓	Operating system installed	Android 8.0
Native aspect ratio	9:16	Video formats supported	AVI, DAT, MKV, MOV, MP4, MPEG, MPG, RM, RMVB, TS, WMV
Response time	9 ms	Audio formats supported	AAC, MP3, WAV
Contrast ratio (typical)	1300:1	Image formats supported	BMP, JPG, PNG
Viewing angle, horizontal	178°	<b>Weight &amp; dimensions</b>	
Viewing angle, vertical	178°	Width	768.5 mm
Display number of colours	1.07 billion colours	Depth	450 mm
Active display area (W x H)	1209.6 x 680.4 mm	Height	1870 mm
Panel life	30000 h	Weight	62.7 kg
<b>Ports &amp; interfaces</b>		<b>Packaging data</b>	
HDMI ports quantity *	3	Package width	970 mm
HDMI version	2.0	Package depth	609 mm
HDMI input ports quantity	3	Package height	2034 mm
DVI port *	✗	Package weight	74.7 kg
VGA (D-Sub) input ports	1	<b>Packaging content</b>	
DisplayPorts quantity *	1	Remote control included	✓
DisplayPorts in	1	Batteries included	✓
USB port *	✓	Cables included	AC
USB ports quantity	5	<b>Operational conditions</b>	
Ethernet LAN *	✓	Operating temperature (T-T)	0 - 40 °C
Ethernet LAN (RJ-45) ports	1		
Wi-Fi *	✗		
PC Audio in	✓		

<b>Ports &amp; interfaces</b>		<b>Operational conditions</b>	
RS-232 interface	✓	Operating relative humidity (H-H)	20 - 80%
<b>Audio</b>		Storage temperature (T-T)	-20 - 60 °C
Built-in speaker(s) *	✓	Storage relative humidity (H-H)	10 - 90%
Number of built-in speakers	2	<b>Certificates</b>	
RMS rated power	20 W	Certification	cTUVus, FCC, Energy Star, CE, CB, RoHS, ErP, EEI, WEEE, BSMI
<b>Design</b>		<b>Features</b>	
Product design *	Totem design	Harmonized System (HS) code	85285210
Placement supported *	Indoor	<b>Technical details</b>	
Product colour *	Black	Sustainability certificates	CE, ENERGY STAR, ErP, RoHS



0766907006902



766907006902

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.