## Samsung Galaxy A52 5G SM-A526B 16.5 cm (6.5") Android 11 USB Type-C 6 GB 128 GB 4500 mAh Black

**Brand :** Samsung **Product family:** Galaxy **Product code:** SM-A526BZKDEUA

Product name: SM-A526B

- A52 quad camera has everything you need to capture, upload and share every moment
- Stunning Infinity display means you can stream your favourite shows in awesome definition
- Long-lasting battery life that will outlast your day whatever you throw at it
- With a 5G connection, streaming, working and catching up has never been so smooth
- 120 Hz, IP67, Qualcomm Snapdragon 750G

6.5" Super AMOLED  $1080 \times 2400$ , Qualcomm Snapdragon 750G, 5G, 64 MP + 12 MP + 5 MP + 5 MP, 32 MP, MicroSD, Android 11

Samsung Galaxy A52 5G SM-A526B. Display diagonal: 16.5 cm (6.5"), Display resolution: 2400 x 1080 pixels, Display type: SAMOLED. Processor frequency: 2.2 GHz, Processor family: Qualcomm Snapdragon, Processor model: 750G. RAM capacity: 6 GB, Internal storage capacity: 128 GB. Rear camera resolution (numeric): 64 MP, Rear camera type: Quad camera. Operating system installed: Android 11. Battery capacity: 4500 mAh. Product colour: Black. Weight: 189 g





Display		Subscription	
Display diagonal *	16.5 cm (6.5")	Subscription type *	No subscription
Screen shape	Flat	Ports & interfaces	
Display type SAMOLED  Display glass type Gorilla Glass  Gorilla Glass version Gorilla Glass 5  Display resolution * 2400 x 1080 pixels  Display number of colours 16 million colours	USB port * USB connector type USB version Headphone connectivity	✓ USB Type-C 2.0 3.5 mm	
Contrast ratio (typical)	1000000:1 20:9 420 cd/m <sup>2</sup> 120 Hz Capacitive	Messaging	
Native aspect ratio Display brightness Maximum refresh rate Touchscreen type		Short Message Service (SMS) Multimedia Messaging Service (MMS) E-mail	1 1
Pixel density	407 ppi	Design	
Rounded display corners	✓	Form factor *	Bar
Processor		Product colour *	Black
Processor frequency * Processor family *	Qualcomm Snapdragon 750G e ARM Cortex-A77 8  ✓ y 1.8 GHz	Colour name International Protection (IP) code	Awesome Black IP67
Processor model *		Performance	
Processor architecture Processor cores Coprocessor Coprocessor frequency Coprocessor architecture		Fast charging Wireless charging Fingerprint reader Face recognition Speakerphone	✓ <b>×</b> ✓
Storage		Voice dialling	✓
User memory RAM capacity * Internal storage capacity *	102 GB 6 GB 128 GB	Voice commands Vibrating alert	1

Storage		Navigation	
Compatible memory cards *	MicroSD (TransFlash)	GPS (satellite)	✓
Maximum memory card size	1000 GB	GLONASS	✓
USB mass storage	✓	BeiDou	✓
Camera		Galileo	✓
Rear camera resolution (numeric	)* 64 MP	Position location *	✓
Second rear camera resolution		Wi-Fi positioning	1
(numeric)	12 MP	Multimedia	
Third rear camera resolution	5 MP	Speakers	stereo
(numeric)	3 MF	Audio system	Dolby Atmos
Fourth rear camera resolution	5 MP	Addio System	3GA, AAC, AMR, AWB, FLAC, IMY,
(numeric)	1.0	Audio formats supported	M4A, Mid, MIDI, MP3, MXMF, OGA,
Rear camera aperture number	1.8		OGG, OTA, RTTTL, RTX, WAV, XMF
Second rear camera aperture number	2.2	Video formats supported	3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM
Third rear camera aperture numl	per 2.4		VV LDI∾I
Fourth rear camera aperture		Software	
number	2.4	Platform *	Android
Digital zoom	10x	Operating system installed *	Android 11
Front camera type *	Single camera	App distribution platform	Google Play
Front camera resolution (numeric	c) * 32 MP	Office support	1
Front camera aperture number	2.2		Gmail, Google Chrome, Google
Rear camera flash *	✓	Google applications	Drive, Google Maps, Google Photos, Google Play, Google Play Movies,
Flash type	LED		YouTube
Video capture resolution (max)	3840 x 2160 pixels	Virtual assistant	Samsung Bixby
Maximum frame rate	30 fps	Battery	
Resolution at capture speed	3840x2160@30fps	•	Lithium Inn /Li Inn\
Video recording modes	720p, 1080p, 2160p	Battery technology	Lithium-lon (Li-lon)
Rear camera type *	Quad camera	Battery voltage	3.86 V
Auto focus	✓	Battery weight	61.9 g
Image stabilizer type	Optical Image Stabilization (OIS)	Removable battery	<b>X</b>
Geotagging	✓	Battery capacity *	4500 mAh 32 h
Multi-shot	✓	Talk time (4G) Browsing time (Wi-Fi)	16 h
Self-timer	✓	• • •	15 h
Network		Browsing time (4G) Continuous audio playback time	120 h
Mobile network generation *	5G	Continuous video playback time	20 h
SIM card type *	NanoSIM	Continuous video piayback time	2011
3G standards *	MCDMA	Sensors	
	WCDMA		
4G standard *	LTE	Proximity sensor	✓
4G standard * Voice over LTE (VoLTE) supported	LTE ✓	Proximity sensor Accelerometer	1
4G standard * Voice over LTE (VoLTE) supported Wi-Fi *	LTE ✓ ✓	•	1
4G standard * Voice over LTE (VoLTE) supported	LTE ✓	Accelerometer	1 1 1
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth *	LTE	Accelerometer Ambient light sensor	1 1 1
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version	LTE	Accelerometer Ambient light sensor Gyroscope	1 1 1 1
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth *	LTE  √  802.11a, 802.11b, 802.11g, Wi-Fi 4  (802.11n), Wi-Fi 5 (802.11ac)  √  5.0  A2DP	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor	1 1 1 1
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version	LTE	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor Weight & dimensions	1 1 1 1
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported	LTE	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions Width	75.1 mm 8.4 mm
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max)	LTE	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions  Width Depth	75.1 mm
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max)	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz 42.2 Mbit/s 1200 Mbit/s	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height	75.1 mm 8.4 mm 159.9 mm
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode)	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s 1200 Mbit/s	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight *	75.1 mm 8.4 mm 159.9 mm 189 g
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode) Wi-Fi Direct	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s 1200 Mbit/s  /  /	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions  Width Depth Height Weight * Package width	75.1 mm 8.4 mm 159.9 mm 189 g 83 mm
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode) Wi-Fi Direct MIMO	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s  1200 Mbit/s  /  /  /	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions  Width Depth Height Weight * Package width Package depth	75.1 mm 8.4 mm 159.9 mm 189 g 83 mm 168.5 mm
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode) Wi-Fi Direct	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s 1200 Mbit/s  /  /	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions  Width Depth Height Weight * Package width Package depth Package height	75.1 mm 8.4 mm 159.9 mm 189 g 83 mm 168.5 mm 56 mm
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode) Wi-Fi Direct MIMO	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s  1200 Mbit/s  /  /  /	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions  Width Depth Height Weight * Package width Package depth Package height Package weight	75.1 mm 8.4 mm 159.9 mm 189 g 83 mm 168.5 mm
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode) Wi-Fi Direct MIMO	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s  1200 Mbit/s  /  /  /	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions  Width Depth Height Weight * Package width Package depth Package height Package weight  Certificates	75.1 mm 8.4 mm 159.9 mm 189 g 83 mm 168.5 mm 56 mm 360.3 g
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode) Wi-Fi Direct MIMO	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s  1200 Mbit/s  /  /  /	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions  Width Depth Height Weight * Package width Package depth Package height Package weight  Certificates  Head SAR (EU)	75.1 mm 8.4 mm 159.9 mm 189 g 83 mm 168.5 mm 56 mm 360.3 g
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode) Wi-Fi Direct MIMO	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s  1200 Mbit/s  /  /  /	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions  Width Depth Height Weight * Package width Package depth Package height Package weight  Certificates	75.1 mm 8.4 mm 159.9 mm 189 g 83 mm 168.5 mm 56 mm 360.3 g
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode) Wi-Fi Direct MIMO	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s  1200 Mbit/s  /  /  /	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions  Width Depth Height Weight * Package width Package depth Package height Package weight  Certificates  Head SAR (EU)	75.1 mm 8.4 mm 159.9 mm 189 g 83 mm 168.5 mm 56 mm 360.3 g
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode) Wi-Fi Direct MIMO	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s  1200 Mbit/s  /  /  /	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions  Width Depth Height Weight * Package width Package depth Package height Package weight  Certificates Head SAR (EU) Body SAR (EU)  Packaging content	75.1 mm 8.4 mm 159.9 mm 189 g 83 mm 168.5 mm 56 mm 360.3 g
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode) Wi-Fi Direct MIMO	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s  1200 Mbit/s  /  /  /	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions  Width Depth Height Weight * Package width Package depth Package height Package weight  Certificates  Head SAR (EU) Body SAR (EU)	75.1 mm 8.4 mm 159.9 mm 189 g 83 mm 168.5 mm 56 mm 360.3 g
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode) Wi-Fi Direct MIMO	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s  1200 Mbit/s  /  /  /	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Package width Package depth Package height Package weight  Certificates Head SAR (EU) Body SAR (EU)  Packaging content Quick start guide Cables included	75.1 mm 8.4 mm 159.9 mm 189 g 83 mm 168.5 mm 56 mm 360.3 g
4G standard * Voice over LTE (VoLTE) supported Wi-Fi * Wi-Fi standards Bluetooth * Bluetooth version Bluetooth profiles 4G bands supported 5G bands supported 3G data rate (max) 4G data rate (max) Tethering (modem-mode) Wi-Fi Direct MIMO	LTE  /  802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)  /  5.0  A2DP  700,800,850,900,1800,2100,2300,2500,2600 MHz  700,850,1800,2100,2600,3500 MHz  42.2 Mbit/s  1200 Mbit/s  /  /  /	Accelerometer Ambient light sensor Gyroscope Geomagnetic sensor Hall sensor  Weight & dimensions  Width Depth Height Weight * Package width Package depth Package depth Package weight  Certificates Head SAR (EU) Body SAR (EU)  Packaging content Quick start guide	75.1 mm 8.4 mm 159.9 mm 189 g 83 mm 168.5 mm 56 mm 360.3 g  1.055 W/kg 1.42 W/kg

Other features		
Touchscreen	✓	



8806090874024

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.