



BenQ MH733 data projector Standard throw projector 4000 ANSI lumens DLP 1080p (1920x1080) White

Brand : Benq

Product code: 9H.JGT77.1HE

Product name : MH733



- 4000 ANSI Lumens High Brightness

- Full HD 1080p Resolution

- USB Reader for PC-Less Presentations & Networked Presentation

DLP, 4000 Lum, 1920 x 1080, 16:9, 30-300", 2x HDMI, 2x VGA, LAN, RS-232, USB, 296x120x221 mm

BenQ MH733. Projector brightness: 4000 ANSI lumens, Projection technology: DLP, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 4000 h, Service life of light source (economic mode): 8000 h. Focus: Manual, Focal length range: 16.88 - 21.88 mm, Aperture range (F-F): 2.59 - 2.87. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1080 (HD 1080), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size

Projector		Network	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Ethernet LAN (RJ-45) ports	1
Projector brightness *	4000 ANSI lumens	Wi-Fi *	✗
Projection technology *	DLP	Storage	
Projector native resolution *	1080p (1920x1080)	Card reader integrated *	✗
Contrast ratio (typical) *	16000:1	Features	
Native aspect ratio *	16:9	Noise level (economic mode)	29 dB
Number of colours	1.073 billion colours	On Screen Display (OSD)	✓
Horizontal scan range	15 - 102 kHz	On Screen Display (OSD) languages	Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Vietnamese
Vertical scan range	23 - 120 Hz	Number of OSD languages	30
Keystone correction, horizontal	-20 - 20°	Noise level *	33 dB
Keystone correction, vertical	-30 - 30°	Multimedia	
Matrix type	DMD	Built-in speaker(s) *	✓
Light source		RMS rated power	10 W
Light source type *	Lamp	Number of built-in speakers	1
Service life of light source *	4000 h	Design	
Service life of light source (economic mode)	8000 h	Market positioning *	Business
Lamp power	240 W	Product type *	Standard throw projector
Lamps quantity	1 lamp(s)	Product colour *	White
Lens system		Placement	Desktop, Ceiling
Focus *	Manual	Cable lock slot	✓
Focal length range	16.88 - 21.88 mm	Cable lock slot type	Kensington
Aperture range (F-F)	2.59 - 2.87	Display	
Zoom capability	✓	Built-in display *	✗
Zoom type	Manual	Power	
Zoom ratio	1.3:1	Power source *	AC
Throw ratio	1.15 - 1.5	Power consumption (typical) *	320 W
Offset	105%	Power consumption (standby) *	0.5 W
Video		Power consumption (max)	355 W
Analog signal format system *	NTSC, PAL, SECAM	Power consumption (economy mode)	240 W
Full HD *	✓	AC input voltage	100 - 240 V
3D *	✗	Ports & interfaces	
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1080 (HD 1080)	HDMI connector type	Full-size
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	USB 2.0 ports quantity *	2

Ports & interfaces		Power	
Serial interface type *	RS-232	AC input frequency	50/60 Hz
PC Audio in	✓	Operational conditions	
PC Audio out	✓	Operating temperature (T-T)	0 - 40 °C
VGA (D-Sub) ports quantity *	2	Storage temperature (T-T)	-20 - 60 °C
HDMI ports quantity *	2	Operating relative humidity (H-H)	10 - 90%
DVI port *	✗	Storage relative humidity (H-H)	10 - 90%
Mobile High-Definition Link (MHL)	✓	Weight & dimensions	
AC (power) in	✓	Width	296 mm
Network		Depth	221 mm
Smart TV *	✗	Height	120 mm
Ethernet LAN *	✓	Weight *	2.5 kg
Packaging content			
		Remote control included *	✓
		Batteries included	✓
		Cables included	AC, VGA
		Manual	✓
Logistics data			
		Harmonized System (HS) code	85286200

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-FEB-2023. Prints or copies of Information are only valid on the printed Publication date