

Intel Core i5-11400 processor 2.6 GHz 12 MB Smart Cache Box

Brand : Intel

Product family: Core

Product code: BX8070811400

_

Product name : i5-11400

Intel Core i5-11400 Processor (12MB Cache, up to 4.4 GHz)

Intel Core i5-11400. Processor family: Intel® Core[™] i5, Processor socket: LGA 1200 (Socket H5), Processor lithography: 14 nm. Memory channels: Dual-channel, Maximum internal memory supported by processor: 128 GB, Memory types supported by processor: DDR4-SDRAM. On-board graphics card model: Intel UHD Graphics 730, Maximum on-board graphics card memory: 64 GB, On-board graphics card base frequency: 350 MHz. Market segment: Desktop, Use conditions: PC/Client/Tablet, PCI Express configurations: 1x16+1x4, 2x8+1x4, 1x8+3x4. Intel® Turbo Boost Technology 2.0 frequency: 4.4 GHz





Processor		Features	
Processor Processor manufacturer * Processor generation Processor base frequency * Processor family * Processor cores * Processor socket * Component for Processor lithography * Processor threads System bus rate	Intel 11th gen Intel® Core™ i5 i5-11400 2.6 GHz Intel® Core™ i5 6 LGA 1200 (Socket H5) PC 14 nm 12 8 GT/s	PCI Express slots version PCI Express configurations Supported instruction sets Scalability CPU configuration (max) Embedded options available Harmonized System (HS) code Export Control Classification Number (ECCN) Commodity Classification Automated Tracking System	4.0 1x16+1x4, 2x8+1x4, 1x8+3x4 SSE4.1, SSE4.2, AVX 2.0, AVX-512 1S 1 X 85423119 5A992CN3 G167599
Processor operating modes *	64-bit	(CCATS)	
Processor boost frequency	4.4 GHz	Processor special features	
Processor cache Processor cache type	12 MB Smart Cache	Intel® Hyper Threading Technology (Intel® HT Technology) Intel® Identity Protection	•
Thermal Design Power (TDP)	65 W	Technology (Intel® IPT)	1
Box * Memory bandwidth supported by	4	Intel [®] Turbo Boost Technology	2.0
processor (max)	50 GB/s	Intel® Quick Sync Video Technology	
Processor ARK ID	212270	Intel® InTru™ 3D Technology	1
Memory		Intel® Clear Video HD Technology (Intel® CVT HD)	1
Maximum internal memory supported by processor	128 GB	Intel® AES New Instructions (Intel® AES-NI)	✓
Memory types supported by processor	DDR4-SDRAM	Enhanced Intel SpeedStep Technology	1
Memory clock speeds supported by	3200 MHz	Intel Trusted Execution Technology	X
processor		Intel® Thermal Velocity Boost	×
Memory channels * ECC	Dual-channel X	Intel® Turbo Boost Technology 2.0 frequency	4.4 GHz
Memory bandwidth (max)	50 GB/s	Intel [®] Gaussian & Neural Accelerator (Intel [®] GNA) 2.0	1
Graphics	,	Intel VT-x with Extended Page Tables (EPT)	1
On-board graphics card * Discrete graphics card *	√ ×	Intel® Secure Key	1
On-board graphics card model *	Intel UHD Graphics 730	Intel Stable Image Platform Program (SIPP)	×
Maximum on-board graphics card memory	64 GB	Intel [®] OS Guard	4
On-board graphics card base		Intel Clear Video Technology	1
frequency On-board graphics card dynamic	350 MHz	Intel Software Guard Extensions (Intel SGX)	×
frequency (max)	1300 MHz	Intel 64	1

Graphics		Processor special features	
Number of displays supported (on- board graphics)	3	Intel Virtualization Technology (VT- x)	1
On-board graphics card 4K support On-board graphics card OpenGL	√ 4.5	Intel Virtualization Technology for Directed I/O (VT-d)	✓
version On-board graphics card maximum resolution (DisplayPort)	5120 x 3200 pixels	Intel Turbo Boost Max Technology 3.0 Intel® Optane [™] Memory Ready	×
On-board graphics card maximum resolution (eDP - Integrated Flat Panel)	5120 x 3200 pixels	Intel® Boot Guard Intel® Deep Learning Boost (Intel® DL Boost)	4
On-board graphics card maximum resolution (HDMI)	4096 x 2160 pixels	Intel® vPro [™] Platform Eligibility	×
On-board graphics card refresh rate at maximum resolution (DisplayPort)	60 Hz	Operational conditions Tjunction	100 °C
On-board graphics card refresh rate at maximum resolution (eDP - Integrated Flat Panel)	60 Hz	Technical details Target market	Gaming
On-board graphics card refresh rate at maximum resolution (HDMI)	60 Hz	Launch date Status Supported memory types	Q1'21 Launched DDR4-SDRAM
On-board graphics card ID Discrete graphics card model *	0x4C8B Not available	Packaging data	
Number of execution units Features	24	Package type Weight & dimensions	Retail box
Execute Disable Bit	4	Processor package size	37.5 x 37.5 mm
Thermal Monitoring Technologies Market segment Use conditions	Desktop PC/Client/Tablet	Other features Maximum internal memory	128 GB

Maximum number of PCI Express

lanes

20











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.