



Viewsonic VX Series VX3276-2K-mhd-2 81.3 cm (32") 2560 x 1440 pixels Quad HD LED Silver

Brand : Viewsonic

Product family: VX Series

Product code: VX3276-2K-MHD-2

Product name : VX3276-2K-mhd-2

- SuperClear IPS panel for vivid picture quality and wider viewing angles
- Frameless bezel and stylish stand

- QHD (2560 x 1440) resolution for crisp, clear image detail
- Adaptive Sync delivers smooth, continuous visuals

- Flexible connectivity with DisplayPort, Mini DisplayPort and two HDMI ports


32" IPS QHD Entertainment Monitor, 2560 x 1440 px, 16:9, 250 cd/m², 4 ms, 75 Hz, 178°/178°, 2 x HDMI 1.4, DisplayPort, Mini DisplayPort

Viewsonic VX Series VX3276-2K-mhd-2. Display diagonal: 81.3 cm (32"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Silver



Display		Ports & interfaces	
Display diagonal *	81.3 cm (32")	Headphone outputs	1
Display resolution *	2560 x 1440 pixels	Headphone connectivity	3.5 mm
HD type *	Quad HD	AC (power) in	✓
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LED	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Cable lock slot *	✓
Display brightness (typical)	250 cd/m ²	Cable lock slot type	Kensington
Response time	4 ms	Tilt angle range	-4 - 15°
Anti-glare screen	✓	Tilt adjustment	✓
Screen shape *	Flat	Power	
Contrast ratio (typical) *	1200:1	Energy efficiency class (SDR) *	G
Contrast ratio (dynamic)	80000000:1	Energy consumption (SDR) per 1000 hours *	40 kWh
Maximum refresh rate *	75 Hz	Power consumption (typical) *	43 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.3 W
Viewing angle, vertical	178°	Power consumption (max)	46 W
Display number of colours *	1.07 billion colours	AC input voltage	100 - 240 V
Pixel pitch	0.273 x 0.273 mm	AC input frequency	50/60 Hz
Digital horizontal frequency	15 - 113 kHz	Operational conditions	
Digital vertical frequency	24 - 75 Hz	Operating temperature (T-T)	0 - 40 °C
Colour depth	10 bit	Operating relative humidity (H-H)	20 - 90%
sRGB coverage (typical)	103%	Packaging content	
NTSC coverage (typical)	72%	Cables included	AC, HDMI
Performance		Quick start guide	✓
VESA Adaptive Sync support	✓	Weight & dimensions	
Flicker-free technology	✓	Width (with stand)	713 mm
Low Blue Light technology	✓		

Multimedia		Weight & dimensions	
Built-in speaker(s) *	✓	Depth (with stand)	230 mm
Number of speakers	2	Height (with stand)	504 mm
RMS rated power	4 W	Weight (with stand)	6.2 kg
Design		Width (without stand)	71.3 cm
Market positioning *	Home	Depth (without stand)	3.8 cm
Product colour *	Silver	Height (without stand)	41.6 cm
Feet colour	Silver	Weight (without stand)	5.6 kg
Ports & interfaces		Packaging data	
HDMI *	✓	Package width	806 mm
HDMI ports quantity	2	Package depth	109 mm
HDMI version	1.4	Package height	509 mm
DisplayPorts quantity	1	Package weight	8.2 kg
Mini DisplayPorts quantity	1	Logistics data	
Headphone out *	✓	Harmonized System (HS) code	85285210



0766907002959



766907002959

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.