

Lexmark MC3426i Laser A4 26 ppm Wi-Fi

Brand : Lexmark

Product code: 40N9753

Product name : MC3426i

- Colour Laser
 - Duplex (2-sided) Printing: Integrated Duplex
 - Print Speed: Up to 26 ppm
 - Recommended Monthly Page Volume: 750 - 5000 pages
 Copy/Print/Scan, 2.8" LCD display, Ethernet, USB Type A, USB 2.0 Type-B, Wi-Fi
 Lexmark MC3426i. Print technology: Laser, Printing: Colour printing, Print speed (colour, normal quality, A4/US Letter): 26 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Duplex functions: Copy, Print, Scan. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black, White



Printing		Ports & interfaces	
Print resolution colour	600 x 600 DPI	USB port	✓
Print resolution black	600 x 600 DPI	USB connector	USB Type-A / USB Type-B
Print technology *	Laser	Network	
Printing *	Colour printing	Wi-Fi *	✓
Duplex printing *	✓	Ethernet LAN *	✓
Print speed (black, normal quality, A4/US Letter) *	26 ppm	Cabling technology	10/100/1000Base-T(X)
Print speed (colour, normal quality, A4/US Letter)	26 ppm	Ethernet LAN data rates	10,100,1000 Mbit/s
Time to first page (black, normal)	10.8 s	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Time to first page (colour, normal)	11 s	Security algorithms	802.1x RADIUS, IPSEC, LEAP, MD5, MSCHAPv2, PEAP, SNMPv3, TLS, TTLS
Copying		Mobile printing technologies	Apple AirPrint
Duplex copying *	✓	Performance	
Copying *	Colour copying	Maximum internal memory	1024 MB
Copy speed (black, normal quality, A4)	26 cpm	Internal memory *	1024 MB
Copy speed (colour, normal quality, A4)	26 cpm	Built-in processor	✓
Time to first copy (black, normal)	13.1 s	Processor frequency	1000 MHz
Time to first copy (colour, normal)	13.1 s	Processor cores	2
Copier resize	25 - 400%	Sound pressure level (printing)	52 dB
Scanning		Sound pressure level (duplex printing)	52 dB
Duplex scanning *	✓	Sound pressure level (copying)	50 dB
Scanning *	Colour scanning	Sound pressure level (scanning)	44 dB
Optical scanning resolution *	600 x 600 DPI	Design	
Maximum scan area	216 x 356 mm	Product colour *	Black, White
Scanner type *	Flatbed & ADF scanner	Market positioning *	Home & office
Scan technology	CIS	Built-in display *	✓
Scan to	E-mail, FTP, USB	Display	LCD
Image formats supported	JPEG, JPG, TIFF	Display diagonal	7.11 cm (2.8")
Document formats supported	PDF	Control type	Touch
Fax		Power	
Faxing *	✗	Power consumption (printing)	400 W

Features		Power	
Recommended duty cycle	750 - 5000 pages per month	Power consumption (copying)	395 W
Maximum duty cycle *	75000 pages per month	Power consumption (scanning)	21 W
Duplex functions *	Copy, Print, Scan	Power consumption (ready)	17.5 W
Number of print cartridges *	2	Power consumption (sleep)	1.3 W
Printing colours *	Black, Cyan, Magenta, Yellow	Energy Star Typical Electricity Consumption (TEC)	0.37 kWh/week
Page description languages	PCL 5, PCL 6, PCLm, PostScript 3	System requirements	
Printer fonts	PCL, PostScript	Windows operating systems supported	Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64
Bitmap fonts	OCR-A, OCR-B	Linux operating systems supported	Fedora 27, RedHat EL Linux 7.5, RedHat EL Linux 7.6, Ubuntu 16.04, Ubuntu 18.04 LTS, openSUSE 42.3
Country of origin	China	Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64, Windows Server 2012, Windows Server 2016
Input & output capacity		Other operating systems supported	Novell Open Enterprise Server 11, Novell Open Enterprise Server 2
Total number of input trays *	2	Operational conditions	
Total input capacity *	250 sheets	Operating relative humidity (H-H)	8 - 80%
Total output capacity *	100 sheets	Operating temperature (T-T)	10 - 32 °C
Auto document feeder (ADF)	✓	Operating altitude	0 - 3048 m
Auto document feeder (ADF) input capacity	50 sheets	Certificates	
Auto document feeder (ADF) output capacity	50 sheets	Certification	ENERGY STAR, DE-UZ-205, ICES-003 Class B, US FDA/CDRH, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62311, CE, CE, EN 61000-3, EN 55022 Class B, EN 55024, UL), EFTA (CE), KCC, CCC, CECF, CEL, UL-AR, KC mark, UL GS mark, EU 1275, ISO 532B, ECMA-370, GOST-R, SII, TER, China Green Product (CGP)
Maximum number of input trays	4	Sustainability	
Maximum input capacity	750 sheets	Sustainability certificates	ENERGY STAR
Maximum output capacity	100 sheets	Weight & dimensions	
Paper handling		Width	411.2 mm
Maximum ISO A-series paper size *	A4	Depth	394.1 mm
Paper tray media types *	Card stock, Glossy paper, Labels, Plain paper	Height	344.4 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Weight	19.4 kg
Non-ISO print media sizes	Executive, Folio, Hagaki card, Legal, Letter, Oficio, Statement, Universal	Packaging data	
JIS B-series sizes (B0...B9)	B5	Package width	440 mm
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL	Package depth	556 mm
Paper tray media weight	60 - 176 g/m ²	Package height	519 mm
Ports & interfaces		Package weight	22.7 kg
Direct printing *	✓		



0734646720564



734646720564

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.