



## BenQ WDR02U WLAN 867 Mbit/s

Brand : BenQ

Product code: 5J.JL528.006

Product name : WDR02U

- Steady connections via dual-band Wi-Fi
  - Up to 867 Mbps on the 5GHz band
  - Low power consumption with Bluetooth LE
  - Allows hotspot sharing to multiple devices
  - USB plug-and-play
- WiFi Bluetooth USB adapter



[BenQ WDR02U WLAN 867 Mbit/s:](#)

### Enable wireless communication

Use the WDR02U to expand your display's connectivity with Wi-Fi and Bluetooth. Wirelessly connect to the web or devices such as speakers and microphones.

### Turn on hotspot sharing

If your BenQ display is connected via LAN, you can plug in the adapter and use the display as a Wi-Fi hotspot that supports multiple device connections. This is perfect for wireless screen sharing.

### Experience dual-band reliability

The WDR02U connects to either the 2.4GHz or 5GHz band, guaranteeing steady speeds of up to 867 Mbps.

BenQ WDR02U. Connectivity technology: Wireless, Host interface: USB, Interface: WLAN. Maximum data transfer rate: 867 Mbit/s, Top Wi-Fi standard: Wi-Fi 5 (802.11ac), Wi-Fi band: Dual-band (2.4 GHz / 5 GHz). USB powered. Product colour: Black

Ports & interfaces		Design	
Connectivity technology *	Wireless	Internal *	✗
Host interface *	USB		CP6501K, CP8601K, RP6502, RP7502, RP8602, RP6501K, RP7501K, RP8601K, RM5502K, RM6502K, RM7502K, RM8602K, RM5501K, RM6501K, RM7501K, RM8601K, RM6502S, RM7502S, RM8602S, RE6501, RE7501, RE8601, RE9801, BH2401T, BH3501T, CS6501, CS7501, CS8601, SL4302K, SL5502K, SL6502K, SL7502K, SL8502K, ST4302, ST5502, ST6502, ST7502, ST8602, ST4301K, ST5501K, ST6501K, ST7501K, ST8601K, BH2401, BH2801, BH3501, BH3801, BH2801N, BH3801N, BH3801D
Interface *	WLAN		
Network		Compatible products	
Maximum data transfer rate *	867 Mbit/s		
Networking standards *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1x		
Wi-Fi	✓		
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)		
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)		
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)		
Security algorithms	AES, TKIP, WPA, WPA2		
Bluetooth	✓		
Bluetooth version	4.0		
Design		Power	
Component for *	Interactive whiteboard	USB powered	✓
Product colour	Black	Weight & dimensions	
		Width	50.3 mm
		Depth	8.7 mm
		Height	18.3 mm
		Other features	
		Bluetooth Low Energy (BLE)	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-APR-2023. Prints or copies of Information are only valid on the printed Publication date