## **Logitech Rally Bar Mini**

**Brand :** Logitech **Product code:** 960-001339

Product name: Rally Bar Mini



Rally Bar Mini

## Logitech Rally Bar Mini:

The purchase of a one year Logitech extended warranty along with the purchase of Rally Bar Mini adds one additional year to the original Logitech manufacturer's two year limited hardware warranty and is intended to ensure that your Logitech hardware is free from defects in material and workmanship. This extended warranty helps to protect your investment, maximize its value, and ensure optimal performance of your Logitech conference room hardware for a total of three years. This is right in line with the typical depreciation and replacement cycle of most conference room equipment. Logitech Rally Bar Mini. Product type: Group video conferencing system. HD type: 4K Ultra HD, Supported video modes: 576p, 720p, 900p, 1440p, 2160p, Maximum frame rate: 30 fps. Digital zoom: 4x. Ethernet LAN, Wi-Fi. Product colour: Graphite



Performance		Features	
Product colour *	Graphite	Telepresence *	x
Product type *	Group video conferencing system -25 - 25° -15 - 15° ✓	Logistics data	
Pan range Tilt angle range PTZ control		Master (outer) case gross weight Master (outer) case length Master (outer) case width	6.29 kg 804 mm 200 mm
Video		Master (outer) case height	212 mm
HD type *	4K Ultra HD	Harmonized System (HS) code	85176990
Supported video modes Maximum frame rate	576p, 720p, 900p, 1440p, 2160p 30 fps	Battery Battery capacity	0.675 Wh
Audio			0.075 WII
Built-in speaker(s)	<b>✓</b>	Computer system	
Output level	92/99 dB	Windows operating systems supported	Windows 10, Windows 11
Line-out impedance Output voltage Total Harmonic	4 Ω 2%	Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Distortion (THD)		Operational conditions	
Audio beamforming  Noise reduction  Echo cancellation  RMS rated power  8 W  Microphone pick-up range  4.5 m	<b>*</b>	Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Heat dissipation	0 - 40 °C 10 - 95% -40 - 70 °C 64 BTU/h
Sample rates	0 - 48 kHz	Power	
Ports & interfaces	U - 46 KHZ	Power source type	AC
HDMI ports quantity HDMI output ports quantity HDMI input ports quantity USB connector type USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity Ethernet LAN (RJ-45) ports	3 2 1 USB Type-A, USB Type-C ie-A 3	AC input voltage Current DC input voltage Battery technology Battery capacity Number of batteries supported Power plug type	100 - 240 V 4.754 A 19 V Lithium 220 mAh 2 Type C
DC-in jack	✓	Weight & dimensions	
Microphone in	✓	Width	719 mm
Network		Depth	101 mm
Ethernet LAN * Ethernet LAN data rates Wi-Fi	10,100,1000 Mbit/s	Height Weight Package width	91.4 mm 4.03 kg 191 mm
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Package depth	789 mm
Supported network protocols	IPv4, IPv6	Package height Package weight	199 mm 5.8 kg

Network		Packaging content	
Security algorithms  Camera	128-bit AES	Cables included  Power cable length	AC, DC, HDMI, USB Type-A to USB Type-C 2.5 m
Zoom capability Digital zoom Horizontal field of view Vertical field of view Diagonal field of view Remote control interface	<ul><li>✓</li><li>4x</li><li>113°</li><li>80.7°</li><li>120°</li><li>Bluetooth</li></ul>	HDMI cable length AC adapter included Remote control included Quick start guide	2 m
Microphone Microphone sensitivity Microphone frequency Microphone direction type Sound pressure level (max) Number of microphones	-36 dB 90 - 16000 Hz Omnidirectional 90 dB 6	Packaging content	Remote control Lens caps for main lens and Al Viewfinder User documentation







(01)50992060930814



5704174880073

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.