



## DELL C Series 27 Video Conferencing Monitor - C2722DE

**Brand :** DELL

**Product family:** C Series

**Product code:** DELL-C2722DE

**Product name :** Dell 27 Video Conferencing Monitor - C2722DE

- 68.6cm (27") Quad HD 2560 x 1440 LED IPS
- 8ms, 16:9, 350cd/m<sup>2</sup>, 1000:1
- USB, HDMI, DisplayPort
- 68.6cm (27") Quad HD 2560 x 1440 LED IPS, 16:9, 350cd/m<sup>2</sup>, 16.78M, 8ms, 1000:1

### DELL C Series 27 Video Conferencing Monitor - C2722DE:

Collaborate like you're there on a 27-inch QHD monitor with an integrated 5MP camera, dual 5W speakers and a dedicated Microsoft Teams button.

DELL C Series 27 Video Conferencing Monitor - C2722DE. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	DisplayPort version	1.2
Display resolution *	2560 x 1440 pixels	Audio input	✗
HD type *	Quad HD	Headphone out *	✗
Native aspect ratio *	16:9	Headphone outputs	1
Display technology *	LCD	Headphone connectivity	3.5 mm
Panel type *	IPS	HDCP	✓
Backlight type	LED	AC (power) in	✓
Touchscreen *	✗	<b>Network</b>	
Display brightness (typical)	350 cd/m <sup>2</sup>	Wi-Fi	✗
Response time	8 ms	<b>Ergonomics</b>	
Anti-glare screen	✓	VESA mounting *	✓
Screen shape *	Flat	Panel mounting interface	100 x 100 mm
Supported graphics resolutions	2560 x 1440	Cable lock slot *	✓
Supported video modes	480i, 480p, 576i, 720p, 1080i, 1080p	Height adjustment *	✓
Contrast ratio (typical) *	1000:1	Height adjustment	12 cm
Maximum refresh rate *	60 Hz	Pivot	✓
Viewing angle, horizontal	178°	Pivot angle	-90 - 90°
Viewing angle, vertical	178°	Swivelling	✓
Display number of colours *	16.78 million colours	Swivel angle range	-45 - 45°
Response time (fast)	6 ms	Tilt angle range	-5 - 21°
Pixel pitch	0.2331 x 0.2331 mm	On Screen Display (OSD)	✓
Pixel density	108.79 ppi	LED indicators	✓
Horizontal scan range	30 - 90 kHz	Tilt adjustment	✓
Vertical scan range	56 - 76 Hz	<b>Power</b>	
Viewable size, horizontal	59.7 cm	Energy efficiency class (SDR) *	F
Viewable size, vertical	33.6 cm	Energy consumption (SDR) per 1000 hours *	23 kWh
Display diagonal (metric)	68.47 cm	Power consumption (typical) *	22.8 W
High Dynamic Range (HDR) supported	✗		

<b>Display</b>		<b>Power</b>	
sRGB coverage (typical)	99%	Power consumption (standby) *	0.3 W
<b>Performance</b>		Power consumption (max)	210 W
NVIDIA G-SYNC *	✗	Power consumption (off)	0.2 W
AMD FreeSync *	✗	AC input voltage	100 - 240 V
Flicker-free technology	✓	AC input frequency	50/60 Hz
Low Blue Light technology	✓	Power supply type	Internal
<b>Multimedia</b>		Energy efficiency scale	A to G
Built-in speaker(s) *	✓	<b>Operational conditions</b>	
Built-in camera *	✓	Operating temperature (T-T)	0 - 40 °C
Number of speakers	2	Storage temperature (T-T)	-20 - 60 °C
RMS rated power	10 W	Operating relative humidity (H-H)	10 - 80%
Megapixel (approx.)	5 MP	Storage relative humidity (H-H)	5 - 90%
Built-in microphone	✓	Operating altitude	0 - 5000 m
<b>Design</b>		Non-operating altitude	5000 - 12192 m
Market positioning *	Home	<b>Packaging content</b>	
Product colour *	Black	Stand included	✓
Front bezel colour	Black	Cables included	AC, DisplayPort, USB Type-A to USB Type-B, USB Type-C to USB Type-C
Detachable stand	✓	Quick start guide	✓
Feet colour	Silver	DisplayPort cable length	1.8 m
Heavy metals free	Hg (mercury)	<b>Weight &amp; dimensions</b>	
<b>Ports &amp; interfaces</b>		Width (with stand)	612.3 mm
Built-in USB hub *	✓	Depth (with stand)	230 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Height (with stand)	565.6 mm
USB upstream port type	USB Type-C	Weight (with stand)	8.8 kg
Number of upstream ports	2	Width (without stand)	61.2 cm
Number of USB Type-B upstream ports quantity	1	Depth (without stand)	5.39 cm
Number of USB Type-C upstream ports quantity	1	Height (without stand)	42.5 cm
USB Type-A downstream ports quantity	3	Weight (without stand)	5.74 kg
USB Type-C downstream ports quantity	1	Bezel width (side)	7.8 mm
USB Type-C DisplayPort Alternate Mode	✓	Bezel width (top)	7.8 mm
USB Power Delivery up to	90 W	Bezel width (bottom)	5.2 cm
DVI port	✗	<b>Packaging data</b>	
HDMI *	✓	Package weight	12.6 kg
HDMI ports quantity	1	USB cable length	1.8 m
HDMI version	1.4	<b>Sustainability</b>	
DisplayPorts quantity	1	Sustainability certificates	ENERGY STAR, RoHS
		Doesn't contain	PVC/BFR
		<b>Logistics data</b>	
		Harmonized System (HS) code	85285210
		<b>Other features</b>	
		Ethernet LAN (RJ-45) ports	1



5397184504918



5704174819103

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.